

台湾立横两用铣床CF-G1A

产品名称	台湾立横两用铣床CF-G1A
公司名称	鎌钲兴业股份有限公司
价格	面议
规格参数	
公司地址	深圳市宝安区松岗镇潭头村(107国道商住楼A13)
联系电话	13923763709

产品详情

models (cf-g1a)	
table	
working surface(length × width)	1000 × 230mm
table travel(x/y/z)	600 × 230 × 400mm
t-slots	16mm × 3
vertical spindle	
spindle nose	n.t.#40
spindle speed(8 steps)r.p.m	210-3440(60hz)
	170-2860(50hz)

distance from spindle end to table top	50-535mm
distance from spindle center to column	150-450mm
vertical travel of quill surface	125mm
swiveling angle of head(right & left)	90 °
cross travel of ram	230mm
horizontal rotation angle or ram	360 °
horizontal spindle	
spindle nose	n.t.#40
spindle speed(6 steps)r.p.m	50-1180(60hz)
	40-980(50hz)
distance from spindle center to table top	0-470mm
distance from spindle center to ram bottom	120mm
motors	
for vertical spindle	1.5kw(2hp)-4p/8p
for horizontal spindle	1.5kw(2hp)-4p
for table feed	0.4kw(1/2hp)-4p
for cutting fluid pump	0.1kw(1/8hp)-4p

size of machine	
net weight	1,300kg
dimensions of packing case	1400 × 1350 × 1830mm