LED隧道灯,120W投光灯 五年零故障质保

产品名称	LED隧道灯,120W投光灯 五年零故障质保
公司名称	深圳市耀嵘科技有限公司
价格	面议
规格参数	加工定制:是 品牌:yr 型号:yr-120W
公司地址	深圳市光明新区公明办事处西田社区第二工业区第33栋
联系电话	13822518117 13728825779

产品详情

led泛光灯　　24小时销售热线：闫先生：18476395695

特点features：

² 灯具具有专业级别的散热设计，机壳采用航空铝合金挤压成型，具有很高的导热系数，并与周边的空气形成良好的对流，长期连续工作，光源基座温度不超过65摄氏度；

² 采用大功率led 50-80w作为光源，运用独特的多颗芯片集成式单模组光源设计，选用进口高亮度半导体晶片，具有导热率高，光衰小，光色纯，无重影等特点；

² 采用独特二次配光，整体光照度，光亮度均匀；

² 显色性好，对实物颜色的呈现更真切，能满足不同环境的需求，消除了传统灯具色温偏高或偏低引起的压抑情绪，使视觉倍感舒适；

² 电压适用范围宽，全球通用，采用恒流恒压控制，响应速度快，无需预热，启动迅速；

² 内置式电源系统，电源导线打开灯体透光玻璃即可连接，便于安装，后期维护。

v using specialized heat-dispersion design of the lamp,use aerometal material of the housing with high heat conduction and well formed convection with surrounding air;the temperature of lamp holder will less than 65°Ceven if continue work with a long-term,

v using single powerful led(50-80w)as the light source,with unique lighting design of multi-chip integrated single-module;select for excellent imported semiconductor chip,it has high thermal conductivity,low luminous decay,pure colorsand no heavy shade etc.

v adopted the unique secondary light distribution,with average lluminance;

v with high color rendering index which can show a true color of things fo r people and meet the requirement of different invironment;clear up the depressive mood c aused by lower or higher color temperature compared with conventional lamp,make more co mfortable for people's eyes.

v wide voltage range available and global universal;adopted advanced constant-current controlling techniques,can fast turn on,no warn-up.

v using build-in power systems,easy to install and preserve.

应用场所application :

适用于隧道，地下通道，地下停车场，铁路，楼宇亮化，大面积泛光照明，公共场所，广场等需要的照明场所。

the lights could be used in many places such as: the tunnel, underground passage, underg round parking, railway, building lighting, large area flood lighting, public spaces, squares and other places.

24小时销售热线：闫先生：18476395695

额定电压rated voltage：ac85-265v 50-60hz

led光源led source：120w

光通量flux：＞9000lm

显色指数color rendering index：≥78

色温color temperature：2700-7000k

工作环境温度operating temperature：-40°C~50°C

防护等级protection grade：ip65

使用寿命life-span：＞50000h

灯具尺寸lamp size：l368*w285*h115（mm）

材质material：压铸铝aluminum

led光源led power：120w

产品特点：　1、高强度钢化玻璃、灯具表面抗氧化和喷塑处理，确保灯具使用寿命。　2、自主知识产权封装的双颗大功率led作为光源，其发光效率高，光衰小。　3、采用高纯度铝反射罩，灯具的出光率超过95%、亮度均匀。　4、消除了传统灯具的不良眩光引起的刺眼、视觉疲劳与视线干扰。　5、通电即瞬间启动，无延时。　6、绿色环保无污染，不含铅、汞等污染元素。　7、显色性好，光亮稳定，并接近自然光线。进入隧道，司机能适应光线自然变化，确保行车安全。　8、采用恒流恒压控制，适用电压宽（ac 85v～265v）。　9、散热器与灯壳一体化设计，有效地散热并保证了光源寿命，无故障时间大于40000小时。

适用范围：　隧道、车站、码头、公园、地下停车场、园林绿化、各类体育场所、广场、广告牌等大型空间及建筑物照明。　24小时销售热线：闫先生：18476395695

本产品的加工定制是是，品牌是yr，型号是yr-120W，防护等级是IP65，光源类型是LED灯，光源功率是120（W），电压是AC85-265（V），主要适用范围是隧道,地铁,桥洞,涵洞,车站,码头,地下停车场,各类体育场馆,广场,广告牌,大型