

魏德米勒接线端子SAK 2.5

产品名称	魏德米勒接线端子SAK 2.5
公司名称	南通丰源自动化设备有限公司
价格	1.00/台
规格参数	魏德米勒:魏德米勒 SAK 2.5/EN:SAK 2.5/EN
公司地址	江苏省南通市港闸区
联系电话	0513-87111805 15996555463

产品详情

供应魏德米勒接线端子sak 2.5/en

南通，张家港，宿迁,盐城，连云港weidmuller总代理

联系人：王晓华

销售热线：0513-87111805/15996555463

ztr 2.5/o.tnhe

zsi 2.5

zqv 6/4 ge

zqv 6/24 ge

zqv 6/2 ge

zqv 4n/41

zqv 4n/20 ge

zqv 4/4 ge

zqv 2.5n/2 ge

zqv 2.5/4 ge

zqv 2.5/20

zqv 2.5/2

zqv 2.5/10

zqv 16/2

zqv 1.5/10

zpe 2.5/3an

zpe 2.5-2/3an

zpe 2.5

zew 35

zep 2.5 (160864)

zdu 4/4an

zdu 4-2/2an

zdu 4

zdu 35 bl

zdu 2.5/4an

zdu 2.5/3an bl

zdu 2.5/3an

zdu 2.5-2/4an

zdu 2.5-2/3an

zdu 2.5 bl

zdu 2.5

zdu 16/3an

zdu 16 bl

zdu 10

zbe6(045950)

zb 4k ge/gn

zb 4k bl

zb 4/6k gg(056546)

zb 4

zb 35k sw m6x16

zb 35k bl m6x16

zb 35k gg m6x16

zb 35/m6x16

zb 16/6k ge/gn

zap/tw zia1.5/3l

zap/tw zdu16

zap/tw zdu1.5/4an

zap/tw zdu1.5/3an

zap/tw zdkpe2.5-2

zap/tw zdk2.5

zap/tw 7 zdu 2.5-2/3an

zap/tw 5 bl

zap/tw 3

zap/tw 10/16

zap zdu4-2

zad 6/5

xb2sl44007

wtw en

wtr 2.5/d+

wtr 2.5

wtl 6/2/32

wsi 6/ld 10-36v dc/ac

wsi 6

ws 8/5 (164074)27.20

ws 8/5 (164074)0v

ws 12/6,5 mc neutral

ws 12/6 mc neutral(1-120横)

ws 12/5 mc neutral(90横)

ws 12/6,5 mc neutral

ws 15/5 mc neutral

ws 12/8 mc neutral

wqv 6/3 ct

wqv 6/2 ct

wqv 4/2

wqv 2.5/10

wpt 1-12

wpe 35n

wpe 35

wpe 2.5

wpe 16

wpdb 35/16/6/n 1/2/5/11

wpa 02-3 ge/sw 7 cd

wpa 3-6 ge/sw 0 mp

wkm 8/20

wgk 16 vp

wff 35/ah

wff 185

wf 5

wf 12

wf 10

wew 35/2

wdu 6

wdu 35n

wdu 35/za

wdu 35

wdu 2.5n/zqv

wdu 2.5n

wdu 2.5/1.5/zr

wdu 2.5 gr

wdu 16/za bl

wdu 10 bl

wdu 10/zr

wdu 10

wdk 2.5/d

wdk 2.5

wap wtl6/1

wap wdu2.5n

wap wdk2.5/4 n

wap wdk2.5

wap 2.5-10

wad20ge

wad 20 ge

wad 12 m. bl.

vl 2 sak16/saka

vh 19/5/3.5 sak4-16

vg m25-1/ms68

vg m20 exe sw

vg m20 - k 68

vg 48-k68

vg 36-ms68(1569130000)

vg 11-k68

tw sak4-10

tw sak2.5 bl

tw 4 sak4-10

tsch 3 sakd2.5 n

tsch 1

ts 35x7.5/II 2m/st/zn(2米)

ts 35x7.5 2m/st/zn(2米)

ts 15x5 2m/al/bk(1米)

trs 12vdc 2co

tos 24vdc/48vdc 0,1a

tnhe wsi6/ld(1012230000)

tnhe wsi6/ld 24dc

tmx 18 hf/hb (1748820000)

tm-i 20 neutral ws

tm-i 15 neutral (1609981044)

stv s 5 sb

stv s 5 ss

stv 2/10 s/b

stv 2/10 ad 2

str 5 s f.scht 5 s

str 5 f.scht 5

ss m4 d 128-a 4

src-i qv

spw 3co

sprenging sw 8

sls 5.08/6f sn or

sls 5.08/4f sn or

ap akz2.5

ap ask1

ap dk4q

ap dld2.5 db

ap sak16

ap sak2.5/35

ap sak2.5/35 + ast3+4

ap sak35 krg

ap sak4-10

ap sak4-10 db

ap sak70

ap sak70/35 (0340960000)

ap zrv2.5

apsak35(030362)

ask 1/en

ask 1/en ld 15k 24vdc

bcz 3.81/08/180 sn bk bx

bfsc m3x25

bfsc m4x9t

bfsc m5x8

bl 5.08/4 sn or

blz 5.08/13 sn or

blz 5.08/4/270 sn or

blz 5.08/4f sn or

blz 5.08/6/90 (155316)

blz 5.08/6f sn or

blzf 5.08/2 sn or

cb 100/2.5 natur

cb1,6e18-16 au,75 i3,5

cb 368/4.8 natur

cb98/2.5(127860)

cli o 10-3 ge/sw 8 mp

decipak isolator 0-10v 4-20ma 9-70vdc

dek 5 fwz 1-10

dek 5 neutral(1-32~~竖~~)

dek 5/5 plus mc neutral

dek 5/6 mc neutral

dek 5/6 plus mc ne ws

dek 5/6,5 mc neutral

dek 5/8 mc neutral

dek 5/8 plus mc ne ws

dek 6 neutral

dek 6 neutral(1-20)

dek 8 neutral(1-20横)

dk 4q/35

dksue nsch/esch

dli 2.5 db

dp wgk 16

dp wgk 50

drm metal clip

ek 2

ek 2.5/35

ek 4

ek 35/35

es07p 167039

eso 5 din a4 gelb bog.

eso 7 a4-bogen gelb

ew 15

ew 35

ewk 1

gwdr pg11-np

h1,0/14 ge

h25/36 braun

hdc 06b tslu 1m25g

hdc 07a twlu 1m20g

hdc 15a tslu 1m25g

hdc 06b tslu 1m20g

hdc 24b adbo

hdc 24d sbu 1pg29g

hdc 64d tsbo 1pg21g

hdc ha 10 mt

hdc hd 64 fc

hdc hd 64 mc

hdc hd 8 fc

hdc hd 8 mc

hdc he 6 fs

hdc he 6 mt

hdc-kit-ha 03.300

lmzfl 5/2/135 3.5sw

lp5.08/2/135 3.2 or

mk 6/2

pos-5p m12/m20 300mm

q 10 akz4

q 10 sak10

q 12 sak6n

q 2 sak10

q 2 sak2.5

q 3 sak6n

q 4 sak2.5

q 4 sakd2.5n

qb 2 wi ra6 is

ql 10 sak6n

ql 2 sak6n

rcl 424110 110vdc-rel2u

rcl 424730 230vac-rel2u

rs 30 24vdc ld lp 1u

sak 10/en

sak 16/en

sak 2.5/en

sak 35/en

sak 35/en bl

sak 4/en

sak 6/en

sakap 2.5-4

sakap 6-10

sakap/sakdk 4

sakdu 10

sakdu 2.5

sakdu 2.5 bl

sakdu 4

sakq 10/10

sakq 2.5/10

scht 5

saksi 4

scht 5 s

sf 3/12 neutral var.

skmu m12 - k gr

sls 5.08/4f sn or

ss m4 d 128-a 4