

轴配流液压马达，济宁力耐通马达

产品名称	轴配流液压马达，济宁力耐通马达
公司名称	济宁力耐通液压机械有限公司
价格	1.00/台
规格参数	
公司地址	山东省济宁市高新开发区内
联系电话	0537-2031618 13792343699

产品详情

Imp????????



?????Imp??

????

Imp????????????????????

•????????????????????

•????????????????????

•????????????????

•????????????????

•????????????????

Imp motor is a small volume, spool valve type gerolor motor.

characteristic features?

- advanced design of spool and gerolor, which has small size and compact structure.
- credible design of shaft seal, which can bear high pressure and be used in parallel or in series.
- direction of shaft rotation and speed can be controlled easily and smoothly.
- best combination of efficiency and economy in medium duty applications.
- a variety of connection types of flange; rabbet:, output shaft and oil port.

????? main specification

1.????????????????????

2.????????????????????

3.????????????????????10%?

4.?????80°?

5.????????10mpa????????????5mpa????????????

6.????????????????????40%????1???

7.??68#????????37-73cst????iso18/13.

note: 1. intermittent means the entrance of the maximum pressure; continuous working pressure means the differential pressure

2. motor should not work under the highest pressure and the maximum speed

3. the running time should not exceed 10% under intermittent working conditions

4. the maximum working temperature is 80 °

5. the maximum allowable back pressure is 10mpa, but the recommended back pressure should not exceed 5mpa. a leaking pipes is needed when exceeding
6. one hour running time under 40% of maximum working pressure is recommended before full capacity working.
7. recommending n68 anti-wear hydraulic oil, viscosity 37-73cst, cleanliness iso18/13.

Imp ???? ----??? dimension and mounting data

Imp ???? ----??? mounting flange; rabbet:

Imp ???? ----??? shaft

Imp ???? ----?? port

Imp???? ordering information

Imp ordering information