

全自动工业烘干机 烘干系列 干洗店水洗房酒店首选

产品名称	全自动工业烘干机 烘干系列 干洗店水洗房酒店首选
公司名称	广州市金挚莱洗涤器材有限公司
价格	面议
规格参数	加工定制:是 产品用途:烘干 适用范围:工业用
公司地址	广东 广州市花都区 新华镇云山大道87号-19
联系电话	02036929833

产品详情

简要说明short introduction:

1、电脑控制、操作简单

电脑只能全自动控制，可预置5套自动程序，用户可根据烘干的布草不同，进行多种温度、时间、正反转程序，精心呵护烘干过程中的布草。

computer control and simple operation

computer intelligent automatic control, presetting 5 automatic programs is allowable, user can set temperature,time,rev according to different sheet, taking care of sheet during drying.

2、运行稳定、维护简单

传动系统采用两级皮带传动，运行稳定，日常维护简单。

多翼式平衡风轮设计，不积毛绒，噪音低，运行平稳。

stable running and simple maintenance

transfer system adopts double belt transmission to ensure stable running and bring simple daily maintenance.

multiple-wing balance wind wheel design to control deposit floss, low noise, stable running.

3、人性化设计，安全便捷

超大直径装衣门设计，装衣取衣轻松便捷；门体深度介入转笼对接口，避免布草刮伤。

抽屉式毛绒收集装置，拉出即可清洁，降低日常清洁劳度。

不锈钢/碳钢喷塑面板可选，优质隔温材料，防止热量散发，降低机体表面温度。

human design, safety and convenience

super diameter design for loading door to bring convenience for loading clothes and unloading clothes, door depth is connected with drum inter face to avoid damaging sheet.

drawer style of floss collection device to pull out for cleaning, so that reduce daily clean strength.

user can choose from stainless steel or carbon steel panel, excellent material of temperature-isolating to prevent heat from emanating for taking from machine face temperature.

4、快速烘干、高效节能

hg系列烘干机采用大规格热交换器，有效加热面积大，升温快，干衣时间短。

内转笼采用高密度 800以上超大通风设计，确保热量穿过波草；并配比优化设计的排风量，热量利用更充足，使布草在短时间内得到充分烘干，并节能降耗。

转笼单、双向运转可设定，可防止大件布草的缠绕和出皱，使烘干效率质量最佳化。

fast drying, high efficiency and energy-saving

hg series dryer adopt heat exchange device of large specification to effectively expand heating area, fast raise temperature, short drying time.

inner drum adopt super design of high-density ventilation over 800mm to ensure heat cross sheet and equipped with ventilation of refined design, effectively utilize heat to make sheet become dry during short time and save energy consumption.

single and dual direction of drum rotation can be set, intertwist and shrinking of large piece of sheet can be prevent to ensure high effective drying effect.

主要技术参数main parameters:

参数specification	hg-15	hg-30	hg-50	hg-70	
额定容量 (kg) / rated capacity	15	30	50	70	
转筒尺寸 (mm) / drum size	800*640	940*930	1150*970	1270*1100	1420*1100
电机功率 (kw) / motor power	0.55	1.1	1.1	1.5	
风机功率 (kw) / fan power	0.55	1.1	1.1	1.5	
蒸汽压力 (mpa) / steam pressure			0.294-0.588		
蒸汽耗量 (kg/hr) / steam consumption	30	60	85	130	
进气接口 / intake interface	3/4	1	1	3/2	
排气接口 / exhaust interface	3/4	1	1	3/2	
外形尺寸 (mm) / dimensions	1100*1050*1710	1100*1300*1970	1200*1600*2270	1480*1900	1730*2000*2370
烘干时间 (min) / drying time	45	45	45	45	*2370
内筒转数 (rpm) / the number of revolutions of the inner cylinder	38	35	32	30	
电压 (v/Hz) / voltage	220/380/50	380/50	380/50	380/50	
整机重量 (kg) / overall weight	500	600	800	900	

本产品的加工定制是，产品用途是烘干，适用范围是工业用，适用对象是服装,鞋，地毯，，产品类型是全新，品牌是金挚莱，型号是HG，种类是烘干机，自动化程度是全自动，电源电压是380(V)，额定功率是550(W)，净重是50(Kg)，外形尺寸(长*宽*高)是1100*1050*1710(mm)，规格是50KG，销售地点是广州，销售形式是厂家直销，产地是上海