

??????

400-025-3775

www.haodian168.com

????

????

????

600*400*1500mm

????

??

????

????????????????????

???

1280*1024

?????

19????????????????

????

19? 4?3

??

????

? ?

??2mm????????????????????????????????
??
???, 30w+30w???

????????

??
????????????????????????????????

?????

rj45?????2?usb??,

??

220v?? 49hz-51hz

??

?130w

??????

5?-35?

??????

-40?-55?

????????

?93%?40??

?????

86kpa-106kpa

?????

????

1mm

???

90%??

????

?

?????

???100g????

????

>75000??

????

?????????5000???????????

????

???????????????

????

??ul1950 and ce r43?????????

???? ??????????

???? ???????????

???? ??16ms

???? ???????

???? ???????????

???? ??????????????

???? ce?fcc

???? 90—264vac 50—60hz

???? -20??80?

???? -40??80?

?? 40??90%????

?? 3c?ce?fcc

?? 220v?? 49hz-51hz

?? ?130w

?????? 5?-35?

?????? -40?-55?

????????? ?93%?40??

????? 86kpa-106kpa

?????

???? 19??

???? 381.6mmx286.2mm

????		4?3
???		1000?1
????		85/85/80/80(?/?/?/?)
??		300cd ?type?
??		8bit?16.7m
????????		1280*1024
????		pal?ntsc
??????		vga/svgaxga/sxga
????		5ms
??		1?vga
????		ac ?200?240?v/50?60hz

??????

400-025-3775

www.haodian168.com