

# 原装批发台湾DYD火石仔、砂轮打磨头（柱形、锥形、T形）等

产品名称	原装批发台湾DYD火石仔、砂轮打磨头（柱形、锥形、T形）等
公司名称	东莞市长安建森五金工具商行
价格	面议
规格参数	建议零售价: ¥ 1.00 品牌: JANSEN 型号: 3-25MM
公司地址	中国 广东 东莞市 长安镇乌沙兴二路31号铺(长荣国际五金广场)
联系电话	86-076981664945 13829271795

## 产品详情

### 帶柄砂輪

	<p>帶柄研磨砂輪- shank:                  ø 2.34mm精密模具表面調整研磨去除微細毛邊亮度拋光特長:                  無噪音,振動,粉塵,且光滑無比,安全衛生。</p> <p>運用:* 模具表面調整研磨* 貴金屬之研磨* 精密部位亮度上光*                  微細毛邊去除研磨* 機械部位內孔溝位研磨</p>
--	---

grit	a	wa	pa	sa	c	gc
color code	brown	white	pink	blue		green

### specification guide

kind of abrasive	symbol	application
氧化鋁aluminum oxide(al203)	a	棕褐色磨料 - 韌性硬, 可磨削抗拉強度高的材質, 如硬鋼。
	wa	白色磨料 - 性略韌, 可磨削特別強韌的材質, 如高速工具鋼。
	pa	粉紅色磨料 -

碳化矽silicon carbide

	性韌，可作工具磨削或表面磨削。
sa	藍色磨料 - 適用於熱處理過的合金鋼或工具鋼表面磨削。
	黑色磨料 - 性脆，用於磨削抗張強度低的材料，如鑄鐵，銅，石，鋁。
gc	綠色磨料 - 硬而脆，可磨削超硬合金，如鎢碳鋼，陶瓷，冷軋鋼之磨光等。

available wheel size:

brown (hp) – for cuttign and rough polishing on nickel and cobalt chrome alloys.

white (hp) – white aluminum oxide - hard steel, general purpose.

pink – pink aluminum oxide, cool cutting works for hardened steel.

blue -tough aluminum oxide recommended for heavy stock removal.

black – it is widely used for pressure blasting, surface finish and other general industrial applications.

green – silicon carbide recommended for heat sensitive non-ferrous materials.

model no.	256a	308a	410a	510a	612a	816a
ø d	2.5	3	4	5	6	8
t	6	8	10	10	12	16
model no.	30b	40b	50b	60b	80b	100b
ø d	3	4	5	6	8	10
t	-	-	-	-	-	-
model no.	308t	310t	412t	710t	813r	1224r *
ø d	3	3	4	7	8	12
t	8	10	12	10	13	24
model no.	412j	616j	816j	1016j	612p	815p
ø d	4	6	8	10	6	8
t	12	16	16	16	12	15
model no.	306k	412k	515k	816k	132e / 133e	162e *
ø d	3	4	5	8	13 / 13	16
t	6	12	15	16	3 or 2	2

粉色柄砂轮 - ø 6.0mm

model no.	a1	a2	a3	a4(ka-1)	a5(k
ø d	19	25	25	32	19

t	55	32	70	32	28
model no.	a12(ka-3)	a13	a14	a15	a21
∅ d	18	28	18	6	25
t	32	28	22	27	25
model no.	a24	a25		a26(ka-8)	a31
∅ d	6	25		16	35
t	19	-		-	25
model no.	a34		a35(ka-7)		a36
∅ d	38		25		42
t	10		10		10
model no.	a38(ka-4)	a39		a40	
∅ d	25	19		19	
t	25	19		-	

本产品的建议零售价是 ¥ 1.00，品牌是JANSEN，型号是3-25MM，形状是圆柱磨头，加工定制是是，材质是WA，粒度是80（目），适用范围是打磨抛光，规格是3-25MM