

## 新品 60灯 30灯5050贴片恒流软灯条 20米后无亮度差别灯条

产品名称	新品 60灯 30灯5050贴片恒流软灯条 20米后无亮度差别灯条
公司名称	深圳市三本光电有限公司
价格	面议
规格参数	型号:30灯5050 防护等级:IP65 材质:铝线
公司地址	深圳市南山区留仙大道北路南国丽城花园1栋101 二楼2A-22
联系电话	13424256543

## 产品详情

h60rgb-12v-10-wf

产品特征：

- 1) 可任意弯曲
- 2) 光源：5050smd
- 3) 1卷5米，每3个为一剪切单位其它组不受影响
- 4) 工作电压：d c 12v
- 5) 高亮度、高节能、低耗能、固态，高防震、防撞击
- 6) 视角：120度
- 7) 无射频干扰，安装简单,背面带强力3m贴胶

寿命：50000小时

使用范围：

- 1) 建筑物装饰、舞台装饰、楼宇外墙装饰、广告装饰、发光字、汽车装饰、节日装饰和城市亮化工程

- 2 ) 拱门、遮篷以及桥侧照明
- 3 ) 游乐园/剧院/机舱内气氛灯
- 4 ) 紧急通道照明、礼堂走道照明、楼梯间照明
- 5 ) 隐蔽照明
- 6 ) 标志性字母背影灯
- 7 ) 通道字母照明
- 8 ) 紧急出口照明
- 9 ) 穹窿照明

1) continuous length flexible led light strips

2) led source: 5050 smd

3) 5 meters/roll, cuttable every 5cm

4) runs on 12-volt systems like solar cell charged batteries

5) superbright smd top led

6) solid-state, high shock or vibration resistant

7) major reduction in power costs

8) 120-degree wide angle illumination

9) no rf interference

10) maintenance free, with 3m adhesive tape on the back for easy installation

11) long life: 100,000+ hours (10+ years); white led: 50,000+ hours

12) low power consumption, high intensity

applications: 1) architectural decorative lighting 2) archway, canopy and bridge edge lighting 3) amusement park, theater and aircraft cabin mood lighting 4) emergency hallway lighting 5) auditorium walkway lighting 6) stairway accent lighting 7) concealed lighting 8) backlighting for signage letters 9) channel letter lighting 10) emergency exit path lighting 11) cove lighting

1) continuous length flexible led light strips

- 2) led source: 5050smd
- 3)5 meters/roll, cuttable every 5cm
- 4)runs on 12-volt systems like solar cell charged batteries
- 5)superbright smd top led
- 6)solid-state, high shock or vibration resistant
- 7)major reduction in power costs
- 8)120-degree wide angle illumination
- 9) no rf interference
- 10)maintenance free, with 3m adhesive tape on the back for easy installation
- 11)long life: 100, 000+ hours (10+ years); white led: 50, 000+ hours
- 12)low power consumption, high intensity

applications:1) architectural decorative lighting2) archway, canopy and bridge edge lighting3) amusement park, theater and aircraft cabin mood lighting4) emergency hallway lighting5) auditorium walkway lighting6) stairway accent lighting7) concealed lighting8) backlighting for signage letters9) channel letter lighting10) emergency exit path lighting11) cove lighting

本产品的型号是30灯5050，防护等级是IP65，材质是铝线，品牌是三本，灯头型号是E14，额定功率是8（W），额定电压是12（V），色度是7000，加工定制是是