金冠耐材供应窑炉耐火材料高铝质耐火泥浆

产品名称	金冠耐材供应窑炉耐火材料高铝质耐火泥浆
公司名称	
价格	.00/个
规格参数	导热系数:洽谈() 耐火温度:1200() 耐压强度:洽谈(Mpa)
公司地址	
联系电话	13703980520

产品详情

 导热系数
 洽谈()
 耐火温度
 1200 ()

 耐压强度
 洽谈 (Mpa)
 规格
 洽谈 (mm)

高铝质耐火泥浆															
项目	牌号		In-55a	In-55b	ln-	65a	In-5	In-55b In-7		'5a	In-75b		In-85a		In-85
al2o3,%			55	55		65		65	75		75		85		85
耐火度,			1770	1770	1	1790		790	1800		1800		1900		190
粘结抗折	占结抗折 110 →		1.0	2.0		1.0	2	2.0	•	1.0	2.0			2.0	2.
强度,mpa	干燥	后													
	1200	× 3h	4.0	6.0		4.0 6.0		6.0	4	1.0	.0		,		
	干燥	后													
	1500 × 3h					/							6.0		6.0
	烧局	f													
0.2mpa荷重	直软化温	温度					/		1300		/		1400		/
(t2.0),															
线变化率,%			1200	×3h烧后		+1~-5									
			1300	×3h烧后		/									
粘结时	间,min												1.	~3	
粒度	粒度,%			-1.0mm			100								
			+	+0.5mm			2								
-0.074mm						50									
						1									