

防火门专业生产防火门钢质防火门

产品名称	防火门专业生产防火门钢质防火门
公司名称	广州市番禺区好福来门窗厂
价格	面议
规格参数	产品类别:整套门 品牌:HOFUL好福来 材质:复合材质
公司地址	广东广州市番禺区 迎宾路68号东海花园首层88号（五洲建材城旁）
联系电话	02039980799 13822203939

产品详情

一，基本信息

- 1, 产品名称：防火卷帘门
- 2, 产品型号：hf100
- 3, 产品材料：由防火帘片/无机布+导槽+卷轴+底梁+电机 组成。
- 4, 产品尺寸：按客户尺寸定制生产，最大宽度 15m，最大高度 8m。厚度：0.8mm。
- 5, 产品颜色：白色，米黄色，蓝色
- 6, 驱动方式：遇火灾自动
- 7, 卷闸电机：1，著名品牌好福来电机 2，法国杜亚电机 3，德国锐玛电机。
- 8, 适用范围：商铺，别墅车库，庭院，生产车间，学校，医院，等等。
- 9, 产品特点：价格实惠，安全可靠，抗风能力强。
- 10, 售后服务：好福来提倡客户至上，实现卷闸门的安装、维护、维修等一体化服务。

二：卷闸门保养

- 1，除了经常清洁外，需要定期检查帘片是否走位，导轨是否松动。

2, 定期检查电机的运作情况是否顺利。

3, 定期检查墙壁开关, 遥控器是否灵敏。

三: 防火门的作用: 防火卷帘门是现代高层建筑中不可缺少的防火设施, 防火门除具备普通门的作用外, 具有防火、隔烟、抑制火灾蔓延、保护人员疏散的特殊功能, 广泛应用于高层建筑、大型商场等人员密集的场所。

first, the basic information:

1, the product name: galvanized steel roller shutter door

2, the product model: hg100

3, the product material: by galvanized steel slat + guide + shaft + motor.

4, the product size: according to the size of the customer customization, maximum width: 15 m, the maximum height: 8 m. thickness: 0.6-2.0mm.

5, the product color: white, beige, wood grain, customer custom paint into other colors.

6, drive mode: 1, manually 2, remote control 3, manual and electric.

7, the brake motor: 1, famous brand hoful of motor 2, france doya motor 3, germany avanti motor.

8, scope of application: shops, garage of villa, courtyard, workshops, schools, hospitals, and so on.

9, the product features: the price so lowest, strongest, safe and reliable.

10, good after-sales service: to advocate the customer is supreme, realize the gate of the installation, maintenance, maintenance and other integrated services.

second: gate maintenance

1, in addition to often clean, whether need to periodically check the slice and guide rail is loose.

2, on a regular basis to check whether the operation of motor smoothly.

3, regularly check the wall switch, remote control is sensitive.

亲, 不一样的防火卷帘门, 安全可信! 13682217123

本产品的产品类别是整套门, 品牌是HOFUL好福来, 材质是复合材质, 复合材质是钢板, 开关类型是自动, 制作工艺是铸造, 特殊用途是防火, 使用范围是商铺, 质量等级是优质, 安全等级是A级, 风格是

中式，产地是广州，加工定制是是，门框最大尺寸是1500*800（cm），门框板材厚度是0.6-1.0（mm）