

/促销Agilent E5062A /3G二手射频网络分析仪 黄工

产品名称	/促销Agilent E5062A /3G二手射频网络分析仪 黄工
公司名称	苏州美之唯蓝电子仪器有限公司
价格	面议
规格参数	加工定制:否 品牌:Agilent/安捷伦 型号:E5061A/E5062A
公司地址	苏州昆山市萧林路江南明珠苑121栋805室
联系电话	86-0512-55276943 4006683980 18361986978

产品详情

苏州美蓝电子/促销agilent e5062a /3g二手射频网络分析仪

rf仪器维修、租赁、二手销售、回收一站式服务！

苏州美之唯蓝电子仪器有限公司

黄元 +86 15062695501 qq:279445090

tel : 0512-81869276 fax:0512-55276941

add:昆山市萧林路江南明珠苑121栋805(金威广场)

<http://www.meilandianzi.com>

低成本基础射频网络分析的新标准

agilent e5061a/e5062a 网络分析仪是安捷伦经济型网络分析仪系列中的两款产品，能够提供基础矢量网络分

析能力，满足各种行业广泛的应用需求(例如无线通信、有线电视、汽车、教育等)，与此同时，价格更为经济便宜。

1. 多通道和迹线显示

2. 10.4 英寸彩色lcd(可选触摸屏)

3. usb 端口，可用于连接

电子校准件(ecal)

4. 传输/ 反射或s 参数测试仪;

50 或75 端口阻抗

5. 灵活的连通性(通过后面板)

handler i/o

gpiib

lan

usb

并口

vga

关键技术指标

频率e5061a: 300 khz 至1.5ghz

e5062a: 300 khz 至3ghz

测试仪t/r 或s 参数

端口阻抗50 或75

端口输出功率-5 至10dbm

-45 至10dbm, 具有扩展的功率范围

动态范围> 120db

轨迹噪声0.005dbrms

扫描类型线性、对数、分段、功率

ecal 支持是

限制线是

保存/调用是

agilent e5061a 35ms

agilent 8712es 240ms

典型设置下扫描速率的对比(201

点、2端口校准、90db动态范围)

降低测试成本

宽的30 khz if带宽和高性能为众多射频

器件评测提供了精度和速度。

简化校准

与传统的机械校准技术不同，安捷伦电

子校准件(ecal) 只需一组连接即可完成

全2 端口校准。

易于编程

内置的vba® 编程功能支持您轻松创建

针对特定测量需求的图形用户界面

table 2-3 agilent e5061a/e5062a handles/rack mounting options

option name agilent part number

1cn handle kit 5063-9229

1cm rack-mount kit 5063-9216

1cp rack-mount and handle kit 5188-4430

table 2-4 contents of each option

option contents quantity

1cn

front handles 2

screws 6

trim strips 2

1cm

rack-mounting flanges (locking side plate) 2

screws 6

1cp

rack-mounting flanges (locking side plate) 2

front handles 2

screws 8

e5061b-005	impedance analysis for lf-rf network analyzer
e5061b-010	time domain/fault location analysis
e5061b-020	standard hard disk drive
e5061b-115	transmission/reflection test set, 100 khz to 1.5 ghz, 50 ohm system impedance
e5061b-117	transmission/reflection test set, 100 khz to 1.5 ghz, 75 ohm system impedance
e5061b-135	transmission/reflection test set, 100 khz to 3 ghz, 50 ohm system impedance
e5061b-137	transmission/reflection test set, 100 khz to 3 ghz, 75 ohm system impedance
e5061b-1a7	iso 17025 compliant calibration
e5061b-1cm	rack mount kit
e5061b-1cn	front handle kit
e5061b-1cp	rack mount and front handle kit
e5061b-1e5	high stability timebase
e5061b-215	s-parameter test set, 100 khz to 1.5 ghz, 50 ohm system impedance
e5061b-217	s-parameter test set, 100 khz to 1.5 ghz, 75 ohm system impedance
e5061b-235	s-parameter test set, 100 khz to 3 ghz, 50 ohm system impedance
e5061b-237	s-parameter test set, 100 khz to 3 ghz, 75 ohm system impedance
e5061b-3l5	lf-rf network analyzer with dc bias source, 5 hz to 3 ghz
e5061b-720	add 50 ohm resistor set
e5061b-810	add keyboard
e5061b-820	add mouse
e5061b-a6j	ansi z540 compliant calibration

本产品的加工定制是否，品牌是Agilent/安捷伦，型号是E5061A/E5062A，测量范围是3G，产品用途是网络分析仪