

# 宇恩机械自动开箱机开箱封底机简易实用便宜半自动

产品名称	宇恩机械自动开箱机开箱封底机简易实用便宜半自动
公司名称	杭州宇恩科技有限公司
价格	面议
规格参数	加工定制:是 品牌:宇恩 包装材料:金属
公司地址	杭州经济技术开发区中国计量学院现代科技学院逸夫科技楼1011室
联系电话	86 0571 86579759 13675892831

## 产品详情

关键词：纸箱成型机,开箱机,自动开箱机,开箱成型机 纸箱成型机、开箱机是指自动完成开箱、成形、下底折叶折曲。并现时完成下部分胶带粘贴，将叠成纸板的箱板打开，箱子底部按一定程序折合，并用胶带密封后输送给装箱机的专用设备。自动纸箱成型机、自动开箱机是大批量纸箱自动开箱、自动折合下盖、自动密封下底胶带的流水线设备，机器全部采用plc+显示屏控制,大大方便操作，是自动化规模生产必不可少的设备。

ye-kx-f008 纸箱成型机气压：4公斤/平方厘米纸箱尺寸：l 200-600 x w 150-480 x h 120-480mm(高度为封箱机封箱的标准高度)成型类型：底部折盖，可以作为装箱平台电气配置：亚德克汽缸，亚德克调节阀，亚德克气动控制阀，费斯托空气延时继电器工作台高度：脚杯：600 - 780mm(可调节)脚轮：700 - 880mm(可调节)外型尺寸：l 1500 x w 900 x h 780mm (脚杯)/880mm (脚轮)机器重量：80kg

case erectors total : 6products

click

cf-10t case erectors

model	cf-10t
air pressure	4kg/cm2
case size	l200-600mm,w185-480mm,h120-480mm(the height is the standard sealing height of carton sealer machine)
erecting type	fold bottom covers of carton and can be used as the platform for packing products
electric adoptions	airtac cylinder,"airtac" regulator valve,"airtac" pneumatic control valve,"festo" air time-delay commutator
worktable height	stand: 600~780mm(adjustable) castor wheel:700~880mm(adjustable)
outside dimension	l1500 x w900 x h780mm(stand)/880mm(castor wheel)
machine weight	80kg

click

### cf-20t case erectors

alarm when lack tape or case

model	cf-20t
power supply	220v 50hz,500w(optional)
air pressure	6kg/cm2
tape width	4.8-6.0cm
working speed	0-10cases/min
case size	l290-530mm, w180-285mm(base carton size must be suitable as below:630>w/2+h>280 l change scope 150mm)
machine appearance	l2050mm x w2200mm x h1350mm
machine weight	400kg
environment conditions	humidity 98% temperature 0-40

所有参数仅供参考，请来电咨询。

本产品的加工定制是是，品牌是宇恩，包装材料是金属，包装类型是箱，适用行业是餐饮,服装,化工,家纺,日化,食品,玩具,烟酒,医药,五金、机械,礼品、工艺品,其他，售后服务是一年保修