

BOURNS 电位器 3590S-2-101L-

产品名称	BOURNS 电位器 3590S-2-101L-
公司名称	天津华瑞德欣电子科技有限公司
价格	25.00/个
规格参数	加工定制:否 品牌:BOURNS/邦思 型号:3590S-2-101L
公司地址	天津市东丽区华明示范镇景湖苑13号楼196室
联系电话	暂无

产品详情

电位器	电位器	电位器
3590s-2-101l	10hp-10(100-50k)	wx111-100
3590s-2-102l	10hp-5 (100-50k)	wx111-220
3590s-2-103l	12hp-5e (100-50k)	wx111-330
3590s-2-104l	12hp-10p (100-50k)	wx111-470
	12hp-10e (100-50k)	wx111-560
3590s-2-201l	12hps-10e (100-50k)	wx111-1k
3590s-2-202l	12hpc-5 (100-50k)	wx111-2.2k
3590s-2-203l	12hpc-10 (100-50k)	wx111-3.3k
	12hpc-10w (100-50k)	wx111-4.7k
3590s-2-501l	12hpc-5e (100-50k)	wx111-5.6k
3590s-2-502l	12hpc-5p	wx111-6.8k
3590s-2-503l	12hpc-10p	wx111-10k
3296w-103	12hpc-10e	wx111-22k
3362w-103	12hpc-5ep (100-50k)	wx111-33k
3386w-103	12hpc-10ep	
	12hpc-10ew	wx112-220
	12hpc-5ew	wx112-330
	20hp-5s (100-50k)	wx112-470
y24yn20s b102	20hp-10s (100-100k)	wx112-560
y24yn20s b103	20hps-5s	wx112-1k
y24yn20s b104	20hps-10s	wx112-2.2k

y24yn20s b202	22hp-5	wx112-3.3k
y24yn20s b203	22hp-5e(100-50k)	wx112-4.7k
y24yn20s b501	22hp-5m	wx112-5.6k
y24yn20s b502	22hp-5n	wx112-6.8k
y24yn20s b503	22hp-10(100-100k)	wx112-10k
y24yn20s b303	22hp-10e	wx112-15k
y24yn20s b504	22hp-10m	wx112-22k
y24yn20s b204	22hp-10n	wx112-33k
y16yn20s b102	25hp-5(100-50k)	wx250
y16yn20s b103	25hp-10(100-100k)	wx250-1k
y16yn20s b202	25hps-5	wx250-2.2k
y16yn20s b502	25hps-10	wx250-4.7k
y30yn20s b102	46hd-3	wx250-6.8k
y30yn20s b103	46hd-5 (0.5-20k)	wx250-10k
y30yn20s b104	46hd-10	wth118-2-10k
y30yn20s b202	46hd-15	wth118-2-100k
y30yn20s b502	46hd-20	wth118-2-220k
y30yn20s b303		wth118-2-470k
y30yn20s b504	46hds-5	wth118-2-1m
a25yn20s b102	46hds-10	wth118-2-680k
a25yn20s b103	46hds-15	
a25yn20s b202	46hds-20	wth118-4-10k
a25yn20s b502		wth118-4-100k
	46hd	wth118-4-220k
a30yn20s b102		wth118-4-330k
a30yn20s b103	30hds-10	wth118-4-470k
a30yn20s b202	2k-50k	wth118-4-1m
a30yn20s b502	50hds-10 (5k-100k)	
a30yn20s b104		
a30yn20s b501	12hhp-10 (1k-100k)	
a30yn20s b203	12hhps-10	
a30yn20s b503	12hhp-10e (1k-100k)	
	20hhp-5s	
7276-203	20hhp-10s	
7276-502	20hhps-5s	20hp-nsms
7276-102	20hhps-10s	25hp-nms
7276-103	22hhp-5	20hp-10sg
7276-202	22hhp-5m	22hpm-10g10
	22hhp-5e	
v16yn20s b103	22hhp-5n	

rv16yn20s b104		
rv16yn20s b202	22hhps-10	
rv16yn20s b502	22hhps-10m	
rv16yn20s b203	22hhps-10e	
rv16yn20s b102	22hhps-10n	

本产品的加工定制是否，品牌是BOURNS/邦思，型号是3590S-2-101L，种类是多圈，用途是微调，材料是绕线，性能是微调，阻值调节方式是旋转式，阻值变化方式是X式（直线式），标称阻值是100，额定功率是2W（W），阻值允许偏差是±5%（%），滑动噪声是500（V），分辨率是5（%），零位电阻是--1（ ），接触电阻是--2（ ），绝缘电阻是--80（M ），允许偏差是±0.25