

水泵厂家直销IH型离心水泵卧式离心泵化工泵

产品名称	水泵厂家直销IH型离心水泵卧式离心泵化工泵
公司名称	安国市亨达水泵经销处
价格	面议
规格参数	品牌:亨达 型号:IH50-32-125 材质:铸铁
公司地址	安国市路景村
联系电话	86-03123429602 13180260087

产品详情

ih型化工泵

型号	转速	流量			扬程 (m)	效率 (%)	轴功率			配用功率 介质密度		
		(m ³ /h)	(l/s)				(kw)			1.0	1.35	1.85
ih50-32-125	2900	12.5	3.47	20	51	1.33	2.2	6.0	4.0	2.0	45	
	1450	6.3	1.74	5.0	45	0.19	0.55	0.55	0.55	2.0	45	
ih50-32-160	2900	12.5	3.47	32	46	2.37	3.0	4.0	5.5	2.0	49	
	1450	6.3	1.74	8.0	40	0.34	0.55	0.75	1.1	2.0	49	
ih50-32-200	2900	12.5	3.47	50	39	4.36	5.5	7.5	11	2.0	59	
	1450	6.3	1.74	12.5	33	0.65	1.1	1.1	1.5	2.0	59	
ih50-32-250	2900	12.5	3.47	80	33	8.25	11	15	18.5	2.0	93	
	1450	6.3	1.74	20	27	1.27	2.2	2.2	3.0	2.0	93	
ih65-50-125	2900	25	1.53	2.0	62	2.2	3.0	4.0	5.5	2.0	47	
	1450	12.5	6.94	5.0	55	0.31	0.55	0.55	0.75	2.0	47	
ih65-50-160	2900	25	2.78	32	57	3.82	5.5	7.5	11	2.0	53	
	1450	12.5	6.94	8.0	51	0.53	0.75	1.1	1.5	2.0	53	
ih65-40-200	2900	25	2.92	50	52	6.55	11	11	15	2.0	63	
	1450	12.5	6.94	12.5	46	0.93	1.5	2.2	2.2	2.0	63	

ih65-40-250	2900	25	2.92	80	46	46	15	3.0	30	2.0	99
	1450	12.5	6.94	20	39	39	2.2	37	4.0	2.0	99
ih65-40-315	2900	25	3.06	125	39	39	30	5.5	55	2.0	116
	1450	12.5	6.94	32.0	33	33	5.5	5.5	7.5	2.0	116
ih80-65-125	2900	50	13.9	20	69	3.95	5.5	7.5	11	3.0	52
	1450	25	6.94	5.0	64	0.53	0.75	1.1	1.5	2.5	52
ih80-65-160	2900	50	13.9	32	67	6.5	11	11	15	2.3	57
	1450	25	6.94	8.0	62	0.88	1.5	1.5	2.2	2.3	57
ih80-50-200	2900	50	13.9	50	63	10.8	15	18.5	30	2.5	65
	1450	25	6.94	12.5	54	0.83	1.1	1.5	2.2	2.0	65
ih80-50-250	2900	50	13.9	80	58	18.8	30	37	45	2.5	103
	1450	25	6.94	20	52	2.62	4.0	5.5	7.5	2.0	103
ih80-50-315	2900	50	13.9	125	52	32.73	45	55	75	2.0	121
	1450	25	6.94	32	48	4.54	7.5	7.5	11	2.0	121
ih100-80-125	2900	100	27.8	20	73	7.47	11	15	18.5	4.5	57
	1450	50	13.9	5.0	68	1.0	1.5	2.2	3.0	3.5	57
ih100-80-160	2900	100	27.8	32	73	11.9	15	22	30	4.3	87
	1450	50	13.9	8.0	69	1.58	2.2	3.0	4.0	3.4	87
ih100-65-200	2900	100	27.8	50	72	18.9	30	37	45	3.9	96
	1450	50	13.9	12.5	68	2.5	3.0	4.0	5.5	2.5	96
ih100-65-250	2900	100	27.8	80	68	32.0	45	55	75	3.6	115
	1450	50	13.9	20	63	4.3	5.5	7.5	11	2.5	115
ih100-65-315	2900	100	55.6	125	62	54.9	75	90	132	3.2	166
	1450	50	27.8	32	58	7.5	11	15	18.5	2.0	166
ih125-100-200	2900	200	55.6	50	77	35.4	45	55	90	5.0	99
	1450	100	27.8	12.5	73	4.66	7.5	11	15	2.9	99
ih125-100-250	2900	200	55.6	80	75	58.1	11	110	132	4.5	151
	1450	100	27.8	20	72	7.56	132	15	18.5	2.3	151
ih125-100-315	2900	200	55.6	125	72	94.56	18.5	160	220	4.5	166
	1450	100	27.8	32	65	13.41	18.5	22	30	2.8	166
ih125-100-400	1450	100	27.8	50	55	14.74	18.5	30	37	2.5	211
ih50-125-250	1450	200	55.6	20	77	14.1	30	30	37	2.5	165
ih50-125-315	1450	200	55.6	32	75	23.2	30	37	55	2.8	196
ih50-125-400	1450	200	55.6	50	70	38.9	55	75	90	2.8	238
ih200-150-250	1450	400	111.1	20	77	28.3	37	55	75	2.5	195
ih200-150-315	1450	400	111	32	79	44.1	55	75	110	4.0	269
ih200-150-400	1450	400	111	50	78	39.8	90	132	160	3.5	290

本产品的品牌是亨达，型号是IH50-32-125，材质是铸铁，性能是耐腐蚀，用途是化工泵，驱动方式是电动，输送介质是污水泵、杂质泵，泵轴位置是卧式，叶轮结构是封闭式叶轮，叶轮吸入方式是单吸式，流量是6.3（m³/h），叶轮数目是单级，扬程是5（m），汽蚀余量是2.0（m），吸入口径是65（mm），排出口径是40（mm），结构原理是喷射泵，级数是单级，规格是IH50-32-125,IH50-32-160,IH50-32-200,IH50-32-250，轴功率是1.1