

# JESCO计量泵

产品名称	JESCO计量泵
公司名称	天津启隆机电设备有限公司
价格	面议
规格参数	品牌:JESCO 型号:JESCO计量泵
公司地址	天津市南开区咸阳路蓝馨大厦435室
联系电话	022-27698160 18602688560

## 产品详情

JESCO计量泵，JESCO加氯机，JESCO干粉投加机，JESCO蠕动泵，JESCO柱塞泵，JESCO磁力泵，JESCO流量计

德国JESCO公司 德国JESCO厂家 德国JESCO代理 德国JESCO销售 德国JESCO经销 德国JESCO价格

天津启隆机电设备有限公司代理销售经销德国Lutz-JESCO计量泵、Lutz-JESCO加氯机、Lutz-JESCO干粉投加机、德国JESCO在线余氯分析仪、德国JESCO漏氯报警仪等产品。该产品广泛应用与钢铁，冶金，化工，市政行业的药液添加及水体净化，消毒工艺。

Lutz-JESCO公司是在德国注册的一家国际著名企业，从1950年创建至今，已经成功发展了50多年。杰斯克技术与应用遍布全球，对几乎所有的液体、气体、固体计量添加，都能提供完美的答案。主要产品：计量泵、加氯机、干粉投加机、在线余氯分析仪、漏氯报警仪等，广泛应用于电力、市政、工业供水、污水处理等行业。

机械隔膜计量泵、柱塞计量泵、液压隔膜计量泵详细介绍：流量小到0.1L/h，大到8000L/h。机械隔膜计量泵，独特的隔膜制造工艺，计量精度更高，使用寿命更长。柱塞计量泵，耐高压，可达270bar。液压隔膜计量泵，采用先进的具有预应力的管状隔膜，由液压驱动，高压无泄漏；管状隔膜耐真空度高，吸程可高达5m；隔膜回位准确，计量精度达±1%；内置安全溢流阀，保证运行安全；液压油自动填充与排气，无需专设机构

德国Lutz-Jesco 12521366 DN25 PN10

德国Lutz-Jesco 12521368

德国Lutz-Jesco 27356 DN10

德国Lutz-Jesco 26841

德国Lutz-Jesco 12200260 SDL-2 DN15 PVC L=1000

德国Lutz-Jesco 12532003 DN10 PN10

德国Lutz-Jesco 610-73807S09U/8001021314

德国Lutz-Jesco 35461 C 2700-V

德国Lutz-Jesco 23100202 C7110

德国Lutz-Jesco 23100203 C7110.1

德国Lutz-Jesco 83099999 MKP3-P-V 23/200-1,5

德国Lutz-Jesco 12012727 60I

德国Lutz-Jesco 39442 70I

德国Lutz-Jesco MB15-85

德国Lutz-Jesco 50-32-160

Dosing pumps

Diaphragm pump / metering / solenoid-driven

Diaphragm pump / metering / solenoid-driven

0.2 - 17 l/h, max. 16 bar | MAGDOS LT

Diaphragm pump / metering / solenoid-driven

Diaphragm pump / metering / solenoid-driven

0.5 - 15 l/h, max. 16 bar | MAGDOS LB

Diaphragm pump / metering / solenoid-driven

Diaphragm pump / metering / solenoid-driven

0.5 - 15 l/h, max. 16 bar | MAGDOS LD

Diaphragm pump / metering / solenoid-driven

Diaphragm pump / metering / solenoid-driven

0.5 - 15 l/h, max. 16 bar | MAGDOS LK

Diaphragm pump / metering / solenoid-driven

Diaphragm pump / metering / solenoid-driven

0.5 - 15 l/h, max. 16 bar | MAGDOS LP

Diaphragm pump / metering / solenoid-driven

Diaphragm pump / metering / solenoid-driven

max. 115 l/h, 10 bar | MAGDOS DE

Diaphragm pump / metering / solenoid-driven

Diaphragm pump / metering / solenoid-driven

max. 115 l/h, 10 bar | MAGDOS DX

Diaphragm pump / metering / motor-driven

Diaphragm pump / metering / motor-driven

3.2 - 39 l/h, max. 10 bar | MINIDOS A

Diaphragm pump / metering / motor-driven

Diaphragm pump / metering / motor-driven

24 - 114 l/h, 2 - 10 bar | MIDIDOS E series

Diaphragm pump / metering / motor-driven

Diaphragm pump / metering / motor-driven

4 - 393 l/h, max. 10 bar | MEMDOS DX

Diaphragm pump / metering / motor-driven

Diaphragm pump / metering / motor-driven

4 - 1020 l/h, max. 16 bar | MEMDOS LB

Diaphragm pump / metering / motor-driven

Diaphragm pump / metering / motor-driven

4 - 1020 l/h, max. 16 bar | MEMDOS LP

Diaphragm pump / metering / motor-driven

Diaphragm pump / metering / motor-driven

440 - 990 l/h, max. 5 bar | MEMDOS MR

Diaphragm pump / metering / motor-driven

Diaphragm pump / metering / motor-driven

310 - 4 000 l/h, max. 4 bar | MEMDOS GMR series

Diaphragm pump / metering / motor-driven

Diaphragm pump / metering / motor-driven

5 - 19.2 l/h, max. 15 bar | MEMDOS SMART LB

Diaphragm pump / metering / motor-driven

Diaphragm pump / metering / motor-driven

5 - 19.2 l/h, max. 15 bar | MEMDOS SMART LP

Piston pump / metering / motor-driven

Piston pump / metering / motor-driven

0.17 - 31.5 l/h, max. 100 bar | FEDOS E

Piston pump / metering / motor-driven

Piston pump / metering / motor-driven

0.17 - 31.5 l/h, max. 100 bar | FEDOS DX

Piston pump / metering / motor-driven

Piston pump / metering / motor-driven

9 - 725 l/h, max. 200 bar | REKOS KR series

Metering pump / precision

Metering pump / precision

9.9 - 1 550 l/h, max. 400 bar | KARDOS KN series

Metering pump / precision

Metering pump / precision

15 - 4 400 l/h, max. 400 bar | KARDOS N series

Peristaltic pump / metering

Peristaltic pump / metering

2.8 l/h, 1.5 bar

Accessories for dosing pumps

Vertical agitator / fast

Vertical agitator / fast

max. 200 m<sup>3</sup>/h | JR series

Vertical agitator

Vertical agitator

Polyethylene tank / storage

Polyethylene tank / storage

Pulsation damper

Pulsation damper

PDM

Pulsation damper / in-line

Pulsation damper / in-line

PDS

Vacuum regulator

Vacuum regulator

SDR

Vacuum unit

Vacuum unit

SDL series

Air filter cartridge / for gases

Air filter cartridge / for gases

Metering valve

Metering valve

Double-diaphragm pump

Double-diaphragm pump

Water counter / multi-jet vane wheel / wet dial

Water counter / multi-jet vane wheel / wet dial

max. 10 bar

Diaphragm valve / isolation

Diaphragm valve / isolation

max. 500 l/h

Degassing unit

Degassing unit

GAS-EX

Flow transmitter

Flow transmitter

0.05 - 50 l/h | FLOWCON

Thermal flow switch

Thermal flow switch

0.1 l/h | FLOWCON TS

Safety relief valve

Safety relief valve

PENTABLOC

Chlorinators

Chlorination device

Chlorination device

5 - 25 kg/h | C 2525-MH

Chlorination device

Chlorination device

5 - 25 kg/h | C 2525-V

Chlorination device

Chlorination device

40 - 200 kg/h | C 2700-MH

Chlorination device

Chlorination device

40 - 200 kg/h | C 2700-V

Chlorination device

Chlorination device

0.025 - 10 kg/h | CVR 10

Float flow meter

Float flow meter

Control valve

Control valve

C 7700

Changeover valve

Changeover valve

C 7520

Changeover valve

Changeover valve

max. 100 kg/h | C 7522

Check valve

Check valve

Chlorine evaporator

Chlorine evaporator

max. 220 kg/h | C 6100

Changeover valve

Changeover valve

max. 25 kg/h | CVS

Vacuum regulator

Vacuum regulator

max. 16 bar | C 2213

Vacuum regulator

Vacuum regulator

max. 16 bar | C 2214

Gas detection control unit toxic

Gas detection control unit toxic

GW 404/504

Gas detection control unit toxic

Gas detection control unit toxic

GW 601

Gas detector / Cl<sub>2</sub> / chlorine

Gas detector / Cl<sub>2</sub> / chlorine

GW 702

Chemical valve

Chemical valve

Manifold

Manifold

Gas filter

Gas filter

max. 40 bar

Pressure reducing valve

Pressure reducing valve

C7105, C7110

Bellows pressure gauge

Bellows pressure gauge

Carbon filter cartridge / for air / for gases

Carbon filter cartridge / for air / for gases

Shut-off valve / safety

Shut-off valve / safety

Booster pump

Booster pump

Water pressure booster unit with vertical pumps

Water pressure booster unit with vertical pumps

max. 24 m<sup>3</sup>/h

Vacuum breaker

Vacuum breaker

Injection nozzle / for injection molding

Injection nozzle / for injection molding

Dry feeder

Dry chemical dispenser

Dry chemical dispenser

Measuring / control equipment

Water sampler

Water sampler

EASYPOOL

Water sampler

Water sampler

EASYPOOL SMART 02

Water sampler

Water sampler

PM 01

Water sampler

Water sampler

PM 03

Water sampler

Water sampler

PM 04

Water sampler

Water sampler

DCM 01

Water sampler

Water sampler

SR 400

Water sampler

Water sampler

SR 500

PH analyzer / temperature / liquid / ORP

PH analyzer / temperature / liquid / ORP

TOPAX DX

PH controller

PH controller

TOPAX DE

PH / redox / conductivity regulator

PH / redox / conductivity regulator

TOPAX L/LF

Network controller

Network controller

NetCon

Measuring machine software

Measuring machine software

TopView

Temperature sensor

Temperature sensor

Measurement head redox

Measurement head redox

Conductivity measuring device / pH / laboratory

Conductivity measuring device / pH / laboratory

Conductivity meter

Conductivity meter

Photometer

Photometer

Chemical centrifugal pumps

Centrifugal type pump / plastic / chemistry

Centrifugal type pump / plastic / chemistry

19 m<sup>3</sup>/h | MB

Centrifugal type pump / plastic / chemistry

Centrifugal type pump / plastic / chemistry

max. 120 m<sup>3</sup>/h | BN

Centrifugal type pump / plastic / chemistry

Centrifugal type pump / plastic / chemistry

max. 300 m<sup>3</sup>/h | N

Immerse pump / chemistry

Immerse pump / chemistry

max. 80 m<sup>3</sup>/h | VTP-BBF

Centrifugal type pump / magnetic-drive / chemical process

Centrifugal type pump / magnetic-drive / chemical process

max. 12 m<sup>3</sup>/h | AM

Centrifugal type pump / magnetic-drive / chemical process

Centrifugal type pump / magnetic-drive / chemical process

max. 60 l/min | TMB

Centrifugal type pump / magnetic-drive / chemical process

Centrifugal type pump / magnetic-drive / chemical process

max. 30 m<sup>3</sup>/h | TMR G2

Centrifugal type pump / magnetic-drive / chemical process

Centrifugal type pump / magnetic-drive / chemical process

max. 48 m<sup>3</sup>/h | TMR G3

Disinfection

Chlorine dioxide disinfection plant

Chlorine dioxide disinfection plant

EASYZON 5

Chlorine dioxide disinfection plant

Chlorine dioxide disinfection plant

EASYZON D

Chlorine dioxide disinfection plant

Chlorine dioxide disinfection plant

EASYZON C

Disinfection unit

Disinfection unit

3000 l/h | EASYDES 1000/3000

Standard Plus

Gravimetric dosing unit / liquid

Gravimetric dosing unit / liquid

Dispensing system

Dispensing system

0.1 - 17 l/h

Dispensing system

Dispensing system

max. 20 m<sup>3</sup>/h | MAGDOMAT

Related Searches

Submersible pump

Pump

Peristaltic pump

Centrifugal pump

Diaphragm pump

Booster pump

Piston pump

Magnetic-drive pump

Double-diaphragm pump

Vacuum unit

Lutz-JESCO计量泵、Lutz-JESCO加氯机、JESCO计量泵，JESCO加氯机