



DK-8D:

DK S eries Water Bath

DKB-501S DKB High precision Water Bath DK-8D  
PID 3  
DK-8D

1? 2?  
PID 3?

(Specifications):

Product Electric Water Bath ? B

Model DK-S22 DK-S24 DK-S26 DK-S28 D

Mains 220V.50Hz  
voltage

Temperatur RT+5?100 ?  
e control range

Temperatur ±0.5?  
e fluctuation

Consumptio 500W 1000W 1500W 2000W 7  
n Power

Dimension 240\*150\*110mm 300\*240\*110mm 500\*300\*110mm 600 × 300 × 1  
s of the working 110mm 1  
chamber

??Remark

??Two-place

????Two-rowFour-  
place

????Two-rowSix-  
place

????Two-rowEi?  
ght-place e  
te

兰州电热恒温水槽DK-8D报价

????????Specifications?:

????Product	??????Water Bath					??????V
?? Model	DK-420	DK-600	DKB-8A	DK-8B	DK-420S	
????Mains voltage	220V.50Hz					
????Temperature control range	RT+5?65 ?			RT+5?100 ?		
????Temperature fluctuation	±0.5?		±0.1?	±0.5?		
????Consumption Power	500W	1000W		1500W	700W	
????Flux water pump			4L/min			
?????Dimensions of the working chamber	420×180× 110mm	600×300× 150mm	500*300*135mm	5000×300×135mm	420×180	