

新格牙科综合治疗机X1+

产品名称	新格牙科综合治疗机X1+
公司名称	佛山市新格医疗器材有限公司
价格	.00/件
规格参数	品牌:新格 型号:X1+
公司地址	广东省佛山市南海区丹灶镇江沥北路南沙工业村一期厂房6栋
联系电话	0757-81797088 18925932717

产品详情

牙科综合治疗机新格x1+

1. 安全

安全急停控制装置

安全遇阻保护

机椅互锁系统

急救椅位

水电气一键开关装置

水气电分离结构设计

1. safety

safety emergency stop control device

safety blockage protection device

dental chair interlock system

emergency chair position

water-electricity -air with one button switch system

water-electricity -air separation structure design

2. 人性化

联动补偿椅位

吐痰复位

微电脑控制可升降器械盘

仰卧全过程仅需9秒钟

术后清洁椅位

多功能脚踏控制系统，方便医生操作的同时，还可减少交叉感染。

135 ° 可旋转大挂架，方便病人上下椅位及医生操作

气负压强吸系统带消音装置

2. humanization

micro-computer control liftable instrument tray

only 9 second for backrest to move from lowest point to highest point

clean chair position after work

multifunction foot pedal control system, convenient for doctor ' s operation and avoid cross-infection

135 ° rotatable rack, convenient for patient and doctor ' s operation

air vacuum system with muffling device

3. 卫生

强、弱吸系统的过滤装置可快速拆装，方便清洁、消毒。

全陶瓷痰盂，耐腐蚀、表面容易清洁。

3. hygiene

filter device of high and low suction saliva ejector can be removed, convenient for clean and sterilized

fully ceramic spittoon, anticorrosion and easy to clean

4. 品质

关键零部件经过5万次寿命测试

台湾低噪音电机

德国bayer硅胶手机管

美国杜邦膜片

耐水解、抗老化pu聚醚管

高稳定型椅架

4. quality

low noise motor from taiwan

germany bayer silicone handpiece tubing

america dupont membrane

hydrolysis resistance and ageing resistance pu pipes

high stability chair frame

患者座椅

标准配置

安全急停控制装置

低噪音电动牙科椅

水电气一键开关装置

机椅互锁系统

急救椅位

快速复位功能（靠背复位时间 9s）

术后清洁椅位

豪华双关节折叠式头枕

多功能脚踏开关

豪华口腔冷光灯

医生工作座椅

可旋转托盘

patient ' s chair

safety emergency stop control device

safety blockage protection device

standard accessories

low noise motor driven dental unit

water-electricity -air with one button switch system

dental chair interlock system

emergency chair position

quick restoration function (restoration time of backrest 9s)

clean chair position after work

deluxe double joint folding headrest

multifunction foot pedal switch

deluxe operation light

doctor ' s chair

rotatable tray

医生单元

标准配置

微电脑控制可升降器械盘

医生操作面板

135 ° 可旋转倾斜式大挂架

3条四孔手机管

气压表

三用喷枪

内置式直流24v观片灯

带气刹装置的平衡臂

doctor unit

micro-computer control liftable instrument tray

under hanging doctor ' s unit

doctor ' s operation panel

135 ° rotatable tilting big rack

three 4 holes handpiece tubing

barometer

3-way syringe

built-in dc 24v film viewer

balance arm with locking device

水单元

净水瓶供水系统

180 ° 可旋转全陶瓷痰盂

可设置的冲盂和漱口给水自动控制系统

大容量自动恒温加热系统

强吸气负压系统

强吸消音装置

弱吸水负压系统

吸唾过滤装置

water unit

standard accessories

water purification bottle water supply system

180 ° rotatable ceramic spittoon

settable flush and cup filler automatic control system

large capacity automatic constant temperature heating system

high suction saliva ejector with air vacuum system

high suction saliva ejector with muffling device

low suction saliva ejector with water vacuum system

saliva ejector filter device

助手单元

助手器械盘

助手操作面板

三用喷枪

可拆卸弱吸接头

可拆卸强吸接头

assistant unit

assistant instrument tray

assistant operation panel

detachable low suction saliva ejector connector

detachable high suction saliva ejector connector

技术参数

电压：ac220v-230v,50hz

水压：0.20-0.40mpa/2.0-4.0bar

气压 : 0.55-0.80mpa/5.5-8.0bar

排量 : 55l/min(水负压)

120 l/min (气负压)

specifications

power voltage: ac220v-230v, 50hz

water pressure: 0.20-0.40mpa/2.0-4.0bar

air pressure: 0.55-0.80mpa/5.5-8.0bar

output: 55l/min (water vacuum)

120 l/min (air vacuum)

选购件

光固化机

洁牙机

高速手机 (2孔或4孔)

低速手机 (2孔或4孔)

内窥镜系统

led冷光灯

可消毒硅胶器械盘垫

上挂式器械盘

中央抽湿系统

无油空压机

豪华医生座椅

options

curing light

scaler

high speed handpiece (2 or 4 holes)

low speed handpiece (2 or 4 holes)

endoscope system

led operation light

being sterilized silicone mat for instrument tray

top-mounted instrument tray

central dehumidification system

oil-free compressor

deluxe doctor ' s chair