

4-72类风机，煤气加压风机，矿用风机

产品名称	4-72类风机，煤气加压风机，矿用风机
公司名称	淄博博通风机有限公司
价格	1000.00/台
规格参数	品牌:博通 型号:4-72
公司地址	周村区南郊镇吴家村
联系电话	0533-6126361 13371588333

产品详情

产品特点：4-72型离心通风机可作为一般工厂及大型建筑物的室内通风换气用，输送空气和其它的，对人体无害的，对钢材无腐蚀性的气体，气体内不许有粘性物质所含尘土及硬质颗粒物不大于 g/m^3 ,气体温度不得超过 $80^\circ C$ 。4-72型性能范围：流量：991 ~ 221730 m^3/h 全压：196 ~ 3195 Pa；

4-72型离心通风机性能参数表

机号	转速r/min	全压Pa	流量 m^3/h	功率 KW	电机型号
2.8A	2900	606-994	1131-2356	1.5	Y90S-2
3.2A	2900	792-1300	1688-3517	2.2	Y90L-2
3.2A	1450	198-324	844-1758	1.1	Y90S-4
3.6A	2900	989-1758	2664-5268	3	Y100L-2
3.6A	1450	247-393	1332-2634	1.1	Y90S-4
4A	2900	1320-2014	4012-7419	5.5	Y132S1-2
4A	1450	329-501	2006-3709	1.1	Y90S-4
4.5A	2900	1673-2554	416-634	7.5	Y132S2-2
4.5A	1450	5712-10562	2856-5281	1.1	Y90S-4
5A	2900	2019-3187	7728-15455	15	Y160M2-2
5A	1450	502-790	3864-7728	2.2	Y100L1-4

6A	1450	724-1139	6677-13353	4	Y112M-4
6A	960	317-498	4420-8841	1.5	Y100L-6
6D	1450	724-1139	6677-13353	4	Y112M-4
6D	960	317-498	4420-8841	1.5	Y100L-6
8D	1450	1490-2032	15826-29344	18.5	Y180M-4
8D	960	651-887	10478-19428	5.5	Y132M2-6
8D	730	376-512	7968-14773	3	Y132M-8
10D	1450	2532-3202	40441-56605	55	Y250M-4
10D	960	1104-1395	26775-37476	18.5	Y200L1-6
10D	730	637-805	20360-28497	7.5	Y160L-8
12D	960	1593-2013	46267-64759	45	Y280S-6
12D	730	919-1160	35182-49244	18.5	Y225S-8
6C	2240	1733-2734	10314-20628	15	Y160L-4
6C	2000	1380-2176	9205-18418	11	Y160M-4
6C	1800	1116-1760	8288-17056	7.5	Y132M-4
6C	1600	881-1389	7367-14734	5.5	Y132S-4
6C	1250	537-846	5756-11511	3	Y100L2-4
6C	1120	431-679	5157-10314	2.2	Y100L1-4
6C	1000	344-541	4605-9209	2.2	Y100L1-4
6C	900	278-438	4144-8288	1.5	Y90L-4
6C	800	220-346	3684-7367	1.1	Y90S-4
8C	1800	3143-3032	19646-25240	30	Y200L1-2
8C	1800	2920-2302	28105-36427	37	Y200L2-2
8C	1600	2478-2390	17463-22435	22	Y180M-2
8C	1600	1816-2303	24982-32380	30	Y200L1-2
8C	1250	1106-1507	13643-25297	11	Y160M-4
8C	1120	1166-1209	12224-15705	7.5	Y132M-4
8C	1120	887-1124	17487-22666	11	Y160M-4
8C	1000	929-963	10914-14022	5.5	Y132S-4
8C	1000	707-895	15614-20237	7.5	Y132M-4
8C	900	752-779	9823-12620	4	Y112M-4
8C	900	572-725	14052-18213	5.5	Y132S-4

8C	800	452-615	8732-16190	3	Y100L2-4
8C	710	468-485	7749-9956	2.2	Y100L1-4
8C	710	356-450	11085-14368	3	Y100L2-4
8C	630	280-381	6876-12749	2.2	Y100L1-4
10C	1250	1877-2373	34863-48797	37	Y225S-4
10C	1120	1505-1902	31237-43722	30	Y200L-4
10C	1000	1199-1514	27890-39038	18.5	Y180M-4
10C	900	970-1225	25101-35134	15	Y160L-4
10C	800	766-967	22312-31230	11	Y160M-4
10C	710	603-761	19082-27717	7.5	Y132M-4
10C	630	475-599	17571-24594	5.5	Y132S-4
10C	560	375-473	15618-21861	4	Y112M-4
10C	500	299-377	13945-19519	3	Y100L2-4
12C	1120	2172-2746	53978-75552	75	Y280S-4
12C	1000	1969-2185	48195-60397	45	Y225M-4
12C	1000	1729-1859	63953-67457	55	Y250M-4
12C	900	1399-1767	43375-60712	37	Y250M-6
12C	800	1376-1395	38556-41973	22	Y200L2-6
12C	800	1104-1321	45391-53966	30	Y225M-6
12C	710	869-1097	34218-47895	18.5	Y200L1-6
12C	630	684-883	30362-42498	15	Y180L-6
12C	560	673-682	26989-29381	7.5	Y160M-6
12C	560	540-646	31774-37776	11	Y160L-6
12C	500	430-543	24097-33728	7.5	Y160M-6
12C	450	434-440	21687-23610	4	Y132M1-6
12C	450	348-417	25532-30356	5.5	Y132M2-6
12C	400	275-347	19278-26983	3	Y132S-6