

东莞厂家批发 塑料铆钉 风扇铆钉 半圆头R型铆钉

产品名称	东莞厂家批发 塑料铆钉 风扇铆钉 半圆头R型铆钉
公司名称	东莞市京科塑胶五金有限公司
价格	面议
规格参数	品牌:京科
公司地址	东莞市樟木头镇裕丰社区滨河路金河工业区一期 金河三路一号厂房三楼A区
联系电话	0769-87195180 18566523956

产品详情

一、产品简图 (Product sketch)

产品描述(description)

产品型号：R型铆钉系列

材料(material)：PA66

颜色 (color)：黑色/白色

Color:black/white

单位(unit)：mm

防火等级(Fireproofing level)

二、产品参数 (Product Parameter)

型号	配合孔径	A	B	C	D	E	F
R2024	2.1	4.2	1.2	2.4	2.0	3.8	0.6-1.5
R2032	2.1	4.2	1.2	3.2	2.0	3.8	1.3-2.0
R2040	2.1	4.2	1.2	4	2.0	5.5	2.1-2.8
R2048	2.1	4.2	1.2	4.8	2.0	5.5	2.9-3.6
R2056	2.1	4.2	1.2	5.6	2.0	7.2	3.7-4.4
R2064	2.1	4.2	1.2	6.4	2.0	7.2	4.5-5.2
R2632	2.7	5.0	1.4	3.2	2.6	4.6	1.0-2.0
R2642	2.7	5.0	1.4	4.2	2.6	4.6	2.1-3.0
R2648	2.7	5.0	1.4	4.8	2.6	6.2	2.7-3.6
R2655	2.7	5.0	1.4	5.5	2.6	6.2	3.4-4.3
R2664	2.7	5.0	1.4	6.4	2.6	7.8	4.3-5.2
R2672	2.7	5.0	1.4	7.2	2.6	7.8	5.1-6.0
R3035	3.1	6.4	1.6	3.5	3.0	5.1	1.0-2.0
R3045	3.1	6.4	1.6	4.5	3.0	6.1	2.0-3.0
R3055	3.1	6.4	1.6	5.5	3.0	6.1	3.0-4.0
R3065	3.1	6.4	1.6	6.5	3.0	7.1	4.0-5.0
R3075	3.1	6.4	1.6	7.5	3.0	9	5.0-6.0
R3080	3.1	6.4	1.6	8.0	3.0	9	5.5-6.5
R3090	3.1	6.4	1.6	9.0	3.0	11	6.5-7.5
R3100	3.1	6.4	1.6	10.0	3.0	11	7.5-8.5
R3535	3.6	6.4	1.6	3.5	3.5	5.1	1.2-2.1

R3545	3.6	6.4	1.6	4.5	3.5	6.1	2.2-3.1
R3550	3.6	6.4	1.6	5.0	3.5	6.1	2.7-3.6
R3555	3.6	6.4	1.6	5.5	3.5	7.1	3.2-4.1
R3560	3.6	6.4	1.6	6.0	3.5	7.1	3.7-4.6
R3570	3.6	6.4	1.6	7.0	3.5	9	4.7-5.6
R3580	3.6	8.0	1.6	8.0	3.5	9	5.7-6.6
R4045	4.1	8.0	1.8	4.5	4.0	5.6	2.5-3.5
R4050	4.1	8.0	1.8	5.0	4.0	7	2.5-3.5
R4060	4.1	8.0	1.8	6.0	4.0	7	3.5-4.5
R4070	4.1	8.0	1.8	7.0	4.0	9	4.5-5.5
R4080	4.1	8.0	1.8	8.0	4.0	9	5.5-6.5
R4085	4.1	8.0	1.8	8.5	4.0	9.6	6.0-7.0
R4090	4.1	8.0	1.8	9.0	4.0	11	6.5-7.5
R4100	4.1	8.0	1.8	10.0	4.0	11	7.5-8.5
R4120	4.1	8.0	1.8	12.0	4.0	14	9.1-10.5
R5045	5.1	9.0	2.2	4.5	5.0	6.5	1.5-2.5
R5055	5.1	9.0	2.2	5.5	5.0	6.5	2.5-3.5
R5065	5.1	9.0	2.2	6.5	5.0	8.5	3.5-4.5
R5075	5.1	9.0	2.2	7.5	5.0	8.5	4.5-5.5
R5085	5.1	9.0	2.2	8.5	5.0	10.5	5.5-6.5
R5095	5.1	9.0	2.2	9.5	5.0	10.5	6.5-7.5
R5105	5.1	9.0	2.2	10.5	5.0	12	7.5-8.5
R6060	6.1	12	3	6.0	6.0	9	2.5-4.0
R6080	6.1	12	3	8.0	6.0	10	4.0-5.5

三、产品用途(Application)

目前广泛应用于汽车面壳、面板，通信天线、LED灯具，展示架，PCB板及之固定，或者替代螺丝即可完成装配. 特点是容易固定，提高生产效率。该产品具有重量轻、体积小、美观、环保。颜色有黑色，白色，自然色，还可按照客户所需颜色调色，规格齐全。

Nylon rivet is widely applied to fasten and fix auto panels, communication antenna, LED lamps, display cases, etc. It replaces screws in function and easily to mount without tools. The rivet is easily to be fixed and greatly small in size, artistic, environmental protected, stainless, conveniently and fast to mount. It is completely and natural, etc.) in supply; moreover, the color can be customized.

四、产品性能(Function)

该系列产品为分体式尼龙铆钉，一般由子钉和母钉两个部件组成。作用是对两个分离的物件进行连接和紧固，利用尼龙材料的弹性和记忆性能，从而实现其连接和紧固功能。安装时只要挤压两件套铆钉的子钉，母钉会自动收紧，不用安装工具，易手工安装，省时、快捷。

This product is made up with male rivet and female rivet; it mainly functions to riveting two separated parts together and fastening by utilizing the flexibility and shape memory of nylon material. You need just press the male rivet, the female rivet will stretch to fix and lock the parts; it is easily, conveniently and fast to mount without tools.