

# IBM P6 550 8204-E8A

产品名称	IBM P6 550 8204-E8A
公司名称	武汉普锐斯特科技有限公司
价格	6500.00/台
规格参数	品牌:IBM 型号:IBM P6 550 质保:一年
公司地址	武汉市洪山区团结大道铁机盛世家园
联系电话	181-71409102 18171409102

## 产品详情

武汉普锐斯特科技有限公司，是一家专门做停产服务器的供应商，涉及各\*\*\*服务器、小型机、工作站、存储等，确保品质、现货供应欢迎选购。

ibm p6 550小型机整机

配置选件处理器内核2、4、6或8 1个164位3.5ghz或4.2ghz power6，配备 altivec s imd 加速器和硬件十进制浮点加速二级 (L2) 缓存每个处理器卡8mb三级 (L3) 缓存每个处理器卡 32mbram (内存) 3.5 ghz : 1 gb 到 128 gb 的 ddr2 sdram 4.2 ghz : 1 gb 到 256 gb 的 ddr2 sdram 内置 sas 磁盘托架6个3.5英寸sas (73.4 gb、146.8 gb、300 gb 1 5k rpm) 内部磁盘存储器高达 1.8 tb；装配8个可选的7311-d20 i/o 抽屉高可达30.6 tb介质支架1个 slimline 和1个半高型托架适配器插槽2个pci-x (266 mhz ddr)；3个pci express 8x标准 i/o 适配器集成的虚拟以太网·2个以太网10/100/1000 mbps 端口或·4个以太网10/100/1000 mbps 端口 (选件) 或·2个10 gb 以太网端口 (选件) 集成磁盘3g sas 控制器 (内部；可选 raid) 其他端口3个usb，2个hmc，2个系统端口，2个spcn扩展功能 (可选) 高性能pci适配器4 gb 光纤通道；10 gb 以太网i/o 扩展多8个i/o 抽屉 (7311-d20 和/或7314-g30 的组合) gx 适配器rio-2，12x gxgx 插槽2个 (每个与一个pci 8x 插槽共享空间并将其替换) powervm 技术power hypervisorlpar、动态lpar、虚拟lan (内存到内存分区间通讯) powervm (可选) 服务器上三个分区、powervm lx86、虚拟化磁盘和光驱 (vios)、共享处理器池以及集成虚拟化管理器 (ivm) powervm 标准版 (可选) 配备微分区的powervm；多共享处理器池；共享专用容量powervm 企业版2 (可选) 配备实时分区迁移功能的powervm 标准版ras 特性·ibm chipkill ecc，位导引内存和缓存·处理器指令重试·替代处理器恢复·带故障监测功能的服务处理器·热插拔磁盘托架·热插拔pci 插槽·热插拔和冗余的电源和散热风扇·动态处理器重分配·pci-x 插槽的扩展错误处理操作系统·aix v5.3 或更高版本·ibm i 5.4 或更高版本·suse linux enterprise server 10 sp1 for power (sles10 sp1) 或更高版本；red hat enterprise linux 4.5 for power (rhel4.5) 或更高版本；rhel 5.1 或更高版本高

可用性ibm powerha 系列电源需求100v 到 127v 或者 200v 到 240v ac , -48v dc系统规格 .  
桌边型 : 21.3英寸 (高) x 7.2-11.1 英寸 (宽) x 30.6 英寸 (深) ( 540 毫米 x 183-283 毫米 x 778 毫米 ) ; 重量 : 120.0 磅 ( 54.4 千克 ) 3 · 机架抽屉 : 6.9英寸 (高) (4u) x 17.3 英寸 (宽) x 28.7 英寸 (深) ( 175 毫米 x 440 毫米 x 730 毫米 ) ; 重量 : 120.0 磅 ( 54.4 千克 ) 3 · 7311-d20 i/o 抽屉 : 7.0英寸 (高) (4u) x 19.0 英寸 (宽) x 24.0 英寸 (深) ( 178 毫米 x 482 毫米 x 610 毫米 ) ; 重量 : 101.0 磅 ( 45.9 千克 ) 3 · 7314-g30 i/o 抽屉 : 7 .0英寸 (高) (4u) x 17.5 英寸 (宽) x 24.0 英寸 (深) ( 178 毫米 x 445 毫米 x 610 毫米 ) ; 重量 : 44.0 磅 ( 20.0 千克 ) 3有限保修 (3年7x24) 三年保修, 星期一至星期日每天 24 小时, 下一工作日处理, 不另行收费; 选定组件现场维修; 所有其他元件按 cru (客户可更换元件) 执行 (因国家/地区而异)。提供保修服务升级和维护。

fc号

pn号

描述cpu 496507p6793 46k6587 46k6765 46k7060 46k75902-core 3.5ghz power6 processor card 496610n9377 10n9725 46k6595 46k6769 46k7066 46k7593 46k7594 2-core 4.2ghz power6 processor card 4967 10n9380 46k7401 46k7817 2-core 5.0 ghz power6 processor card 硬盘 1793 177gb sff-2 ssd w/ emlc (aix/linux) 1882 42r5661 42r8390 42r8392 46v6830 46v6837 146.8gb 10k rpm sas sff disk drive 1883 44v4426 44v4427 44v4428 44v6842 73.4 gb 15k rpm sas sff disk drive 1885 42r6833 44v6831 44v6833 44v6838 300gb 10k rpm sff sas disk drive 1886 44v6843 44v6845 44v6850 146gb 15k rpm sff sas disk drive 1890/1909 58b0 44v6817 44v6821 44v8674 69gb sff sas solid state drive 1917 146gb 15k rpm sas sff-2 disk drive (aix/linux) 1925 300gb 10k rpm sas sff-2 disk drive (aix/linux) 327903n5284 03n5285 03n5766 03n6349 03n6350 26k5182 26k5282 26k5532 26k5567 80p3402 80p3911 146.8gb 15k 80 pin u320 scsi disk drive/carrier 3586 58b0 44v6819 44v8673 69gb 3.5" sas solid state drive 3646 10n7199 10n7200 10n7230 42r4233 73 gb 15k rpm sas disk drive 3647 10n7203 10n7204 10n7232 42r4234 146 gb 15k rpm sas disk drive 3648 10n7207 10n7208 10n7234 42r5648 300 gb 15k rpm sas disk drive 3649 44v4432 44v4433 44v4438 44v4440 450 gb 15k rpm sas disk drive 432726k5176 36k5537 39j1469 39j3696 39j3699 42c0216 42c0256 43i9028 53p3240 53p3360 97p2930 97p2991 97p3031 70.56gb 15k rpm disk unit 327800p2684 00p2685 00p5260 03n5279 03n5280 03n6344 03n6345 26k5180 26k5280 26k5531 55p4103 80p3163 73.4 gb 15,000 rpm ultra3 scsi disk drive assembly 内存 4520 77p6497 1gb (2x512mb) rdimm, 667mhz, 512mb dram 4521 77p6498 2gb (2x1gb) rdimm, 667mhz, 512mb dram 4522 77p6499 4gb (2x2gb) rdimm, 667mhz, 512mb dram 4523 77p6500 8gb (2x4gb) rdimm, 667mhz, 512mb stacked dram 4532 77p8030 4gb (2x2gb) rdimm, 667mhz, 1gb dram 电源 770744v3559 44v4951 44v7292 power supply, 1700 watt ac, hot-swap, base and redundant 7708 power supply, 1700 watt dc, hot-swap, base and redundant 51c4 42r6607 1700 w dc power supply (8204-e8a) 系统板 46k6726 system backplane, 3.5 and 4.2 ghz processor 46k7761 system backplane, 3.5, 4.2, and 5.0 ghz processor 磁带机 590718p7912 21f8763 23r2528 23r2530 59h3465 59h4456 59h4457 59h4458 36/72gb 4mm dat72 sas tape drive 5619 80/160gb dat160 sas tape drive 574624r1922 35i2086 45e1126 45e1127 45e1129 95p4436 95p4450 96p1203 half high 800gb/1.6tb lto4 sas tape drive 5661 46c1932 46c1933 dat320 160/320 gb tape drive 磁带 5689 23r5635 dat160 data cartridge 5747 ibm lto ultrium 4 800 gb data cartridge 网卡 570600g2380 00p4289 00p6131 03n5297 03n6070 53p5450 80p4024 80p7033 ibm 2-port 10/100/1000 base-tx ethernet pci-x adapter 570100g2380 00p3056 00p4501 00p6130 03n6070 03n6524 09p5389 21p4745 53p5450 80p4024 80p7033 ibm 10/100/1000 base-tx ethernet pci-x adapter 570000p3055 00p4499 03n6981 05n6768 09p5386 10n8586 11p3847 12r9314 15r7536 ibm gigabit ethernet-sx pci-x adapter 570700p4290 00p6132 03n6973 05n6768 10n8587 11p3847 12r9314 15r7536 53p5450 80p4024 80p6451 80p7033 ibm 2-port gigabit ethernet-sx pci-x adapter 5722576a 03h4588 10n8263 10n9776 10n9777 12r6249 12r9315 80p6634 80p7053 10 gb ethernet-lr pci-x 2.0 ddr adapter 5721573a 03n4590 05n6768 10n8264 10n9774 10n9775 11p3847 12r9314 15r75836 74y2621 80p6636 80p7055 10 gb ethernet-sr pci-x 2.0 ddr adapter 5740 03n5444 4-port

10/100/1000 base-tx ethernet pci-x adapter 576805h6768 10n6846 11p3847 12r9314 15r7536 46k6602 2-port gigabit ethernet-sx pci express adapter 5772576e 05n6768 10n9034 11p3847 12r931410 gigabit ethernet-cx4 pcie (x8)adapter 576905n6768 10n9505 11p3847 12r9314 46k7897 10 gigabit ethernet-cx4 pcie (x8)adapter 576710n6845 10n7405 46k66012-port 10/100/1000 base-tx ethernet pci express adapter 5717 10n7405 10n8556 46y3512 4-port 10/100/1000 base-tx pci express adapter 5732 45d4771 46k6696 46k7899 10 gigabit ethernet-cx4 pcie (x8)adapter 光纤卡 5758280d 03n5012 03n5014 46k6838 4 gb single-port fibre channel pci-x 2.0 ddr adapter 5761 03n5012 03n5014 03n5016 46k6838 46k6840 pci-x fibre channel tape ctr 5760 03n5014 3n5016 46k6838 46k6840 pci-x fibre chan disk ctr 575903n5027 03n5029 03n6768 10n8620 10n3847 12r9314 4 gb dual-port fibre channel pci-x 2.0 ddr adapter 571303n056 26k6490 30r5219 32r1926 46k7342 49y4236 1 gigabit iscsi toe pci-x on copper media adapter 5714 03n6058 30r5519 1 gigabit iscsi toe pci-x on optical media adapter 577305n6768 10n7249 44p3847 12r9314 15r7536 4 gigabit pci express single port fibre channel adapter 577405n6768 10n7255 11p3847 12r9314 15r7536 4 gigabit pci express dual port fibre channel adapter 5735577d 05n6768 10n9824 11p3847 12r9314 46c7006 8 gigabit pci express dual port fibre channel adapter 5708 2b3b 05n6768 11p3847 12r9314 46k8088 10gb fcoe pcie dual port adapter raid卡 5912 572a 44v4413 4v4414 44v5195 44v8579 pci-x ddr dual - x4 sas adapter 5922 11p1347 11p3897 non-paired sas raid indicator 558339j1702 40n9889 42r4053 42r4460 42r4560 42r5130 42r5133 42r8305 44v3478 44v3481 44v4733 64p1383 97p6130 5777 ctr w/aux write cache, cache battery pack 39j5554.the 5583 includes an iopless, 5777 pci-x quad-channel ultra320 scsi raid adapter and a ccin 574f auxiliary-write cache ioa. 5583 provide raid 5 or raid 6 capability. 5776571b 39j2012 39j3534 39j5024 42r4855 42r8739 44v5587 97p4152 97p4847 pci-x dasd controller-90mb no iop, cache battery pack 39j5555. 577740n9889 42r4460 42r5130 42r8305 44v3478 44v4013 44v4733 97p6130 pci-x disk ctr-1.5gb no iop 5902572b 44v4203 44v5194 97p4847 pci-x ddr dual-x4 3gb sas raid adapter, cache battery pack 39j5555. 577842r3867 42r6579 44v3480 39j0273 39j5909 42r3867 42r3965 42r3969 42r4226 42r4227 42r4280 42r5261 42r6011 42r6578 42r6579 44v3306 44v3480 44v4608 44v5817 74y5665 pci-x exp24 ctl-1.5gb no iop 578242r3867 42r6579 44v3480 39j0273 39j5909 42r3867 42r3965 42r3969 42r4226 42r4227 42r4280 42r5261 42r6011 42r6578 42r6579 44v3306 44v3480 44v4608 44v5817 74y5665 pci-x exp24 ctl-1.5gb no iop 590442r3965 42r3969 44v4577 44v4579 44v5193 44v5193 44v8622 46k4734 46k6114 74y5665 pci-x ddr 1.5gb cache sas raid adapter 590842r3965 42t3969 44v4577 44v4579 44v5193 44v8622 46k4734 46k6114 74y5665 pci-x ddr 1.5gb cache sas raid adapter (bsc) 567942r4635 44v3139 44v3140 44v3298 44v4145 44v4192 44v4734 44v5554 44v6093 46k6109 74y5667 sas raid enablement 5900 42r7988 42r7989 44v3296 44v4266 44v4404 pci-x ddr dual - x4 3gb sas adapter 5903574e 44v4198 44v7436 44v7597 74y6124 pcie 380mb cache dual - x4 3gb sas raid adapter 5805 pcie 380mb cache dual - x4 3gb sas raid adapter 5921 non-paired pcix sas raid indicator 5923 non-paired pcie sas raid indicator scsi卡 5901 57b3 44v4852 44v8580 45k4732 pcie dual-x4 sas adapter 573639j1643 39j2862 39j3536 39j4996 39j5022 42r4860 42r8736 44v5591 42r4362 52p8558 pci-x ddr 2.0 dual channel ultra320 scsi adapter 5806 pci-x ddr dual channel ultra320 scsi adapter 显卡 284800p2526 00p2530 00p5756 00p5758 09p3209 09p5074 09p5269 09p5758 80p4527 pci 2d entry graphics adptr 284900p5756 00p5758 03n5853 09p5758 power gxt135p graphics accelerator with digital support 5748 10n7756 power gxt145 pci express graphics accelerator 适配卡 6312 00p3119 10n7380 87h3588 quad digital trunk telephony pci adapter 476412r6540 12r6714 41u0441 41u0442 41v0161 pci-x cryptographic coprocessor (fips 4) 6805 21p5267 39j2298 53p1677 pci 2-line wan ioa no iop 6833 21p5289 39j2282 39j2283 44v5116 53p0708 pci 2-line wan w/modem no iop 2844 52g4337 21p6018 39j1719 39j3242 39j5013 43i9059 97p2694 pci iop 6808 21p8186 39j2290 44v5110 97p5638 pci 4-modem wan ioa no iop 289326p1139 42r5678 42r8192 26p1139 42r5678 42r8192 44v5323 pcie 2-line wan w/modem 2847 39j2513 39j2894 39j4035 42r6471 pci iop for san load source 4807 45d5803 45d6680 45d7948 pcie crypto coprocessor no bsc 4765-001 4808 45d5803 45d6680 45d7948 pcie crypto coprocessor gen3 bsc 4765-001 2728 57d1 46k6692 46k7494 4 port usb pcie adapter 2738 28ef 52p8639 80p2994 80p6227 2-port usb pci adapter 294307i9001 07i9822 11h5967 11h5968 11h5969 11h6011 42r4761 6298964 93h6540 93h6541 94h6541 8-port asynchronous adapter eia-232/rs-422, pci bus 5785 57d2 42r5143 46k6734 46k6735 6298965 4 port async eia-232 pcie adapter 5723 64p1243 80p4353 2-port asynchronous eia-232 pci adapter 稳压模块 44v5183 voltage regulator 95 a (vrm1a, vrm1b) 2a2c 42r6498 42r8609 voltage regulator 30 a (vrm2) 光驱 443004n2569 04n5276 04n5966 04n5968 17p8966 18p7250 18p8166 19p0484 19p0489 53p2646 dvd-rom 463004n2569 04n5276

04n5966 04n5968 18p7250 18p8166 19p0484 19p0489 53p2646 dvd-rom 463318p8166 39j2145 39j2146 39j4797  
39j5777 39j5778 97p3713 97p3714 97p6887 97p6888 dvd-ram 5757 18p8166 39j5771 39j5772 42r7969  
42r7970 ibm 4.7 gb ide slimline dvd-ram drive 5756 39j5773 39j5774 42r5292 42r5293 ide slimline dvd-rom  
drive 5762 44v4219 44v4220 sata slimline dvd-ram drive 5743 44v4223 44v4224 sata slimline dvd-rom  
drive 3706 dvd-rom 线缆 6001 00g1277 42f6839 power control cable (spcn-2  
meter) 3925 00p2165 23r4632 40h6328 40h6329 serial port converter cable 9-pin to  
25-pin 3926 00p2166 asynch printer/terminal cable 9-pin to 25-pin 4m 4256 00p2969 10n7374 32n1311  
44p1375 extender cable - usb keyboards 2m 3146 00p3237 09p2631 21p5454 39j2562 44v5140 rio-2(remote  
i/o-2cbl 1.2m 3147 00p3238 09p2632 31p6131 39j2554 43l8981 53p2676 rio-2(remote i/o-2cbl  
3.5m 3148 00p3239 09p2633 21p5456 39j2561 43l8982 rio-2 (remote i/o-2) cable, 10m 2459 00p4023  
11p1374 12r9322 lc-sc 62.5 micron fiber converter cable 3156 00p5238 03n5867 rio-2 (remote i/o-2 cable  
1.75m) 3168 00p5239 03n5866 rio-2 (remote i/o-2 cbl 2.5m 2118 01k6497 07l9628 76h0518 converter  
cable vhdc to p mini-68 pin to 68 pin 0.3m 1462 04n7014 39j5822 44h9137 97h7491 15m rio  
cable 780205n5292 41v0143 52p7525 ethernet cable 15m hardware management console to system  
unit 286107l8817 87h3404 87h3405 87h3406 87h3439 87h3568 artic960hx 4-port eia-232 cable 424207l9633  
08l0491 42r4755 6 foot extender cable for displays (15 pin d-shell to 15 pin d-shell 2877 08l1215 42r4756 ibm  
artic960rxd quad dta, h.100, 4-drop cable 2127 09l0881 09l3305 36r2578 41y0599 ultra 320 scsi cable 10  
meter 2124 09l3299 36r2585 41y0596 ultra 320 scsi cable 1 meter 2125 09l3301 36r2576 41y0597 ultra 320  
scsi cable 3 meter 2126 09l3303 36r2577 41y0598 ultra 320 scsi cable 5 meter 2128 09l3307 19p1904 36r2579  
41y0600 ultra 320 scsi cable 20 meter 6006 09p1251 22r5239 93h8045 power control cable (spcn-3  
meter) 2456 09p3044 11p1352 11p1373 12r9321 lc-sc 50 micron fiber converter cable 2934 10n6535  
12h1204 40h0744 40h2206 asynchronous terminal/printer cable eia-232 3124 10n7158 88g4771 88g4853 serial  
to serial port cable for drawer/drawer 3125 10n7159 88g4772 88g4854 serial to serial port cable for  
rack/rack 3927 10n7712 serial port null modem cable 9-pin to 9-pin 3.7m 3928 10n7713 serial port null  
modem cable 9-pin to 9-pin 10m 1828 15r8139 45d2235 1.5 meter 12x to 4x channel conversion  
cable 1841 15r8140 45d2236 3 meter 12x to 4x channel conversion cable 1842 15r8141 45d2237 10 meter  
12x to 4x channel conversion cable 780116r0449 41v0479 52p7524 ethernet cable 6m hardware management  
console to system unit 6007 21f9358 22r5221 55f4533 power control cable (spcn 15 meter) 1466 21f9359  
22r5222 30m spcn cable 6029 21f9359 22r5222 power control cable (spcn 30 meter) 6008 21f9469 22r5219  
55f4532 74f0188 power control cable (spcn 6 meter) 1461 21h7643 24l1791 39j5834 44h8873 97h7490 6m  
copper hsl cable 1485 21p5457 39j2560 43l9026 remote i/o cable, 15m 1475 21p5458 39j2551  
53p5245 10m rio to rio-2 cable 1474 21p5477 39j2559 43l8978 6m rio to rio-2 cable 1460 23l3080 39j5833  
44l0005 3m copper rio cable 293630f9453 42r5206 53f3205 53f3662 6223741 6323741 asynchronous cable  
eia-232/v.24 2951 33f8985 93h2899 93h5263 cable v.24 / eia-232 1487 39j2552 53p5243 3m hsl to hsl-2  
cable 1834 39j5642 42r6157 42r6160 8.0 meter 12x cable 1019 39j5813 75g3807 modem cable -  
australia 1020 39j5817 75g3808 modem cable - hk/nz 1827 39j5836 97p4299 3m rio to rio-2  
cable 2954 40f9904 93h2902 93h5267 cable x.21 2425 40h2172 52g4233 2.5m 16-bit scsi-2 system-to-  
system cable 2114 40h6603 52g0173 pci scsi adapter 16-bit differential external y cable 1829 41v0226  
42v2129 0.6 meter 12x cable 1830 41v0227 42r6153 42v3130 1.5 meter 12x cable 2138 41y0601  
42d9817 0.55 meter ultra 320 scsi cable 1025 42r5087 43l6774 75g3801 87g6236 modem cable - us/canada and  
general use 3668 42r5751 sas cable, dasd backplane to rear bulkhead 3657 42r5815 46k5450 right angle sas  
tape drive cable 1843 42r6064 op panel cable for deskside system w/3.5" dasd 1877 42r6066 op panel cable  
for rack-mount drawer w/3.5" dasd 1878 42r6067 42r6069 44v7190 op panel cable for rack-mount drawer  
w/2.5" dasd 1856 42r6068 44v7191 op panel cable for deskside system w/2.5" dasd 3653 42r6727  
44v4148 sas cable (ee) drawer to drawer 3m 3654 42r6728 44v4149 sas cable (ee) drawer to drawer  
6m 366142r6742 44v4154sas cable (x adapter to sas enclosure dual controller/ dual path 3m 366242r6743  
44v4155 sas cable (x) adapter to sas enclosure, dual controller/ dual path 6m 366342r6744 44v4156 sas cable (x)  
adapter to sas enclosure, dual controller/ dual path 15m 3679 42r6751 44v4041 sas cable  
(ai)-1m 3652 42r6762 44v4147 sas cable (ee drawer to drawer 1m 369142r6788 44v4157 sas cable (yo  
adapter to sas enclosure single controller/dual path 1.5 m 369242r6789 44v4158 sas cable (yo) adapter to sas  
enclosure, single controller/dual path 3 m 369342r6790 44v4159 sas cable (yo) adapter to sas enclosure, single

controller/dual path 6 m 369442r6791 44v4160 sas cable (yo) adapter to sas enclosure, single controller/dual path 15 m 368642r6792 44v4161 sas cable (yi) system to sas enclosure, single controller/dual path 1.5m 368742r6793 44v4162 sas cable (yi) system to sas enclosure, single controller/dual path 3m 368442r8118 44v4163sas cable (ae adapter to enclosure single controller/ single path 3m 368542r8120 44v4164sas cable (ae) adapter to enclosure, single controller/ single path 6m 1840 42v2132 3.0 meter 12x cable 1861 44v3421 45d4785 0.6 meter 12x ddr cable 1862 44v3423 45d4786 1.5 meter 12x ddr cable 1865 44v3426 45d2571 45d5271 3.0 meter 12x ddr cable 3681 44v4151 44v8231 3m sas cable, adptr to adptr (aa) 3682 44v4152 44v8230 6m sas cable, adptr to adptr (aa) 3688 44v5132 sas cable (at 0.6 meter) 3669 44v5252 sas cable, dasd backplane (split) to rear bulkhead 1864 45d4788 8.0 meter 12x ddr cable 2424 52g4291 0.6m 16-bit scsi-2 system to system cable 2863 53g0638 87h3407 87h3408 87h3409 87h3566 artic960hx 4-port x.21 cable 2952 71f0163 93h2900 93h5264 cable v.35 2953 73h2508 93h2901 93h5265 cable v.36 / eia-499 2864 87h3398 87h3399 87h3400 87h3442 87h3565 artic960hx 4-port v.35 (dte cable 3656 95p4084 sas sff cable 1111 cat5e ethernet cable, 3m blue 1112 cat5e ethernet cable, 10m blue 1113 cat5e ethernet cable, 25m blue 1115 cat5e ethernet cable, 3m green 1116 cat5e ethernet cable, 10m green 1117 cat5e ethernet cable, 25m green 1118 cat5e ethernet cable, 3m yellow 1119 cat5e ethernet cable, 10m yellow 1121 cat5e ethernet cable, 25m yellow 3655 sas hh cable 6458 power cable- drawer to ibm pdu 14-foot 250v/10a 6460 power cord (14-foot drawer to oem pdu (125v 15a plug type #4 6469 power cord (14-foot drawer to oem pdu (250v 15a united states plug type #5 6470 power cord (6-foot to wall (125v 15a plug type #4 6471 power cord (9-foot to wall/oem pdu (125v 15a plug type #70 6472 power cord (9-foot to wall/oem pdu (250v 16a plug type #18 6473 power cord (9-foot to wall/oem pdu (250v 10a plug type 19 6474 power cord (9-foot) to wall/oem pdu (250v 13a) plug type #23 6475 power cord (9-foot) to wall/oem pdu (250v 16a) plug type #32 6476 power cord (9-foot) to wall/oem pdu (250v 10a) plug type #24 6477 power cord (9-foot) to wall/oem pdu (250v 16a) plug type #22 6478 power cord (9-foot) to wall/oem pdu (250v 16a) plug type #25 6479 power cord (9-foot) to wall/oem pdu (250v 10a) plug type #6 6487 power cord (6-foot to wall (250v 15a united states plug type #5 6488 power cord (9-foot to wall/oem pdu (125v 15a or 250v 10a plug type #2 6493 power cord (9-foot) to wall/oem pdu (250v 10a) plug type #62 6494 power cord (9-foot) to wall/oem pdu (250v 10a) plug type #69 6495 power cord (9-foot) to wall/oem pdu (250v 10a) plug type #73 6496 power cord (9-foot) to wall/oem pdu (250v 10a) plug type #66 6497 power cord (6-foot) to wall/oem pdu (250v 10a) plug type #10 6651 power cord (9-foot to wall/oem pdu (125v 15a plug type #75 6659 power cord (9-foot to wall/oem pdu (250v 15a plug type #76 6660 power cord (14-foot drawer to oem pdu (125v 15a plug type #59 (denan marking 6665 power cord 3 m (10 ft drawer to ibm pdu 250v/10a 6669 power cord (14-foot drawer to oem pdu (250v 15a plug type #57 (denan marking 6670 power cord (6-foot to wall (125v 15a plug type #59 (denan marking 6671 power cord (9-foot) drawer to ibm pdu 250v/10a 6672 power cord (5-foot) drawer to ibm pdu 250v/10a 6680 power cord (9-foot) to wall/oem pdu (250v 10a) plug type #6 insulated 6687 power cord (6-foot) to wall (250v 15a) plug type #57 (denan marking) 1854 10 meter 12x to 4x enhanced channel conversion cable 导轨 6586 10n7683 80p3263 modem tray for 19-inch rack 7360 39j4530 42r7686 44v4930 44v5078 ibm rack-mount drawer bezel and hardware 7146 39r6550 42r8278 42r8279 44v3349 44v3352 ibm/oem rack-mount drawer rail kit 7359 42r7686 oem rack-mount drawer bezel and hardware 7841 ruggedize rack kit 机壳 7840 side-by-side for 1.8m racks 电池 39j5554 97p4846 ibm li-ion cache battery 其他 1396 01k9852 39m5355 40k9774 4.3m 200v/16a power cord china 110804n2351 04n2567 09l2576 09l2577 09l5276 09l5277 39j5596 45e0670 53p2650 95p1868 95p1869 juniper exp4200 ethernet switch 363704n7526 04n7527 04n7532 13f9959 31p7507 31p7509 31p7511 31p7513 31p7515 ibm t541h /1150p 15" tft color monitor 8341 07p6910 07p6911 10n9532 dasd/media backplane for 3.5" dasd/dvd/tape 834510n9664 44v4270 44v5561 46k6634 46k6635 dasd/media backplane for 3.5" dasd/dvd/tape; with external sas port 1447 11f0106 41v2002 4.3m 200v/30a power cord au 1448 11f0107 4.3m 200v/30a power cord nz 1426 11f0113 11f0115 41v2003 200v 14-ft locking line cord 1476 12j5988 39m5295 40k9767 4.3m/200v/12a pwr cd uk 1438 13f9941 39m5103 4.3m 200v/10a power cord au/nz 363913f9959 31p9575 31p9577 31p9584 31p9587 31p9590 73p0261 1180p tft 17" color display 1439 13f99809 39m5124 4.3m 200v/10a power cord eu/asia 1440 13f9998 39m5131 4.3m 200v/10a pwr cd denmark 1441 14f0016 39m5145 4.3m 200v/10a pwr cd s afric 1443 14f0034 39m5152 4.3m

200v/10a pwr cd uk 1442 14f0052 39m5159 4.3m 200v/10a pwr cd swiss 1451 14f1547 39m5261 200v (6-ft) 1.8m line cord 1452 14f1548 39m5263 200v 14-ft line cord 1453 14f1549 39m5273 200v 6-ft locking line cord 1454 14f1550 39m5275 200v 12a 14-ft tl line cord 1455 14f1551 39m5313 86f2645 200v 6-ft wrtght line cord 1456 14f1552 39m5315 86f2646 200v (14-ft) 4.3m watertight line cord 1406 14f1553 39m5279 39y5565 40k9772 200v 16a 4.3m (14-ft) tl line cord 1420 14f1554 39m5383 40k9766 4.3m 200v/16a power cord eu/asia 1421 14f1555 36l8823 39m5323 40k9769 4.3m 200v/16a power cord ch/dk 1418 14f1557 39m5291 40k9770 4.3m 200v/16a power cord s. africa 1409 14f1559 39m5331 40k9773 4.3m 200v/16a power cord au/nz 1419 14f1561 39m5311 40k9771 4.3m 200v/16a power cord israel 1450 21h7691 4.3m 200v/16a pwr cd eu 2-ph 1449 21h7693 4.3m 200v/32a power cord eu 1-ph 2145 21h8079 primary os - ibm i 1427 23r3231 46f4594 200v 14-ft wrtght line cord 5108 24l0761 39j4304 30-disk expansion feature 3636 31p9263 31p9264 31p9265 31p9266 l200p flat panel monitor 1414 39m5115 41v1961 86g7878 200v 6-ft locking line cord 110439m5516 44e8889 44v3429 46c5381 46c5394 49y9890 usb external docking station for removable disk drive 3645 39y9919 40k5342 ibm t117 flat panel monitor 3641 40k7317 40k5341 73p4360 t115 tft 15" color display 1415 41v1966 73f4931 200v 1.8m (6-ft) watertight line cord 2146 44h6111 primary os - aix 8310 44v5927 46k7121 dasd/media backplane for 3.5" dasd/sata dvd/tape with 1103 46c5370 46c5380 usb internal docking station for removable disk drive 1106 46c5374 46c5375 usb 160 gb removable disk drive 1107 46c5379 46c5395 usb 500 gb removable disk drive 8308 46k6926 dasd/media backplane for 3.5" dasd/sata dvd/tape 8346 46k6948 dasd/media backplane for 2.5" dasd/sata dvd/tape with external sas port 834074y2244 enhanced dasd/media backplane for 2.5" dasd/sata dvd/ tape with external sas port 1700 76h5078 ipc keyboard/mouse for nt 1446 87g6067 4.3m 200v/30a power cord korea 1114 smart analytics system routing indicator 1413 125v 4.3m (14-ft) line cord 1417 200v 4.3m (14-ft) watertight line cord 1477 4.3m 200v/16a pwr cd 2147 primary os - linux 3632 widescreen lcd monitor 3640 l171p tft 17" black display 3642 thinkvision l191p flat panel monitor 3644 ibm t119 flat panel monitor 3704 external xseries attach 4650 rack indicator-not factory integrated 4651 rack indicator, rack #1 4660 rack indicator, rack #10 4661 rack indicator, rack #11 4662 rack indicator, rack #12 4663 rack indicator, rack #13 4664 rack indicator, rack #14 4665 rack indicator, rack #15 4666 rack indicator, rack #16 5524 rfid tags for servers, blades, bladecenters, racks, and hmcs 5544 sys console on op console 5550 sys console on hmc 5553 sys console-ethernet no iop 5983 usb keybd-us english euro 6577 power cable - drawer to ibm pdu, 200-240v/10a 7217 oem deskside cover set (with door) 7292 ibm deskside cover set (with door) 7314 dual 5796 unit enclosure 9300 language group specify - us english 9359 specify mode-1 1(1)5901/5278 for exp24s #5887 9360 specify mode-1 1(2)5901/5278 for exp24s #5887 9361 specify mode-2 1(2)5901/5278 for exp24s #5887 9365 specify mode-4 1(4)5901/5278 for exp24s #5887 9366 -specify mode-2 1(4)5901/5278 for exp24s #5887 9367 -specify mode-1 1(2)5903/5805 for exp24s #5887 9368 specify mode-2 1(4)5903/5805 for exp24s #5887 9382 specify mode-1 1(1)5904/6/8 for exp24s #5887 9383 specify mode-1 1(2) 5904/6/8 for exp24s #5887 9384 specify mode-1 & cec sas port for exp24 #5887 9440 new aix license core counter 9441 new ibm i license core counter 9442 new red hat license core counter 9443 new suse license core counter 9444 other aix license core counter 9445 other linux license core counter 9446 3rd party linux core counter 9447 vios core counter 9461 month indicator 9462 day indicator 9463 hour indicator 9464 minute indicator 9465 qty indicator 9466 countable member indicator 9642 power 550 express edition for ibm i 9645 power 550 4-core solution edition (2 i) for ibm i 9646 power 550 4-core solution edition (4 i) for ibm i 1311 system unique identifier 5959 full width quiet touch keyboard -- usb, hungarian, #208 7982 powervm standard 7983 powervm express 7986 powervm enterprise 5096 pci-x exp tower (no disk) 7204 quantity 150 of #2124 7205 quantity 150 of #2125 7206 quantity 150 of #2126 7207 quantity 150 of #2127 7208 quantity 150 of #2128 5094 pci-x expansion tower 5095 pci-x expansion tower 5294 1.8m i/o tower 5787 totalstorage exp24 disk twr 5790 pci expansion drawer 5796 pci-ddr 12x expansion drawer 5886 exp 12s expansion drawer 7307 dual i/o unit enclosure 7311 dual i/o unit enclosure 7780 2.0m rack side attach kit 5877 12x i/o drawer pcie, no disk 5802 12x i/o drawer pcie, sff disk 5887 exp24s sff gen2-bay

drawer 6580 41v0489 optional rack security kit 7118 environmental monitoring probe 5296 1.8m  
i/o tower (no disk) 4998 single 5250 enterprise enable 4999 full 5250 enterprise enable 6248 12r8349  
44v0103 1.8m rack acoustic doors 6068 opt front door for 1.8m rack 6069 opt front door for 2.0m  
rack 6246 1.8m rack trim kit 6247 2.0m rack trim kit 6249 2.0m rack acoustic  
doors 6263 1.8m rack trim kit 6272 2.0m rack trim kit 5786 totalstorage exp24 disk  
dwr 4276 04n7533 09n3435 25r9043 vga to dvi connection converter 296c 44v4749 control panel