

JDYKJ电动蝶阀

产品名称	JDYKJ电动蝶阀
公司名称	郑州金斗云电子科技有限公司
价格	1.00/套
规格参数	品牌:JDYKJ 型号:JDY 工作温度:-20 ~ 70
公司地址	郑州市金水区索凌路1号3号楼16层92号
联系电话	0371-56780788 18037175525

产品详情

电动硬密封蝶阀以“U”型不锈钢密封圈为主体，采用多层次金属三偏心硬密封结构，精密的弹性密封圈与经过抛光的蝶板三维偏心接触，解决了传统偏心蝶阀在启闭0°~10°瞬间密封面仍处于滑动接触摩擦的弊病，实现蝶板在开启瞬间密封面分离、关闭接触即密封的效果，达到延长使用寿命、密封性能最佳的目的。

????????????????????

??550??

????????

1.??

2.????????????“U”??

3.??“U”????????????????????????????????

4.??

5.????????????????90° ?????“??”??

6.????????????????

? ? ? ? ?

????	?????
????	DN50?1000mm
????	PN0.6 ?1.0?1.6?2.5MPa
????	JIS B220?JB/T79?ANSI B16.5-1981?GB/T9113?HG20594-97?HG20618-97?
????	????????
????	???
????	??????
????	V????????????????

三、 阀内件：

????	??
????	??????

四、 执行机构：

???	CKR?381R
??	?????220V/50Hz?380V/50Hz ??????4-20mA?1-5V·DC??????4-20mA·DC ??????IP67?????? Exd?BT4???????? ?????-25?+70?????? ??95%
??	
??	

注：如需详细执行器参数，请进入电动执行器页面进行查阅。

五、 主要零件材料：

1	??	HT200?WCB? CF3?CF3M?C F8? CF8M		
2	???	????304?316		
3	??	HT200?WCB? CF3?CF3M?C		

		F8? CF8M
4	???	NBR?????PT FE?PPL?304? 316
5	?????	HT200?WCB? CF3?CF3M?C F8? CF8M
6	???	25?35?45
7?8	?????	2Cr13?304?3 16?316L
9	???	????304?316
10	??	?????/?????
11?12	???????	HT200?WCB? CF3?CF3M?C F8? CF8M

六、主要性能指标：

???	50	65	80	100	125	150	200	250	300	350	400	450	500	600	700	800	900	1000
? DN(mm)				0		0	0	0	0	0	0	0	0	0	0	0	0	00
???	110	180	232	368	656	1000	1760	3390	4730	6700	8900	10500	14800	20500	31000	43000	55600	70700
? ?? Cv																		
???	? ? ? ? ?																	
? (MPa)																		
???	0?90°																	
???	?GB/T4213-92??Kv?? 10-4																	
???	±2.5%																	
??	±2.5%																	
??	1% (??)																	
???	50:1																	