

## 丙烯酸树脂3101(热塑性)

产品名称	丙烯酸树脂3101(热塑性)
公司名称	青岛宏丰氟硅科技有限公司
价格	20000.00/吨
规格参数	牌号:HFS-B-3101 产商/产地:青岛宏丰氟硅科技有限公司 含量 :50 ( % )
公司地址	青岛市城阳区流亭街道赵哥庄社区
联系电话	86 0532 66916581 13953251387

## 产品详情

牌号	HFS-B-3101	产商/产地	青岛宏丰氟硅科技有限公司
含量	50 ( % )	粘度	100-500 ( S )

### 特性

1高附着性

2快固化速度

3良好的颜料润湿性

5超耐候性，耐化学药品性能好

### 用途

可用于制作

1金属涂料

2建筑涂料

3汽车，机车涂料

4工业涂料及各种高档耐候性涂料

## 技术指标

	hfs-b-3100 热固型丙烯酸树脂	hfs-b-3101 热塑型丙烯酸树脂
外观	水白色透明液体	
固含量	50 ± 2%	
比重	1.02 g/ml	
粘度	100—500s	
酸值	8mgkoh/g	12mgkoh/g
羟值	2.10 ± 0.1%	—
tg (计算值)	45	
闪燃点	25	

## 包装形式

铁桶包装，180kg/桶

## 包装与贮存使用注意事项

1本产品应贮存在干燥、阴凉，温度为0-35 下

2本产品贮存期一年，超过保质期应检验后使用

speciality

good adhesion

short solidify time

favorable wetting of pigment

excellent chemical and weather resistance

applications

metal dope

building dope

vehicle dope

industrial dope and other top grade dope

technology index

	hfs-b-3100	hfs-b-3101
	thermosolidified acrylic resin	thermoplastic acrylic resin
appearance	transparent white liquid	
non-volatile matter content	50 ± 2%	
gravity	1.02 g/ml	
viscosity	100—500s	
acid number	8mgkoh/g	12mgkoh/g
hydroxide number	2.10 ± 0.1%	—
tg (calculate value)	45	
flash point	25	

packaging

180 kg in metal pail