

丙烯酸树脂3100（热固型）

产品名称	丙烯酸树脂3100（热固型）
公司名称	兴恒泰（武汉）化工科技有限公司
价格	20000.00/吨
规格参数	牌号:HFS-B-3100 产商/产地:青岛宏丰氟硅科技有限公司 含量 :50（%）
公司地址	湖北武昌区民主路15-17号1-3层房屋201-28号
联系电话	13129920688 13129920688

产品详情

牌号	HFS-B-3100	产商/产地	青岛宏丰氟硅科技有限公司
含量	50（%）		

特性

- 1高附着性
- 2快固化速度
- 3良好的颜料润湿性
- 5超耐候性，耐化学药品性能好

用途

可用于制作

- 1金属涂料
- 2建筑涂料
- 3汽车，机车涂料
- 4工业涂料及各种高档耐候性涂料

技术指标

	hfs-b-3100 热固型丙烯酸树脂	hfs-b-3101 热塑型丙烯酸树脂
外观	水白色透明液体	
固含量	50 ± 2%	
比重	1.02 g/ml	
粘度	100—500s	
酸值	8mgkoh/g	12mgkoh/g
羟值	2.10 ± 0.1%	—
tg (计算值)	45	
闪燃点	25	

包装形式

铁桶包装，180kg/桶

包装与贮存使用注意事项

1本产品应贮存在干燥、阴凉，温度为0-35 下

2本产品贮存期一年，超过保质期应检验后使用

speciality

good adhesion

short solidify time

favorable wetting of pigment

excellent chemical and weather resistance

applications

metal dope

building dope

vehicle dope

industrial dope and other top grade dope

technology index

	hfs-b-3100	hfs-b-3101
	thermosolidified acrylic resin	thermoplastic acrylic resin
appearance	transparent white liquid	
non-volatile matter content	50 ± 2%	
gravity	1.02 g/ml	
viscosity	100—500s	
acid number	8mgkoh/g	12mgkoh/g
hydroxide number	2.10 ± 0.1%	—
tg (calculate value)	45	
flash point	25	

packaging

180 kg in metal pail