

32-100	4.5	12.5	12.5	44	2900	0.55	2.3
32-100(l)	6.3	1.75	12.5	54	2900	0.75	2.3
32-125	5	1.39	20	44	2900	0.75	2.3
32-125A	4.5	1.25	16	43	2900	0.55	2.3
32-160	6.5	5	32	44	2900	1.5	2.3
32-160A	4	1.1	25	34	2900	1.1	2.0
32-160(l)	6.3	1.75	32	40	2900	2.2	2.0
32-200	4.5	12.5	50	32	2900	3	2.0
32-200(l)	6.3	1.75	50	33	2900	4	2.0
32-200A	4	1.11	44	40	2900	2.2	2.0
40-100	6.3	1.75	12.5	54	2900	0.55	2.3
40100A	5.6	1.56	10	52	2900	0.37	2.3
40-125	6.3	1.75	20	46	2900	1.1	2.3
40-125A	5.6	1.56	16	45	2900	0.75	2.3
40-160	6.3	1.75	32	40	2900	2.2	2.3
40-160A	5.9	1.64	28	39	2900	1.5	2.3
40-160B	5.5	1.53	24	38	2900	1.1	2.3
40-200	6.3	1.75	50	33	2900	4	2.3
40-200A	5.9	1.64	44	31	2900	3	2.3
40-200B	5.3	1.47	36	29	2900	2.2	2.3
40-250	6.3	1.75	30	28	2900	7.5	2.3
40-250A	5.9	1.64	70	28	2900	5.5	2.3
40-250B	5.5	1.53	60	27	2900	4	2.3
40-100(l)	12.5	3.47	12.5	62	2900	1.1	2.3
40-100(l)A	11	3.05	10	60	2900	0.75	2.3
40-125(l)	12.5	3.47	20	58	2900	1.5	2.3
40-125(l)A	11	3.05	16	57	2900	1.1	2.3
40-160(l)	12.5	3.47	32	52	2900	3	2.3
40-160(l)A	11.7	3.25	28	51	2900	2.2	2.3
40-160(l)B	10.4	2.89	22	50	2900	1.5	2.3
40-200(l)	12.5	3.47	50	46	2900	5.5	2.3
40-200(l)A	11.7	3.25	44	45	2900	4	2.3
40-200(l)B	10.6	2.94	36	44	2900	3	2.3
40-250(l)	12.5	3.47	30	38	2900	11	2.3
40-250(l)A	11.6	3.22	70	38	2900	7.5	2.3
40-250(l)B	10.8	3.0	60	37	2900	7.5	2.3
40-250(l)C	10.0	2.78	52	36	2900	5.5	2.3
50-100	12.5	3.47	12.5	62	2900	1.1	2.3
50-100A	11	3.05	10	60	2900	0.75	2.3
50-125	12.5	3.47	20	58	2900	1.5	2.3

--	--	--	--	--	--	--	--

	P ? Q		?? m	?? %	?? r/min	???? KW	?????? m
	m3/h	l/s					
50-125A	11	3.05	16	57	2900	1.1	2.3
50-160	12.5	3.47	32	52	2900	3	2.3
50-160A	11.7	3.25	28	51	2900	2.2	2.3
50-160B	10.4	2.89	22	50	2900	1.5	2.3
50-200	12.5	3.47	50	46	2900	5.5	2.3
50-200A	11.7	3.25	44	45	2900	4	2.3

50-200B	10.6	2.94	36	44	2900	3	2.3
50-250	12.5	3.47	30	38	2900	11	2.3
50-250A	11.6	3.22	70	38	2900	7.5	2.3
50-250B	10.8	3.0	60	37	2900	7.5	2.3
50-250C	10.0	2.78	52	36	2900	5.5	2.3
50-100(I)	25	6.94	12.5	69	2900	1.5	2.5
50-100(I)A	22.3	6.19	10	67	2900	1.1	2.5
50-125(I)	25	6.94	20	68	2900	3	2.5
50-125(I)A	22.3	6.19	16	66	2900	2.2	2.5
50-160(I)	25	6.94	32	63	2900	4	2.5
50-160(I)A	23.4	6.5	28	62	2900	4	2.5
50-160(I)B	21.6	6.0	24	58	2900	3	2.5
50-200(I)	25	6.94	50	58	2900	7.5	2.5
50-200(I)A	23.5	6.53	44	57	2900	7.5	2.5
50-200(I)B	21.8	6.06	38	55	2900	5.5	2.5
50-250(I)	25	6.94	30	50	2900	15	2.5
50-250(I)A	23.4	6.5	70	50	2900	11	2.5
50-250(I)B	21.6	6.0	60	49	2900	11	2.5
50-315(I)	25	6.94	125	40	2900	30	2.5
50-315(I)A	23.7	6.58	113	40	2900	22	2.5
50-315(I)B	22.5	6.25	101	39	2900	18.5	2.5
50-315(I)C	20.6	5.72	85	38	2900	15	2.5
65-100	25	6.94	12.5	69	2900	1.5	2.5
65-100A	22.3	6.19	10	67	2900	1.1	2.5
65-125	25	6.94	20	68	2900	3	2.5
65-125A	22.3	6.19	16	66	2900	2.2	2.5
65-160	25	6.94	32	63	2900	4	2.5
65-160A	23.4	6.5	28	62	2900	4	2.5
65-160B	21.6	6.0	24	58	2900	3	2.5
65-200	25	6.94	50	58	2900	7.5	2.5
65-200A	23.5	6.53	44	57	2900	7.5	2.5
65-200B	21.8	6.06	38	55	2900	5.5	2.5
65-250	25	6.94	30	50	2900	15	2.5
65-250A	23.4	6.5	70	50	2900	11	2.5
65-250B	21.6	6.0	60	49	2900	11	2.5
65-315	25	6.94	125	40	2900	30	2.5
65-315A	23.7	6.58	113	40	2900	22	2.5
65-315B	22.5	6.25	101	39	2900	18.5	2.5
65-315C	20.6	5.72	85	38	2900	15	2.5
65-100(I)	50	13.9	12.5	73	2900	3	3.0
65-100(I)A	44.7	12.4	10	72	2900	2.2	3.0
65-125(I)	50	13.9	20	72.5	2900	5.5	3.0



?	?	?	?	?	?	?
?	Q	m	%	r/min	KW	m
	m ³ /h	l/s				

65-125(I)A	45	12.5	16	71	2900	4	3.0
65-160(I)	50	13.9	32	71	2900	7.5	3.0
65-160(I)A	46.7	13.0	28	70	2900	7.5	3.0
65-160(I)B	43.3	12.0	24	69	2900	5.5	3.0
65-200(I)	50	13.9	50	67	2900	15	3.0
65-200(I)A	47	13.1	44	66	2900	11	3.0
65-200(I)B	43.5	12.1	38	65	2900	7.5	3.0
65-250(I)	50	13.9	80	59	2900	22	3.0
65-250(I)A	46.7	13.0	70	59	2900	18.5	3.0
65-250(I)B	43.3	12.0	60	58	2900	15	3.0
65-315(I)	50	13.9	125	54	2900	37	3.0
65-315(I)A	46.5	12.9	110	54	2900	30	3.0
65-315(I)B	44.5	12.4	100	53	2900	30	3.0
65-315(I)C	41	11.4	85	51	2900	22	3.0
80-100	50	13.9	12.5	73	2900	3	3.0
80-100A	44.7	12.5	10	72	2900	2.2	3.0
80-125	50	13.9	20	72.5	2900	5.5	3.0
80-125A	45	12.5	16	71	2900	4	3.0
80-160	50	13.9	32	71	2900	7.5	3.0
80-160A	46.7	13.0	28	70	2900	7.5	3.0
80-160B	43.3	12.0	24	69	2900	5.5	3.0
80-200	50	13.9	50	67	2900	15	3.0
80-200A	47	13.1	44	66	2900	11	3.0
80-200B	43.5	12.1	38	65	2900	7.5	3.0
80-250	50	13.9	80	59	2900	22	3.0
80-250A	46.7	13.0	70	59	2900	18.5	3.0
80-250B	43.3	12.0	60	58	2900	15	3.0
80-315	50	13.9	125	54	2900	37	3.0
80-315A	46.5	12.9	110	54	2900	30	3.0
80-315B	44.5	12.4	100	53	2900	30	3.0
80-315C	41	11.4	85	51	2900	22	3.0
80-350	50	13.9	150	66	2900	55	3.0
80-350A	44.5	12.4	142	65	2900	45	3.0

80-350B	41	11.4	135	62	2900	37	3.0
80-100(l)	100	27.8	12.5	76	2900	5.5	4.5
80-100(l)A	89	24.7	10	74	2900	4	4.5
80-125(l)	100	27.8	20	76	2900	11	4.5
80-125(l)A	89	24.7	16	74	2900	7.5	4.5
80-160(l)	100	27.8	32	76	2900	15	4.5
80-160(l)A	93.5	26.0	28	74	2900	11	4.5
80-160(l)B	86.6	24.1	24	72	2900	11	4.5
80-200(l)	100	27.8	50	74	2900	22	4.5
80-200(l)A	93.5	26.0	44	73	2900	18.5	4.5
80-200(l)B	87	24.2	38	71	2900	15	4.5
80-250(l)	100	27.8	80	69	2900	37	4.5
80-250(l)A	93.5	26.0	70	68	2900	30	4.5
80-250(l)B	87	24.2	60	66	2900	30	4.5
80-315(l)	100	27.8	125	66	2900	75	4.5

--	--	--	--	--	--	--	--

??	?? Q	?? m	?? %	?? r/min	???? KW	?????? m
	m3/h	ps				

80-315(l)A	95	26.4	113	66	2900	55	4.0
80-315(l)B	90	25	101	65	2900	45	4.0
80-315(l)C	82	22.8	85	63	2900	37	4.0
100-100	100	27.8	12.5	76	2900	5.5	4.5
100-100A	89	24.7	10	74	2900	4	4.5
100-125	100	27.8	20	76	2900	11	4.5
100-125A	89	24.7	16	74	2900	7.5	4.5
100-160	100	27.8	32	76	2900	15	4.5
100-160A	93.5	26.0	28	74	2900	11	4.5
100-160B	86.6	24.1	24	72	2900	11	4.5
100-200	100	27.8	50	74	2900	22	4.0
100-200A	93.5	26.0	44	73	2900	18.5	4.0
100-200B	87	24.2	38	71	2900	15	4.0
100-250	100	27.8	80	69	2900	37	4.0

100-250A	93.5	26.0	70	68	2900	30	4.0
100-250B	87	24.2	60	66	2900	30	4.0
100-315	100	27.8	125	66	2900	75	4.0
100-315A	95	26.4	113	66	2900	55	4.0
100-315B	90	25	101	65	2900	45	4.0
100-315C	82	22.8	85	63	2900	37	4.0
100-100(I)	160	44.4	12.5	73	2900	11	4.5
100-125(I)	160	44.4	20	74	2900	15	4.5
100-125(I)A	140	39	17	72	2900	11	4.5
100-160(I)	160	44.4	32	32	2900	22	5.6
100-160(I)A	140	39	28	28	2900	18.5	5.0
100-200(I)	100	44.4	50	50	2900	37	5.2
100-200(I)A	140	39	45	45	2900	30	4.5
100-200(I)B	100	27.8	40	40	2900	22	4.5
100-250(I)	160	44.4	80	80	2900	55	4.8
100-250(I)A	140	39	72	72	2900	45	4.5
100-250(I)B	100	27.8	65	65	2900	37	4.5
100-350	100	27.8	150	150	2900	90	4.0
100-350A	87	24.2	142	142	2900	75	4.0
100-350B	82	22.8	135	135	2900	55	4.0
125-100	160	44.4	12.5	12.5	2900	11	4.0
125-100A	143	39.7	10	10	2900	7.5	4.0
125-125	160	44.4	20	20	2900	15	4.0
125-125A	143	39.7	16	16	2900	11	4.0
125-160	160	44.4	32	32	2900	22	4.0
125-160A	150	41.7	28	28	2900	18.5	4.0
125-160B	138	38.3	24	24	2900	15	4.0
125-200	160	44.4	50	50	2900	37	5.5
125-200A	150	41.7	44	44	2900	30	5.5
125-200B	138	38.3	37.5	37.5	2900	22	5.5
125-250	160	44.4	80	80	2900	55	5.0
125-250A	150	41.7	70	70	2900	45	5.5

???????:

??m????????????????????KW????????????
??r/min????????????????V????????????????m????????????????????????????????????
??
????????????????????????,??
????????????????????www.yzj.cc?,????????,????????,????????????????????????