

易初硅橡胶耐高温电缆YGC

产品名称	易初硅橡胶耐高温电缆YGC
公司名称	上海易初高温电线电缆有限公司
价格	1.00/米
规格参数	品牌:易初 型号:YGC 护套材质:硅橡胶
公司地址	上海市浦东新区川周公路2600弄82号108室
联系电话	13764713892

产品详情

产品型号:YGC

????Q/IRMV2?2008 ????? 1?????450/750V 2?????-60?+200? 3?? ??????? 4?? ????? 5?? ????? 6?? ??/?/?/?/?/?/?/? ?/?/? ???? ?????????????????????????????????????

????????????????????????16????????????????????????450/750V?? ???? ?

????????????????????10????????????????????????????????10%? ?????????? YGC??????????1?

??x?? ?mm ²	???? ?/?/?/?mm?	????mm?	????mm?	????mm?	??
2 × 4	56/0.30	0.70	4.10	1.40	

3 × 4	56/0.30	0.70	4.10	1.60
4 × 4	56/0.30	0.70	4.10	1.80
5 × 4	56/0.30	0.70	4.10	1.80
6 × 4	56/0.30	0.70	4.10	1.80
7 × 4	56/0.30	0.70	4.10	1.80
10 × 4	56/0.30	0.70	4.10	2.20
12 × 4	56/0.30	0.70	4.10	2.40
2 × 6	84/0.30	0.70	4.90	1.60
3 × 6	84/0.30	0.70	4.90	1.60
4 × 6	84/0.30	0.70	4.90	1.80

5 × 6	84/0.30	0.70	4.90	1.80
6 × 6	84/0.30	0.70	4.90	2.00
7 × 6	84/0.30	0.70	4.90	2.00
10 × 6	84/0.30	0.70	4.90	2.20
2 × 10	84/0.40	1.0	6.60	1.80
3 × 10	84/0.40	1.0	6.60	1.80
4 × 10	84/0.40	1.0	6.60	2.00
5 × 10	84/0.40	1.0	6.60	2.40
2 × 16	126/0.40	1.2	8.40	2.50
3 × 16	126/0.40	1.2	8.40	2.60

4 × 16	126/0.40	1.2	8.40	2.60
5 × 16	126/0.40	1.2	8.40	2.80
2 × 25	196/0.40	1.30	10.10	2.6
3 × 25	196/0.40	1.30	10.10	2.6
4 × 25	196/0.40	1.30	10.10	2.6
5 × 25	196/0.40	1.30	10.10	2.6
2 × 35	494/0.30	1.4	11.5	2.4
3 × 35	494/0.30	1.4	11.5	2.6
4 × 35	494/0.30	1.4	11.5	2.6
3*50	396/0.40	1.6	14.0	2.8

4 × 50	396/0.40	1.6	14.0	2.8
3 × 70	551/0.40	1.6	15.6	3.0
3 × 95	760/0.40	1.8	18.2	3.2
3 × 120	608/0.50	2.0	20.0	3.6
3 × 150	760/0.50	2.2	22.4	3.8
3 × 185	925/0.50	2.4	24.8	4.0
3 × 240	1221/0.50	2.6	28.2	4.2

YGC???????????

??x?? ?mm ²	???? ??/????mm?	?????? ?mm?	?????? ?mm?	???? ?mm?	???? ?mm?

$3 \times 1.5 + 1 \times 1$	48/0.20	32/0.20	2.80	2.60	1.4	9.50
$3 \times 2 + 1 \times 1.5$	40/0.25	48/0.20	3.20	2.80	1.50	10.70
$3 \times 2.5 + 1 \times 1.5$	49/0.25	48/0.20	3.50	2.80	1.7	12.0
$3 \times 4 + 1 \times 2.5$	56/0.30	49/0.25	4.10	3.50	1.8	13.5
$3 \times 6 + 1 \times 4$	84/0.30	56/0.30	4.90	4.10	1.8	15.4
$3 \times 10 + 1 \times 6$	84/0.40	84/0.30	6.60	4.90	1.80	19.5
$3 \times 16 + 1 \times 10$	126/0.40	84/0.40	8.40	6.60	2.60	24.6
$3 \times 25 + 1 \times 16$	196/0.40	126/0.40	10.10	8.40	2.60	28.60
$3 \times 35 + 1 \times 25$	494/0.30	196/0.40	11.50	10.10	2.60	32.20
$3 \times 50 + 1 \times 35$	396/0.40	194/0.30	14.0	10.10	2.80	37.80

3 × 70+1 × 50	551/0.40	396/0.40	15.6	11.5	3.0	42.2
3 × 95+1 × 50	760/0.40	396/0.40	18.2	14.0	3.2	48.5
3 × 120+1 × 70	608/0.50	551/0.40	20.0	15.6	3.6	53.6
3 × 150+1 × 70	760/0.50	551/0.40	22.4	15.6	3.8	58.3
3 × 150+1 × 95	760/0.50	760/0.40	22.4	18.2	3.80	60.0
3 × 185+1 × 70	925/0.50	551/0.40	24.8	15.6	4.0	64.2
3 × 185+1 × 95	925/0.50	760/0.40	24.8	18.2	4.2	65.8
3 × 240+1 × 95	1221/0.50	475/0.50	28.2	18.2	4.5	72.8

3 x 240+1 x 120	1221/0.50	608/0.50	28.2	20.0	4.5	75.0
--------------------	-----------	----------	------	------	-----	------