

3kw小型汽油发电机 户外发电机品牌

产品名称	3kw小型汽油发电机 户外发电机品牌
公司名称	上海东蟠实业有限公司
价格	1.00/台
规格参数	品牌:DY/东蟠动力 型号:DY3900CX 功率:3
公司地址	上海市奉贤区海湾镇农工商大道228号2幢892室
联系电话	021-33650621-806 13040658678

产品详情

3kw小型汽油发电机 户外发电机品牌

?????

Generator???	Nominal power:	kW	2.8
	???????		
	Max power:	kW	3.1
	???????		
	Rated Voltage:	V	110-240
	?????		
	Rated Frequency:	Hz	50/60
	?????		
	DC output: ?????		DC12V 8.3A
	Power factor:	Cosφ	1
	?????	i	

	Phase number: ? ?		Single-phase??
	Pole number: ? ?		2
	Excitation mode: ????		Self excitation constant voltage?AVR????????AVR?
	Insulation class: ????		F
Engine ???	Model: ?????		DY170F/FE
	Engine type: ?????		Single cylinder,tilt,4-stroke,air- cooled,OHV,gasoline engine ????????????????OHV?????
	BorsxStroke: ??x??	mm	70x54
	Cubic cc.: ??	cc	208
	Max.outpur(3600r pm) :????	HP	7
	Cooling system: ????		Forcible air ????
	Starting system: ????		Recoil start /Electric start ????????
	Lubrication: ?????		Splashing????
	Oil capacity: ????L		0.6
	Lube.brand:??????		SAE15W/40(above CC grade/CC?????)
	Fuel type: ?????		90#automotive unleaded gasoline90#???????
Rpm: ??	rpm	3000/3600	
Unit	Structure type:		Open type ???

parameter????	????		
	Fuel tank capacity /Continuos working time ?????/???????	L/hr.	15/8.5
	Alimentation: ????		Natural ???
	Noise level: ????7m?	dB	69
	Battery capacity?Electric starting? ?????????????	V- Ah	12V7Ah
	Dimension size: ????????LxWxH?	mm	590x435x440 590x435x500 (2600?3900 Electric start ???)
Optional????	Electric starter: ???		?
	3-Phase rated AC voltage: ????		?
	4 small wheels: 4????		?
	2-Wheel andhandle: 2???????		?
	Side panel: ????		?
	Double voltage switch: ????		?

	Remote control system: ?????		?
	ATS: ???????		?
	Time meter : ???		?
Dimensions ??	Packing size: ??????LxWxH?	mm	610×450×470 610×450×530 (2600?3900 Electric start ???)
	Net/Gross weight: ??/??	kg	44/46

人们日常生活当中经常会使用小型汽油发电机，与其他的发电机不同，小型汽油发电机的环保作用非常，一些大型柴油发电机一旦开始运作起来，不仅仅是黑烟弥漫，更主要的是噪音非常大，给在周围工作的人交流带来了很多的不便，而小型的汽油发电机不仅仅是造价成本低，还有噪音小的优点，

关于小型汽油发电机的优点：

- 一、小型汽油发电机运行成本低。新能源、变废为宝以及环保清洁的排放越来越成为用品的首选。
- 二、小型汽油发电机的启动性能好，启动成功率高。从冷态启动成功后到满负载的时间仅为30秒钟，而实际规定柴油发电机启动成功后3分钟带负载。小型汽油发电机可以任何环境温度和气候下保证启动的成功率。
- 三、小型汽油发电机的噪声低振动小。由于汽油轮机处于高速旋转状态，它的振动非常小，而且低频噪声优于柴油发电机组。
- 四、小型汽油发电机采用的汽油是清洁、廉价的能源。
- 五、市面上小型汽油发电机价格也是相对于小型柴油发电机要低一点!