

## SDCV DNP透射灯箱-3500价格

产品名称	SDCV DNP透射灯箱-3500价格
公司名称	深圳市三恩时科技有限公司
价格	8.00/台
规格参数	品牌:DNP 型号:SDCV 货期:现货
公司地址	深圳市宝安区石岩街道塘头一号路创维创新谷5B栋6楼
联系电话	0755-26508999-618 13510845302

### 产品详情

辉度测试标准DNP透射灯箱SDCV-3500价格，SDCV-3500价格，DNP标准灯箱 DNP Standard Color Viewer、摄像头测试照明箱，镜头照相机测试照明箱，数码摄像头测试照明箱，DNP标准灯箱 DNP Standard Color Viewer

辉度标准DNP透射灯箱技术参数：DNP标准颜色Viewer

是摄影机及静相摄影机的评价，调整用的光源装置。

能看由于高频荧光灯点灯方式的采用闪烁不定没有的画像。方法:

光源: DNP标准颜色viewer油灯 (特殊荧光管10W × 4个使用)

电源: AC100v50，60Hz 点灯方式: 高频点灯方式20KHz

演颜色性: 对各颜色演颜色评价点90以上 色温: (美能达制CL-200测量)

使用温度: 10 ~ 40 使用湿度: 80%以下(结露没有事)

外形尺寸: 375W × 365H × 165D m/m

亮度方面尺寸: 250W × 190H m/m 海图尺寸: 320W × 290H m/m

消耗功率: 80W 重量: 6.5kg/7.5kg

DNP Standard Color Viewer DNP Standard Color Viewer is a light source device for evaluation, or adjustment of Video Camera and Steel Camera. Clear image without flicker is created with high frequency wave fluorescent lighting method.

Featuring Luminance is adjustable in the range between 1,900 and 3,400cd/m<sup>2</sup>(while 5100K lamp is used), 2,000 and 3,500cd/m<sup>2</sup>(while 3100K lamp is used) Usable worldwide power supply with AC Power 90V through 230V. Easy replacement for lamp by design of simple

Color Viewer frame. Specifications New model特徴 1) 高性能インバーターの採用により、フリッカーレスの均一光源を実現しました。2) 調光ボリュームを設けることにより、輝度を2000～3200cd/m<sup>2</sup>の範囲で調光できます。3) AC電源90～230Vのフリー電源を採用により、トランスレスで使用することが可能です。4) 操作部分を上側へ集中させることにより、画像評価時の操作性を向上しています。上面に調光ボリュームを配置し、右側面に電源スイッチを設けています。5) フレームにチャートレール?拡散板?補助反射板を一体構造にすることにより、フレームを取り外すとランプ交換が簡単に行なえます。

カラービューアーモデル名	SDCV-3500
色温度	5,100K ± 300? 3,100K ± 300
輝度	2,000 ~ 3,200cd/m <sup>2</sup> 以上
輝度ムラ	± 5% 以下
テストチャート有効寸法	180 ( H ) × 240 ( W ) mmアスペクト比 4 :

	3
照度面寸法照度面寸法	190 ( H ) × 250 ( W ) mm 190 ( H ) × 250 ( W ) mm
適用チャート寸法	290 ( H ) × 320 ( W ) × 5 t mm DNPSTテストチャートサイズ
光源	特殊蛍光管 10W × 4本
点灯方式	高周波インバーター ( 41K ~ 74 k Hz )
電源	AC90V ~ 230V ( 50/60Hz )
消費電力消費電力	50W省エネ設計 50W省エネ設計
外形寸法 ( 突起部を除く )	385 ( W ) × 329 ( H ) × 149 ( D ) mm
外形寸法 ( 突起部を含む )	394 ( W ) × 371 ( H ) × 172 ( D ) mm
重量	5.5kg