

SVPF-B2L安全阀台湾317

产品名称	SVPF-B2L安全阀台湾317
公司名称	上海日柯阀门有限公司
价格	10.00/台
规格参数	品牌:台湾317 型号:SVPF-B2L
公司地址	上海市金山区亭林镇林宝路39号5幢198室
联系电话	021-51021208 18601651438

产品详情

(SV-B29) BRONZE SAFETY RELIEF VALVE (OLD MODEL: S3W-LR)

MODEL: SV-B27 / SVP-B27 WITHOUT LEVER

MODEL: SV-B29 / SVP-B29 WITH LEVER

SV-B27/SV-B29 optional Pressure: 10.5~20 Kgf/cm²

When placing order, please indicate Working Pressure

The Disc can be replaced with PTFE for good effect of anti-leakage. (Model: SVP-B27, SVP-B29)

Working Fluid :	SV-B27/SV-B29/SVP-B29 Non-Corrosive Gas, Air, Steam. SVP-B27 (without lever) Non-Corrosive Gas, Liquid, Air, Steam, Water, Oil.		
Working Temp:	-45 ~ 185		
Working Pressure:	SV-B27 / SV-B29 : 0.3 ~ 10 Kgf/cm ² 11 ~ 20 Kgf/cm ² SVP-B27 / SVP-B29 (PTFE) 3 ~ 10 Kgf/cm ²		
Thread End:	BSPT (BS21), NPT (ANSI B2.1)		
MATERIAL:			
No./ Parts	W/O Lever	SV-B27 (S3W-A)	SVP-B27

	With Lever	SV-B29 (S3W-LR)	SVP-B29
	Type :	METAL TO METAL	PTFE
1	Valve Seat	FORGE BRASS	FORGE BRASS
2	Valve Disc	FORGE BRASS	FORGE BRASS
3	Valve spindle (Stem)	FORGE BRASS	FORGE BRASS
3-1	Valve Seal	-	PTFE
4	Valve Body	BRONZE	BRONZE
5	Spring Shoe	BsBM	BsBM
6	Adjusting Screw	BsBM	BsBM
7	Stop Nut	BsBM	BsBM
8	Cap	FORGE BRASS	FORGE BRASS

12	12	0.52	13.32	18.84	113.0	29	50	PT 1/2	PF 1/2	138
19	19	0.76	32.05	45.36	283.3	36	58	PT 3/4	PF 3/4	150
25	25	1.00	55.50	78.53	490.6	40	70	PT 1	PF 1	180
32	32	1.28	90.93	128.67	803.8	50	82	PT 1.1/4	PF 1.1/4	206
38	38	1.52	128.22	181.45	1133.5	54	93	PT 1.1/2	PF 1.1/2	231
50	50	2.00	222.00	314.15	1962.5	67	102	PT 2	PF 2	265