

T-107H高精密数字光纤熔接机|皮线熔接机

产品名称	T-107H高精密数字光纤熔接机 皮线熔接机
公司名称	上海归德贸易有限公司
价格	23000.00/个
规格参数	加工定制:是 类型:光纤熔接器 品牌:华鸣
公司地址	河南省商丘市虞城工业园区长江路北段东侧
联系电话	0370-4196526 18818115997

产品详情

t-107h高精密数字光纤熔接机

产品名称：t-107h光纤熔接机

产品类别：皮线熔接机

主要特点：

I 高分辨5英寸lcd彩色显示，图像可根据位置需要翻转。

I 典型熔接时间10秒

I 典型加热时间30秒

I 可插拔大容量8ah锂电。充满电后可熔接/加热180次

I 放大倍数180倍（x/y同时显示）

I 全新的图像处理技术

I 全新的防风盖设计防尘、防风能力强

I 工作方式：自动、手动、全自动

I usb数据接口

I 数据存储6000组最新接续结果

I 光纤夹具一副多用（皮线、跳线、裸纤）

技术参数：

适用光纤	sm（单模）、mm（多模）、nzds(非零色散)、edf（掺饵光纤）、尾纤、皮线系列光纤
实际平均损耗	0.02db（sm）、0.01db（mm）、0.04db（nzds）、0.04db（edf）
回波损耗	60db
张力测试	200gf（标准）
熔接程序	50组可定义程序
热缩套管	20mm/40mm/60mm
语言	中文/英文
操作环境	温度-10~+50，湿度0~95%rh（不结露），海拔0~5000m
工作电源	交流适配器：输入100~240v 50/60hz 输出（直流）12v 5a 电池：12v 8ah
尺寸/重量	155（w）*165（d）*150（h）/2.5kg

标准配置：

序号	名称	数量
1	主机（t-107）	1台
2	光纤切割刀(601-1071)	1把
3	光纤剥皮钳	1把
4	交流适配器(602-120500d)	1套
5	电池(603-1072)	1块
6	充电器(602-126250w)	1套
7	备用电极	1付
8	冷却托盘	1个
9	操作手册光盘	1张
10	快速操作指南	1份
11	皮线开剥钳	1把
12	皮线切割夹具	1只
13	防皮线断纤夹具	1把
14	携带箱	1个

skycom t-107h digital fiber fusion splicer

product name: t-107h fusion splicer

product category: fusion splicer

main features:

I 5 inches high resolution colorful lcd display

I average splice time: 10 second

I average tube-heat time: 30 second

I lithium battery: up to 180 times of continuous splice and heat

I simultaneous x and y views with 180 times magnification

I new developed technology providing wind and dust resistance

I splicing mode : auto & manual & full-automation

I usb port

I storing 6,000 groups of splice results.

I multipurpose optical fiber fixture (such as: rubber-insulated wire, fiber optic patch cord, bare fiber)

specifications :

applicable fibers	sm, mm, nz-ds, edf ,pigtail, rubber-insulated wire series
average splice loss	0.02db(sm), 0.01db(mm), 0.04db(nzds), 0.04db(edf)
return loss	60db
tension test	2.0n(200gf) (standard)
splicing program	50 groups
protection sleeve length	20mm, 40mm, 60mm
language	chinese, english
environmental conditions	-10 ~ +50 (operation temperature), 0 ~ 95% rh(humidity), 0 ~ 5000m(altitude)
power supply	ac adaptor: 100 ~ 240v input voltage, 50/60hz; 12v, 5a output voltage(dc)
	dc adaptor: 12v voltage 8ah
dimensions	155 (w) *165 (d) *150 (h)
weight	2.5kg

standard package

no.	item	quantity
1	machine (t-107)	1
2	fiber cleaver(601-1071)	1
3	fiber stripper	1
4	ac adaptor(602-120500d)	1
5	battery(603-1072)	1
6	charger(602-126250w)	1
7	spare electrodes	1
8	cooling tray	1
9	instruction cd	1
10	quick reference guide	1
11	rubber-insulated wire stripping pliers	1
12	rubber-insulated wire cutting fixture	1
13	one fixture which is avoid the fiber in rubber-insulated wire broken down	1
14	transit case with carrying strap	1

本产品的加工定制是是，类型是光纤熔接器，品牌是华鸣，型号是T-107H，电源电压是12V8AH（V），频率是50/60Hz（KHz），功率是1（W），适用范围是SM（单模）、MM（多模）、NZDS(非零色散)、EDF（掺饵光纤）、尾纤、皮线系列光纤