

深井不锈钢潜水泵 潜水泵配件 并用潜水泵

产品名称	深井不锈钢潜水泵 潜水泵配件 并用潜水泵
公司名称	杭州斯蕾达泵业有限公司
价格	2300.00/个
规格参数	品牌:斯蕾达 型号:SJ 材质:不锈钢
公司地址	杭州市下城区万城机电商务楼西372号
联系电话	86-05714009999571 15268583325

产品详情

型号	扬程(m)	流量(m ³ /h)	电机功率(kw)	转速(r/min)
sj1-6	30	1	0.37	2850
sj1-9	46	1	0.37	2850
sj1-13	67	1	0.55	2850
sj1-17	87	1	0.75	2850
sj1-21	108	1	1.1	2850
sj1-25	129	1	1.1	2850
sj1-28	145	1	1.5	2850
sj1-32	165	1	1.5	2850
sj1-36	186	1	1.5	2850
sj1-39	202	1	2.2	2850
sj1-42	217	1	2.2	2850
sj1-46	238	1	2.2	2850
sj1-50	260	1	2.2	2850
sj3-6	24	3	0.37	2850

sj3-9	36	3	0.55	2850
sj3-12	49	3	0.75	2850
sj3-15	61	3	1.1	2850
sj3-18	74	3	1.1	2850
sj3-22	91	3	1.5	2850
sj3-27	111	3	2.2	2850
sj3-32	131	3	2.2	2850
sj3-38	157	3	3	2850
sj3-43	178	3	3	2850
sj5-4	15	5	0.37	2850
sj5-6	22	5	0.55	2850
sj5-8	30	5	0.75	2850
sj5-12	45	5	1.1	2850
sj5-17	64	5	1.5	2850
sj5-21	79	5	2.2	2850
sj5-25	94	5	2.2	2850
sj5-29	108	5	3.0	2850
sj5-33	123	5	3.0	2850
sj5-38	142	5	4.0	2850
sj5-43	161	5	4.0	2850
sj8-5	19	8	0.75	2850
sj8-7	27	8	1.1	2850
sj8-10	39	8	1.5	2850
sj8-12	47	8	2.2	2850
sj8-15	59	8	2.2	2850
sj8-18	71	8	3.0	2850
sj8-21	83	8	4.0	2850
sj8-25	99	8	4.0	2850
sj8-30	119	8	5.5	2850
sj8-37	147	8	5.5	2850

sj8-44	174	8	7.5	2850
sj8-50	198	8	7.5	2850
sj12-5	25	12	1.5	2850
sj12-7	35	12	2.2	2850
sj12-10	50	12	3.0	2850
sj12-13	66	12	4.0	2850
sj12-15	76	12	5.5	2850
sj12-18	91	12	5.5	2850
sj12-21	106	12	7.5	2850
sj12-25	126	12	7.5	2850
sj17-1	6.5	17	0.55	2850
sj17-2	13.5	17	1.1	2850
sj17-3	20.5	17	2.2	2850
sj17-4	28	17	2.2	2850
sj17-5	35	17	3.0	2850
sj17-6	42	17	4.0	2850
sj17-7	49	17	4.0	2850
sj17-8	57	17	5.5	2850
sj17-9	64	17	5.5	2850
sj17-10	72	17	5.5	2850
sj17-11	79	17	7.5	2850
sj17-13	87	17	7.5	2850
sj17-12	95	17	7.5	2850
sj17-14	102	17	9.2	2850
sj17-15	109	17	9.2	2850
sj17-16	116	17	9.2	2850
sj17-17	123	17	9.2	2850
sj17-18	130	17	11	2850
sj17-19	138	17	11	2850

sj17-20	145	17	11	2850
sj17-21	152	17	13	2850
sj17-22	160	17	13	2850
sj17-23	167	17	13	2850
sj17-24	174	17	13	2850
sj17-25	181	17	15	2850
sj17-26	189	17	15	2850
sj30-1	7.5	30	1.1	2850
sj30-2	15	30	2.2	2850
sj30-3	22	30	3.0	2850
sj30-4	29	30	4.0	2850
sj30-5	37	30	5.5	2850
sj30-6	44	30	5.5	2850
sj30-7	52	30	7.5	2850
sj30-8	59	30	7.5	2850
sj30-9	66	30	9.2	2850
sj30-10	74	30	9.2	2850
sj30-11	81	30	9.2	2850
sj30-12	88	30	11	2850
sj30-13	96	30	11	2850
sj30-14	103	30	13	2850
sj30-15	110	30	13	2850
sj30-16	118	30	15	2850
sj30-17	125	30	15	2850
sj30-18	132	30	18.5	2850
sj30-19	140	30	18.5	2850
sj30-20	147	30	18.5	2850
sj30-21	155	30	18.5	2850
sj30-22	162	30	22	2850
sj30-23	169	30	22	2850

sj30-24	177	30	22	2850
sj30-25	184	30	22	2850
sj42-1	8.5	42	2.2	2850
sj42-2	17	42	3.0	2850
sj42-3	26.5	42	5.5	2850
sj42-4	36	42	7.5	2850
sj42-5	45	42	7.5	2850
sj42-6	54	42	9.2	2850
sj42-7	63	42	11	2850
sj42-8	72	42	13	2850
sj42-9	80	42	15	2850
sj42-10	89	42	15	2850
sj42-11	98	42	18.5	2850
sj42-12	107	42	18.5	2850
sj42-13	116	42	22	2850
sj42-14	125	42	22	2850
sj42-15	134	42	22	2850
sj42-16	143	42	25	2850
sj42-17	152	42	25	2850
sj42-18	161	42	30	2850
sj42-19	170	42	30	2850
sj42-20	179	42	30	2850
sj42-21	188	42	37	2850
sj42-22	197	42	37	2850
sj60-1	6	60	2.2	2850
sj60-2-2	10.5	60	3.0	2850
sj60-2	12.5	60	4.0	2850
sj60-3	20	60	5.5	2850
sj60-4	29	60	7.5	2850

sj60-5	37	60	9.2	2850
sj60-6	45	60	11	2850
sj60-7	53	60	13	2850
sj60-8-2	56	60	13	2850
sj60-8	61	60	15	2850
sj60-9-2	64	60	15	2850
sj60-9	69	60	18.5	2850
sj60-10	77	60	18.5	2850
sj60-11	85	60	22	2850
sj60-12	93	60	22	2850
sj60-13	100	60	22	2850
sj60-14	106	60	25	2850
sj60-15	114	60	25	2850
sj60-16	122	60	30	2850
sj60-17	130	60	30	2850
sj60-18	140	60	30	2850
sj60-19	148	60	37	2850
sj60-20	155	60	37	2850
sj60-21	163	60	37	2850
sj75-1	12	75	4	2900
sj75-2	25	75	7.5	2900
sj75-3	38	75	11	2900
sj75-4	52	75	15	2900
sj75-5	65	75	18.5	2900
sj75-6	79	75	22	2900
sj75-7	93	75	30	2900
sj75-8	107	75	30	2900
sj75-9	121	75	37	2900
sj75-10	135	75	37	2900
sj75-11	148	75	45	2900

sj75-12	162	75	45	2900
sj75-13	175	75	55	2900
sj75-14	188	75	55	2900
sj75-15	201	75	55	2900
sj75-16	215	75	63	2900
sj75-17	229	75	63	2900
sj75-18	243	75	75	2900
sj75-19	257	75	75	2900
sj75-20	271	75	75	2900
sj95-1	9.5	95	4	2900
sj95-2	20	95	9.2	2900
sj95-3	30	95	13	2900
sj95-4	41	95	18.5	2900
sj95-5	51.5	95	22	2900
sj95-6	62	95	25	2900
sj95-7	73	95	30	2900
sj95-8	84	95	37	2900
sj95-9	95	95	37	2900
sj95-10	106	95	45	2900
sj95-11	117	95	45	2900
sj95-12	129	95	55	2900
sj95-13	141	95	55	2900
sj95-14	153	95	55	2900
sj95-15	166	95	63	2900
sj95-16	178	95	63	2900
sj95-17	190	95	75	2900
sj95-18	202	95	75	2900
sj120-1	19	120	11	2900
sj120-2-2	27.5	120	15	2900

sj120-2-1	33.5	120	18.5	2900
sj120-2	39	120	22	2900
sj120-3-2	46.5	120	25	2900
sj120-3-1	53.5	120	30	2900
sj120-3	59	120	30	2900
sj120-4-2	66.5	120	37	2900
sj120-4-1	73.5	120	37	2900
sj120-4	78.5	120	37	2900
sj120-5-2	86.5	120	45	2900
sj120-5-1	94	120	45	2900
sj120-5	98.5	120	55	2900
sj120-6-2	104.5	120	55	2900
sj120-6-1	113	120	55	2900
sj120-6	118	120	63	2900
sj120-7-2	123	120	63	2900
sj120-7-1	130	120	63	2900
sj120-7	138	120	75	2900
sj120-8-2	143	120	75	2900
sj120-8-1	150	120	75	2900
sj120-8	157.5	120	75	2900
sj120-9-2	162.5	120	90	2900
sj120-9-1	169.5	120	90	2900
sj120-9	177.5	120	90	2900
sj120-10-2	182.5	120	90	2900
sj120-10-1	189.5	120	90	2900
sj120-10	197	120	110	2900
sj120-11-2	202	120	110	2900
sj120-11-1	209	120	110	2900
sj120-11	216.5	120	110	2900
sj150-1-1	14.5	150	9.2	2900

sj150-1	20	150	13	2900
sj150-2-2	28.5	150	18.5	2900
sj150-2-1	36	150	22	2900
sj150-2	41	150	25	2900
sj150-3-2	49.5	150	30	2900
sj150-3-1	56.5	150	37	2900
sj150-3	63.5	150	37	2900
sj150-4-2	73	150	45	2900
sj150-4-1	79.5	150	45	2900
sj150-4	86.5	150	55	2900
sj150-5-2	94	150	55	2900
sj150-5-1	101	150	55	2900
sj150-5	108.5	150	63	2900
sj150-6-2	115.5	150	63	2900
sj150-6-1	122.5	150	75	2900
sj150-6	130	150	75	2900
sj150-7-2	138	150	75	2900
sj150-7-1	145	150	90	2900
sj150-7	152.5	150	90	2900
sj150-8-2	160.5	150	90	2900
sj150-8-1	168.5	150	110	2900
sj150-8	175	150	110	2900
sj150-9-2	182.5	150	110	2900
sj150-9-1	189.5	150	110	2900
sj150-9	197	150	110	2900

产品说明

不锈钢多级深井潜水电泵配用潜水电机，替代传统长轴式联接的深井泵，泵内装有止回阀，以防止停机逆流及管路水锤对泵的冲击

性能及优点

· 体积小 · 高效节能 · 运行平稳 · 全不锈钢材质使用寿命长

应用范围

各种工业用途供水系统灌溉系统降低地下水位

技术参数

· 流量：0.2m³/h ~ 180m³/h · 扬程：4.5m ~ 381m · 功率：0.37kw ~ 110kw · 液体温度：最高+35 · 频率：50hz/60hz

本产品的品牌是斯蕾达，型号是SJ，材质是不锈钢，性能是无泄露，用途是深井泵，驱动方式是电动，泵轴位置是边立式，流量是1~180（m³/h），叶轮数目是多级，扬程是25（m），类型是不锈钢潜水泵