

SUN-420水泡饼颗粒物料包装机 膨化食品包装设备

产品名称	SUN-420水泡饼颗粒物料包装机 膨化食品包装设备
公司名称	佛山市晟奇奥机械有限公司
价格	155000.00/台
规格参数	薄膜宽度:420mm 制袋长度:80-300mm 制袋宽度:50-200
公司地址	广东佛山市南海区丹灶镇罗行社区校北大街3号
联系电话	86 0757 86604198 18038857967

产品详情

sun-420 立式粉剂包装机

技术特点：

- 1.中英文触摸屏显示，操作直观，简单。
- 2.plc电脑控制系统，运行更稳定，可不停机调整任何参数。
- 3.可储存十组参数，更换品种更准确。
- 4.采用伺服电机拉摸，定位更准确。
- 5.独立温控系统，精确度可达 ± 1 度。
- 6.横、纵封温度独立控制，能良好的适用各种复合膜、pe膜等包装材料。
- 7.包装的款式多样化，背封、插角、连袋、冲孔等。
- 8.生产制袋，封口，包装，打印日期一次性完成。
- 9.工作环境清净，噪音小。

technical characteristics:

- 1.english and chinese screen display ,operation is simple .
- 2.plc computer system , function is more stable , adjustment any parameters not need stop machine.
- 3.it can stock ten dispose , simple to change variety.
- 4.sever motor drawing film , position accurately.
- 5.temperature independent control system ,precision get to ± 1 .
- 6.horizontal , vertical temperature control ,suitable for various of mix film , pe film packing material.
- 7.packing type diversification , pillow sealing, standing type ,punching etc.
- 8.bag – making , sealing, packing, print date in one operation.
- 9.work circumstance quiet, low noise.

技术要点：

- 1.采用伺服电机控制螺杆计量方式，精密度可达 ± 1 %。
- 2.调整产品无须任何工具。
- 3.充机头可更换，能适合复合膜，pe膜等材料。

适用包装范围：

适合超细粉状，如奶粉，咖啡粉，淀粉等一切粉类。

application

packing powder such as milk powder , coffee powder, flour powder etc.

技术参数 (technical parameters)：

机型 (type)	sun-420
-------------	---------

制袋长度(bag length)	80-300mm(l)
制袋宽度(bag width)	50-200mm(w)
薄膜宽度(max width of roll film)	420mm
包装速度(packing speed)	5-60bags/min
计量范围(measuring range)	150-1200ml
气压(air consumption)	0.65mpa
耗气量(gas consumption)	0.3m ³ /min
电压 (power voltage)	220v
功率 (power)	2.2kw
外型尺寸 (dimension)	(l)1320mm × (w)920mm × (h)1392mm
机器重量 (deadwight of machine)	450kg