

DV82膜片阀，阀门，捷锐，GENTEC，CN

产品名称	DV82膜片阀，阀门，捷锐，GENTEC，CN
公司名称	郑州华熔工贸有限公司
价格	1100.00/个
规格参数	品牌:GENTEC/捷锐 型号:DV82系列膜片阀 材质:不锈钢
公司地址	郑州市南阳路220号5号楼2单元1-22
联系电话	86-037163753327 13939045518

产品详情

dv8
2 se
ries
dia
phr
agm
valv
e

suitable for high purity applications 316l stainless steel enhances weldability and resistance to corrosion both manual and pneumatic actuation are available face seal fittings (fsr), compression tube fittings or butt weld connections internal spring metal-to-metal diaphragm seal high-cycle life 100% helium-leak tested

materials of construction

wetted
body
seat
diaphragm

non-wetted

nut

knob

operating conditions

maximum operating pressure:

minimum operating pressure:

temperature

pneumatic actuator:

operating pressure

inlet connection

normally

functional performance

flow capacity

maximum leak rate:

inboard leakage
outboard leakage
across seat leakage
proof pressure
burst pressure
surface finish
standard ra (ba)
internal volume
0.8 cc

* standard material** vespel® seat is recommended for nitrous oxide (n2o) service .

dimensions

manual

pneumatic actuator (hp)note: all dimensions are reference

face seal male fittings

face seal male fittings

tube weld stub

compression tube fittingsnote: all dimensions are reference

ordering information

body

series

actuator

work pressure

inlet/outletconnections

seat

option

sl

-dv82

m

h

- vm4 - vm8

- k

/

sl:316l

m: manual (handwheel)

h: high pressure

k: pctfe

none: 15-20 μ in.

p: pneumatic actuator

v: vespel®

inlet/outlet connections

type

size

vm: face seal male (fsr fittings)

4:1/4 " , 8:1/2 "

vsm: face seal swivel male (fsr fittings)

4:1/4 " , 8:1/2 "

vsf: face seal swivel female (fsr fittings)

4:1/4 " , 8:1/2 "

tf: tube fittings

4:1/4 " , 6:3/8 " , 8:1/2 "

tw: tube weld

4:1/4 " , 8:1/2 "

本产品的品牌是GENTEC/捷锐，型号是DV82系列膜片阀，材质是不锈钢，连接形式是螺纹，结构形式是直流式，公称通径是1/8英寸NPT(Female) (mm)，适用介质是氧气，氮气，氦气，氩气，二氧化碳等气体，驱动方式是气动，压力环境是常压，工作温度是常温，标准是国标，英制，流动方向是双向，零部件及配件是球体，用途是调节，类型(通道位置)是二通式