

# 日本精准(Accurate)超级弹簧拉伸螺旋弹簧E623

产品名称	日本精准(Accurate)超级弹簧拉伸螺旋弹簧E623
公司名称	昆山万斯特金属制品有限公司
价格	26.00/个
规格参数	样品或现货:现货 是否标准件:标准件 品牌:日本精准(Accurate)
公司地址	昆山市周市镇宇龙路8号
联系电话	+86-0512-57663063 18952458319

## 产品详情

型号	材质	容许负载 p2 (n)	容许负载时的长度 l2 (mm)	自由长度 lf (mm)	线圈外径 od ( )	弹簧常数 k (N/mm)
e501	sus304wpb	0.54	24.8	9.5	3.2	
e502	sus304wpb	0.54	34.6	11.3	3.2	
e503	sus304wpb	0.54	52	14.3	3.2	
e504	sus304wpb	0.54	80.2	18.9	3.2	
e505	sus304wpb	0.64	32.3	11.6	4	
e506	sus304wpb	0.64	47	13.7	4	

e507	sus304wpb	0.64	71.7	17.1	4
e508	sus304wpb	0.64	108.1	22.4	4
e509	sus304wpb	0.69	16.1	7.9	2.5
e510	sus304wpb	0.69	22.5	9.7	2.5
e511	sus304wpb	0.69	33	12.7	2.5
e512	sus304wpb	0.69	50.1	17.3	2.5
e513	sus304wpb	0.78	21.7	9.8	3.2
e514	sus304wpb	0.78	30.1	11.9	3.2
e515	sus304wpb	0.78	44.1	15.3	3.2
e516	sus304wpb	0.78	66.6	20.6	3.2
e517	sus304wpb	0.93	29.6	11.9	4
e518	sus304wpb	0.93	41.7	14.3	4
e519	sus304wpb	0.93	62.9	18.2	4

e520	sus304wpb	0.93	95	24.2	4
e521	sus304wpb	0.88	11.6	6.8	2
e522	sus304wpb	0.88	16.1	8.6	2
e523	sus304wpb	0.88	23.6	11.6	2
e524	sus304wpb	0.88	34.7	16.2	2
e525	sus304wpb	1.03	14.8	8.3	2.5
e526	sus304wpb	1.03	20.5	10.4	2.5
e527	sus304wpb	1.03	29.8	13.8	2.5
e528	sus304wpb	1.03	44.9	19.1	2.5
e529	sus304wpb	1.18	20.5	10.2	3.2
e530	sus304wpb	1.18	28.5	12.5	3.2
e531	sus304wpb	1.18	42.3	16.4	3.2

e532	sus304wpb	1.18	62.8	22.4	3.2
e533	sus304wpb	1.27	27	12.3	4
e534	sus304wpb	1.27	38.2	14.9	4
e535	sus304wpb	1.27	55.4	19.3	4
e536	sus304wpb	1.27	84.9	25.9	4
e537	sus304wpb	1.37	37	14.9	5
e538	sus304wpb	1.37	52.2	17.8	5
e539	sus304wpb	1.37	76.5	22.6	5
e540	sus304wpb	1.37	118.5	29.9	5
e541	sus304wpb	1.52	14.1	8.6	2.5
e542	sus304wpb	1.52	19.5	11	2.5
e543	sus304wpb	1.52	28.5	14.9	2.5
e544	sus304wpb	1.52	42.1	20.9	2.5

e545	sus304wpb	1.62	19	10.5	3.2
e546	sus304wpb	1.62	26.5	13.2	3.2
e547	sus304wpb	1.62	38.8	17.5	3.2
e548	sus304wpb	1.62	57.7	24.2	3.2
e549	sus304wpb	1.72	25.4	12.7	4
e550	sus304wpb	1.72	35.5	15.6	4
e551	sus304wpb	1.72	52.4	20.4	4
e552	sus304wpb	1.72	78.4	27.7	4
e553	sus304wpb	1.77	34.6	15.2	5
e554	sus304wpb	1.77	48	18.4	5
e555	sus304wpb	1.77	72.7	23.6	5
e556	sus304wpb	1.77	106.5	31.7	5
e557	sus304wpb	2.06	45.9	18.7	6.3

e558	sus304wpb	2.06	64.4	22.3	6.3
e559	sus304wpb	2.06	96.8	28.3	6.3
e560	sus304wpb	2.06	140.3	37.5	6.3

型号 负载长度 l1 (mm) 基准负载 p1 (N) 螺旋中径 d ( ) 线径 d ( ) 总圈数 n 最大挠度 (mm) 15.5

e622	24.4	4.22	3.5	0.5	24.5
e623	34.8	4.22	3.5	0.5	39.5
e624	50.9	4.22	3.5	0.5	62.5
e625	28.5	4.22	5.7	0.6	15.5
e626	38.1	4.22	5.7	0.6	24.5
e627	54	4.22	5.7	0.6	39.5
e628	78.5	4.22	5.7	0.6	62.5
e629	22.5	4.31	4.45	0.55	15.5

e630	30	4.31	4.45	0.55	24.5
e631	42.7	4.31	4.45	0.55	39.5
e632	62.3	4.31	4.45	0.55	62.5
e633	36.5	5.1	7.3	0.7	15.5
e634	48.7	5.1	7.3	0.7	24.5
e635	69	5.1	7.3	0.7	39.5
e636	99.9	5.1	7.3	0.7	62.5
e637	28.3	5.59	5.65	0.65	15.5
e638	38	5.59	5.65	0.65	24.5
e639	54	5.59	5.65	0.65	39.5
e640	78.6	5.59	5.65	0.65	62.5
e641	22.6	5.79	4.4	0.6	15.5
e642	30.3	5.79	4.4	0.6	24.5

e643	43.3	5.79	4.4	0.6	39.5
e644	63.5	5.79	4.4	0.6	62.5
e645	46.6	5.98	9.2	0.8	15.5
e646	62.3	5.98	9.2	0.8	24.5
e647	88	5.98	9.2	0.8	39.5
e648	128.2	5.98	9.2	0.8	62.5
e649	28.2	7.06	5.6	0.7	15.5
e650	37.8	7.06	5.6	0.7	24.5
e651	53.8	7.06	5.6	0.7	39.5
e652	78.4	7.06	5.6	0.7	62.5
e653	28.3	10.79	5.5	0.8	15.5
e654	38.1	10.79	5.5	0.8	24.5
e655	54.6	10.79	5.5	0.8	39.5

e656	79.8	10.79	5.5	0.8	62.5
e657	35.6	11.47	7.1	0.9	15.5
e658	47.7	11.47	7.1	0.9	24.5
e659	67.8	11.47	7.1	0.9	39.5
e660	98.6	11.47	7.1	0.9	62.5
e661	35.6	16.18	7	1	15.5
e662	47.9	16.18	7	1	24.5
e663	68.4	16.18	7	1	39.5
e664	99.9	16.18	7	1	62.5
e665	44.4	21.67	8.8	1.2	15.5
e666	59.6	21.67	8.8	1.2	24.5
e667	85	21.67	8.8	1.2	39.5
e668	123.9	21.67	8.8	1.2	62.5

e669	44.8	34.81	8.6	1.4	15.5
e670	60.7	34.81	8.6	1.4	24.5
e671	87.3	34.81	8.6	1.4	39.5
e672	127.9	34.81	8.6	1.4	62.5
e673	61.4	6.86	11.6	0.9	15.5
e674	81.7	6.86	11.6	0.9	24.5
e675	117.4	6.86	11.6	0.9	39.5
e676	170.2	6.86	11.6	0.9	62.5
e677	59.5	9.81	11.5	1	15.5
e678	79.7	9.81	11.5	1	24.5
e679	114.7	9.81	11.5	1	39.5
e680	165.3	9.81	11.5	1	62.5

本产品的样品或现货是现货，是否标准件是标准件，品牌是日本精准(Accurate)，用途是汽车,塑胶,五金,模具,夹具，形状是涡卷弹簧，材质是不锈钢线，旋向是多款供选，型号是E623