

折弯机 东莞折弯机 折弯机维修 数控折弯机配件

产品名称	折弯机 东莞折弯机 折弯机维修 数控折弯机配件
公司名称	东莞市寮步扬冲机械设备经营部
价格	.00/个
规格参数	品牌:中亚
公司地址	东莞市寮步莞樟路凫山工业区
联系电话	18824554262 15899694460

产品详情

*****?????ZYB-100T/3200 ????

***???????????

序号	项目	参数值	单位	备注
1	公称压力	1000	KN	
2	折弯长度	3200	mm	
3	滑块行程	200		
4	装模高度	420		
5	喉口深度	400		
6	控制轴数	4+1 (Y1、Y2、X、R、V)		
7	补偿方式	液压补偿方式		
8	后挡料速度	Mm/s		
9	电机功率	7.5	Kw	
10	长	3500	Mm	
11	宽	1580		
12	高	2400		
13	机器重量	8.5	T	

***?????????????

??????DELEM DA

?????????

17'高分辨率TFT真彩显示，1280x1024点阵，32位色彩

全触摸红外线式操作，存储器容量1GB

产品和模具存储量256MB,3D图形加速

集成个性化用户操作面板，USB闪烁存储驱动

实时Windows嵌入式操作系统，多任务环境，支持瞬时关机，兼容DELEM系列模块

2D实时比例编程和显示，2D折弯工序自动计算

自动计算折弯压力，折弯允差，工作台变形调节

***ZYB?????????

*??????BOSCH

*??????BOSCH

* ????????????

*???????????????

*??????HEIDENHAIN???GIVI

*?????????SCHNEIDER

*?????????????????

*???????????????????

*???????????????????

***ZYB???????????????

1????????????BOSCH??????????????????

BOSCH??C
??
????????????????????????????

?????????????????????????????????

??
???

??
???

????????

?????????Overall welded and processed structure.?????????????????????????Closed loop control mode composed of electric-hydraulic servo valve and measure ruler.?????????????????????????????????????Ensure the highest control precision, bending accuracy and repositioning accuracy are also reach to the highest level.?????????????????????????????????Back gauge mechanism can be multi-axes controlled.???Integrated hydraulic system decreases the pipe connections, oil leakage, and increases the stability and overall beautifies.???Worktable equipped with hydraulic and mechanical compensation to avoid the deformed upper beam from affecting the quality of the work piece, it is adjusted automatically by the CNC

controller with convenient and accuracy.????????DELEM????ESA???CYBELEC?????????????CNC controller normally uses Holland DELEM, Italy ESA, Swiss CYBELEC, all with multi-languages.