

CA-YD-128美国CTC加速度传感器

产品名称	CA-YD-128美国CTC加速度传感器
公司名称	深圳市诗拓浦仪器仪表有限公司
价格	59.00/个
规格参数	品牌:GST 型号:CA-YD-128 精度:0.0105248
公司地址	深圳市宝安区沙井街道步涌二路16号同富雅苑二单元180D
联系电话	0755-23002259 18033427656

产品详情

CA-YD-128美国CTC加速度传感器

特征

通用振动和冲击测量

没有供应所需的

充电输出

平面剪切

供应

定标图

- M5至M5螺柱

保护帽

- styv-1电缆，安装L5连接器（两米）

性能

灵敏度（ $20 \pm 5^\circ\text{C}$ ）3个/MS-2

横向灵敏度 5%

频率范围 (1dB) 0.5Hz到8kHz

共振频率30kHz

输入输出相

绝缘电阻 > 10⁹

电容1200pF

环境特征

温度范围为40 ° ~ 150 °

冲击极限10000ms⁻² (1000g)

热瞬态灵敏度4 × 10⁻²ms⁻² / ° C (0.3Hz)

磁敏20ms⁻² / T

基座应变灵敏度2 × 10⁻²ms⁻² / μ

物理特性

重量20g

不锈钢外壳材料

M5螺纹安装

传感元件PZT-5

传感方法平面剪切

电气连接L5前连接器

CA-YD-128美国CTC加速度传感器

加速度传感器

AS-1GA AS-2GA AS-5GA AS-10GA AS-20GA AS-10B AS-20B AS-50B

ASH-A-100 ASH-A-200 ASH-A-500 ASH-A-1K

AS-10HB AS-20HB AS-50HB

ASHT-A-100 ASHT-A-200 ASHT-A-500 ASHT-A-1K

AS-1TG AS-2TG AS-5TG AS-10TG AS-20TG AS-10TB ??AS-20TB A

S-50TB

ASW-1A ASW-2A ASW-5A ASW-10A ASW-20A

扭矩传感器

TPS-A TPH-50KMA TPH-100KMA TPH-200KMA TPH-500KMA TPH-1TMA TPH-2TMA TPH-4TMA TPH-5TMA

TP-2KCD TP-5KCD TP-10KCD TP-20KCD TP-2KCM TP-5KCM TP-10KCM TP-20KCM TP-50KCM

位移传感器

DTH-A-5 DTH-A-10 DTH-A-20 DTH-A-30 DTH-A-50 DTH-A-100

DT-50A DT-100A DTJ-A-200 DT-10D DT-20D DT-30D DT-50D

DTP-D-500S DTP-D-1KS DTP-D-2KS DTP-D-5KS

DTC-A-2 DTC-A-5

土木工程用传感器

BKJ-A-5 BKJ-A-10 BKJ-A-5-D BKJ-A-10-D

BS-25AT BS-25BT BS-8FT BS-15CT BR-BT

BEN-A-500KP BEN-A-1MP

BEG-A-200KPS BEG-A-500KPS BEG-A-1MPS BEG-A-2MPS

BEC-A -200KP BEC-A -500KP BEC-A -1MP

BED-A -200KP BED-A -500KP BED-A -1MP

BER-A-100KP110S BER-A-200KP110S BER-A-500KP110S BER-A-1MP110S BER-A-2MP110S BJ-AT

BJB-C-100S BJB-C-200S BJB-D-500S BJB-D-1KS BJB-D-2KS BJB-E-50S BJB-E-100S

BCD-E-70S BCD-5B

DTP-E-500S DTP-E-1KS DTP-E-2KS

BRD-5AT BRD-10AT BRD-20AT BRD-50AT

BT-100B BTS-100AT

应变片

KFG-5-120-C1 KFG-10-120-D16 KFG-2-120-D1 KFG-2-120-D6 KFG-1-120-C2

KFR-5-120-C1 KFR-1-120-D25 KFW-5-120-D16 KFW-5-120-D17 KFWS-2-120-C1 KFWS-2-120-D16

KCW-5-350-G14S-11

KCH-5A-B KCH-5A-BJ KCH-5A-S KCH-5A-SJ KCH-5A-1 KCH-5A-2 KCH-5A-3

KFG-2-350-D30 KFG-2-350-D1 KFG-2-350-D31 KFG-2-120-C15 KFG-2-120-C16 KFG-2-120-D2 KFG-2-120-D31

KFG-2-120-C1 KFG-2-120-D16 KFG-2-120-D17 KFG-D28

KFF KV-5C KV-25B

KSP-2-120-E3 KSP-2-120-E4 KSP-6-350-E4 KSP-3-120-F2

KSN-2-120-E4 KSN-2-120-E5 KSN-2-120-F3

KSPL KSPH-4-2K-E4 KSPH-9-10K-E4

KHCX-10-120-G13 KHCV KHCS KHCM KHC KHCR

KFU-5-120-C1 KFU-5-120-D17

KFL-30-350-C1 KFL-5-120-C1 KFL-1-120-D25

KFS-5-120-J1 KFS-5-350-J1

KFN-015-120-D9 KFN-5-350-D20

CA-YD-128美国CTC加速度传感器