

CLP-10KNB柱形称重传感器

产品名称	CLP-10KNB柱形称重传感器
公司名称	深圳市诗拓浦仪器仪表有限公司
价格	1.02/个
规格参数	精度:0.2% 型号:CLP-10KNB 等级:IP65
公司地址	深圳市宝安区沙井街道步涌二路16号同富雅苑二单元180D
联系电话	0755-23002259 18033427656

产品详情

CLP-10KNB柱形称重传感器

CLP-NB柱式荷重传感器

CLP-NB压力传感器。量程：10kn-10mn,客户可以选择任何负载级别的模型。

防护等级：IP65

特点：量程多，用途广。

型号：

CLP-10KNB 10kN 1.5mV/V

CLP-20KNB 20kN

CLP-30KNB 30kN

CLP-50KNB 50kN

CLP-100KNB 100kN

CLP-200KNB 200kN

CLP-300KNB 300kN

CLP-500KNB 500kN

CLP-1MNB 1MN

CLP-2MNB 2MN

CLP-3MNB 3MN

CLP-5MNB 5MN 0.2%RO

CLP-10MNB 10MN

精度：0.1%RO

工作温度：-20 ~ +70 ° C

CLP-10KNB柱形称重传感器

美国Transducer Techniques称重传感器及其显示仪表，原装进口，品质优异，质量有保证！主要应用于：

罐装秤、平台秤、配料秤、力值测定、吊钩秤、包装秤、过载保护、汽车衡、吊秤、试验机和皮带秤等等

1.称重传感器

GS0-10 10 grams Calibration in Compression

GS0-25 25 grams Calibration in Compression

GS0-30 30 grams Calibration in Compression

GS0-50 50 grams Calibration in Compression

GS0-100 100 grams Calibration in Compression

GS0-150 150 grams Calibration in Compression

GS0-250 250 grams Calibration in Compression

GS0-500 500 grams Calibration in Compression

GS0-1K 1,000 grams Calibration in Compression

OPTION-TC N/A Tension Calibration Option

CAL-TEDS N/A Plug & Play Option with Connector

ALS-04 N/A Load Stem (Dia. .200 Length .250)

ALS-06 N/A Load Stem (Dia. .200 Length .375)

ALS-08 N/A Load Stem (Dia. .200 Length .500)

MDB-2.5 2.5 lbs Calibration in Compression

MDB-5 5 lbs Calibration in Compression

MDB-10 10 lbs Calibration in Compression

MDB-25 25 lbs Calibration in Compression

MDB-50 50 lbs Calibration in Compression

MDB-75 75 lbs Calibration in Compression

MDB-100 100 lbs Calibration in Compression

OPTION-TC N/A Tension Calibration Option

CAL-TEDS N/A Plug & Play Option with Connector

MLP-10 Capacity: 10 lbs Calibration in Compression

MLP-25 Capacity: 25 lbs Calibration in Compression

MLP-50 Capacity: 50 lbs Calibration in Compression

MLP-75 Capacity: 75 lbs Calibration in Compression

MLP-100 Capacity: 100 lbs Calibration in Compression

MLP-150 Capacity: 150 lbs Calibration in Compression

MLP-200 Capacity: 200 lbs Calibration in Compression

MLP-300 Capacity: 300 lbs Calibration in Compression

MLP-500 Capacity: 500 lbs Calibration in Compression

MLP-750 Capacity: 750 lbs Calibration in Compression

MLP-1K Capacity: 1,000 lbs Calibration in Compression

OPTION-CO N/A Mini Connector System Option

OPTION-DB N/A Dual Bridge

OPTION-TC N/A Tension Calibration Option

CAL-TEDS N/A Plug & Play Option with Connector

SLB-25 Capacity: 25 lbs Mini Compression Button

CLP-10KNB柱形称重传感器