



	T 2			120	5.0	0.75	1090	1100(750)	600(890)		10
	T 3			150	8.0	1.1	1090	1100(750)	625(920)		12
RCDA-8	T 1	800	250	90	5.0	0.37	1180	1260(900)	650(920)	2.5	12
	T 2			120	9.0	0.75	1180	1260(900)	700(960)		17
	T 3			150	13.0	1.1	1180	1260(900)	750(1010)		21
RCDE-10	T 1	1000	300	90	7.5	0.75	1380	1480(1100)	730(1030)	2.5	20
	T 2			120	12.5	1.1	1380	1480(1100)	780(1090)		26
				150	16.5	1.5	1380	1480(1100)	850(1120)		34

	T 3										
RCDE-12	T 1	1200	350	90	10.0	1.5	1600	1620(1300)	860(1150)	2.5	30
	T 2			120	14.0	1.5	1600	1620(1300)	910(1210)		40
	T 3			150	21.0	2.2	1600	1620(1300)	920(1250)		51
RCDA-14	T 1	1400	400	90	14.0	1.5	1780	1860(1460)	920(1270)	2.5	43
	T 2			120	18.0	0.75x2	1780	1860(1460)	1000(1300)		63
	T 3			150	26.0	0.75x2	1780	1860(1460)	1100(1350)		73
RCDE-16		1600	450	90	15.0	1.5	1980	2060(1660)	1100(1340)	2.5	60

	T 1										
	T 2			120	22.0	1.1x2	1980	2060(1660)	1130(1400)		80
	T 3			150	32.0	1.5x2	1980	2060(1660)	1170(1460)		101
RCDA-18	T 1	1800	500	90	19.0	1.1x2	2050	2300(1950)	1120(1440)	2.5	82
	T 2			120	28.0	1.5x2	2050	2300(1950)	1200(1540)		107
	T 3			150	38.0	2.2x2	2050	2300(1950)	1250(1610)		133
RCDA-20	T 1	2000	550	90	24.0	1.5x2	2660	2500(2300)	1250(1540)	2.5	108
	T 2			120	32.5	2.2x2	2660	2500(2300)	1350(1610)		139

	T 3			150	45.0	2.2x2	2660	2500(2300)	1380(1650)		172
RCDA-22	T 1	2200	600	90	28.0	1.5x2	2410	2700(2610)	1400(1630)	2.5	139
	T 2			120	36.0	2.2x2	2410	2700(2610)	1430(1660)		178
	T 3			150	52.0	3.0x2	2410	2700(2610)	1450(1690)		214
RCDA-24	T 1	2400	650	90	32.0	2.2x2	2610	2900(2870)	1450(1740)	2.5	172
	T 2			120	43.0	2.2x2	2610	2900(2870)	1500(1780)		224
	T 3			150	62.0	3.0x2	2610	2900(2870)	1570(1890)		267