



RCDF-6.5	T1	650	200	90	3.0	1.5	1050	1100(710)	820(900)	4.5	15
	T2			120	5.0	1.5	1090	1100(750)	820(940)		16
	T3			150	8.0	1.5	1090	1100(750)	820(970)		17
RCDF-8	T1	800	250	90	5.0	2.2	1180	1260(900)	860(970)		21
	T2			120	9.0	2.2	1180	1260(900)	860(1010)	23	
	T3			150	13.0	3.0	1180	1260(900)	860(1050)	24	
RCDF-10	T1	1000	300	90	7.5	3.0	1380	1480(1100)	1020(1080)		26
	T2			120	12.5	3.0	1380	1480(1100)	1020(1140)	33	
	T3			150	16.5	4.0	1380	1480(1100)	1020(1170)	39	
RCDF-12	T1	1200	350	90	10.0	4.0	1600	1620(1300)	940(1200)		41
	T2			120	14.0	4.0	1600	1620(1300)	1000(1260)	46	
	T3			150	21.0	5.5	1600	1620(1300)	1040(1300)	57	
RCDF-14	T1	1400	400	90	14.0	4.0	1780	1860(1460)	1070(1300)		55
	T2			120	18.0	5.5	1780	1860(1460)	1070(1370)	72	
	T3			150	26.0	5.5	1780	1860(1460)	1070(1420)	81	
RCDF-16	T1	1600	450	90	15.0	5.5	1980	2060(1660)	1150(1400)		69
	T2			120	32.0	5.5	1980	2060(1660)	1150(1460)	86	

	T3			150	32.0	7.5	1980	2060(1660)	1150(1520)	102
RCDF-18	T1	1800	500	90	19.0	7.5	2050	2300(1950)	1245(1500)	90
	T2			120	28.0	7.5	2050	2300(1950)	1245(1600)	131
	T3			150	38.0	11.0	2050	2300(1950)	1245(1670)	151
RCDF-20	T1	2000	550	90	24.0	7.5	2660	2500(2300)	1450(1600)	134
	T2			120	32.5	11.0	2660	2500(2300)	1450(1670)	165
	T3			150	245.0	11.0	2660	2500(2300)	1450(1710)	198
RCDF-22	T1	2200	600	90	28.0	11.0	2410	2700(2610)	1600(1700)	169
	T2			120	36.0	11.0	2410	2700(2610)	1600(1730)	208
	T3			150	52.0	15.0	2410	2700(2610)	1600(1760)	244
RCDF-24	T1	2400	650	90	32.0	15.0	22610	2900(2870)	1700(1800)	206
	T2			120	43.0	15.0	2610	2900(2870)	1750(1850)	258
	T3			150	62.0	15.0	2610	2900(2870)	1800(1960)	307