

# Tritan材质PCTG LX150HF高流动

产品名称	Tritan材质PCTG LX150HF高流动
公司名称	深圳市百利丰塑胶原料有限公司
价格	26.00/千克
规格参数	
公司地址	广东东莞市樟木头塑胶市场塑胶市场一期V栋8-9
联系电话	18829907462

## 产品详情

深圳百利丰优价出：TRITAN太空杯塑胶原料

PCTG美国伊士曼TRITAN:TX2001正牌 40000一吨含税

PCTG美国伊士曼TRITAN:TX1001小包 36000一吨 含税

PCTG美国伊士曼TRITAN:TX1001(箱装) 33000一吨含税

PCTG美国伊士曼TRITAN:TX1001(副牌可代替新料) 31000一吨含税

PETG韩国SK K2012 正牌 17800一吨 含税

PCTA美国伊士曼DS2010正牌 24000一吨

另：出售各种PC PBT 尼龙品牌塑胶原料 改性尼龙

另：出售PCTG 各类水口 价格面议

质量稳定品牌原料！！！

????

## Eastman Chemical Company

????:

Eastman Tritan™ LX150HF is a high flow grade of an amorphous copolyester with excellent appearance and clarity. Eastman Tritan™ LX150HF has viscosity reductions of 40-50% relative to standard grades of Eastman Tritan™. Its most outstanding features are excellent toughness, hydrolytic stability, and heat and chemical resistance. Tritan™ LX150HF was developed for the cosmetic, fragrance, and personal care markets. Tritan™ LX150HF can easily be converted into articles for application in consumer and personal care markets by injection molding, extrusion blow molding, and injection blow molding.

???: ?? | ??

Properties [???? ?? ????? ???? ????](#)

??

?????????

????

[Technical Datasheet \(English\)](#)

?? 1

[Eastman Chemical Company](#)

[Tritan™](#)

?? UL ??

???

???? ??

????

????????? ??????? ??????? ?????

???????

??

Cosmetic Packaging

??

??

???????

?????

?????

?????

??

??? - ??

5.0E-3 ?

??

????? (R ?, 73°F)

?????

????? (73°F)

?????

??, 73°F

??, 73°F

???

??, 73°F

??, 73°F

????? (73°F)

???? (??, 73°F)

????

???????????

-40°F

73°F

??????????

-40°F

73°F

???????????????

-40°F, Energy at Peak Load

73°F, Energy at Peak Load

???

??????????

66 psi, ???

264 psi, ???

????

??? (??)

??

??

????

????

?????????

4

?????

50

10

