

DLSB-5/20	5	-24	1328-319
DLSB-5/25	5	-27	1894-447
DLSB-5/30	5	-33	2733-627
DLSB-5/40	5	-42	2036-602
DLSB-5/60	5	-62	2036-330
DLSB-5/80	5	-82	2036-180
DLSB-5/120	5	-123	3888-160
DLSB-10/10	10	-14	1894-884
DLSB-10/20	10	-23	2733-813
DLSB-10/25	10	-28	3256-990
DLSB-10/30	10	-32	2036-1022
DLSB-10/40	10	-42	2628-748
DLSB-10/60	10	-62	3679-510
DLSB-10/80	10	-82	3679-510
DLSB-10/120	10	-122	4997-120

-20	±0.2	220	25	(60	500	370	540
-25	±0.2	220	25	-	545	370	640
-30	±0.2	220	25	80)%? ?	545	370	640
-40	±0.2	220	25		600	410	670
-60	±0.2	220/380	25		680	500	780
-80	±0.2	220/380	25		700	650	900
-120	±0.2	220/380	25		950	710	940
-10	±0.2	220	25		500	400	650
-20	±0.2	220	25		550	420	680
-25	±0.2	220	25		550	420	680
-30	±0.2	220	25		580	450	680
-40	±0.2	220	25		580	450	680
-60	±0.2	220/380	25		730	660	880
-80	±0.2	220/380	25		880	670	900
-120	±0.2	380	25		900	700	900

DLSB-20/20	20	-24	3255-990
DLSB-20/30	20	-32	2682-1350
DLSB-20/40	20	-42	3809-989
DLSB-20/60	20	-62	4997-510
DLSB-20/80	20	-82	7828-230
DLSB-20/120	20	122	7828-160

-20	± 0.2	380	25
-30	± 0.2	380	25
-40	± 0.2	380	25
-60	± 0.2	380	25
-80	± 0.2	380	25
-120	± 0.2	380	25

500	450	780
500	450	780
560	440	888
850	700	980
880	700	1000
1050	800	1000