

SBS 悬臂梁传感器

产品名称	SBS 悬臂梁传感器
公司名称	传力电子衡器(南京)有限公司
价格	面议
规格参数	
公司地址	南京市江宁经济技术开发区马浦街32号
联系电话	025-52105245-8908 13851589621

产品详情

Features 主要特点

悬臂梁式 优质合金钢材质 高精度 高稳定性 独特的承载盲孔设计
安装简便、快速 表层镀镍防腐处理 适用于平台秤、搅拌站和配料秤等

Capacities 量程 250lb, 250kg, 500kg, 1000kg, 1500kg, 2000kg, 2500kg, 5000kg, 7500kg, 10000kg, 15000kg, 20000kg

Specification 技术参数

Rated Output	额定输出	2.0mV/V \pm 0.1%
Zero Balance	零点平衡	\pm 1% of rated output
Creep after 30 minutes	蠕变	\pm 0.03% of rated output

Nonlinearity	非线性	± 0.03% of rated output
Hysteresis	滞后	± 0.03% of rated output
Repeatability	重复性	± 0.03% of rated output
Temp. effect on output	灵敏度温漂	0.002% of applied output/ ° C
Temp. effect on zero	零点温漂	0.002% of rated output/ ° C
Safe Temp. Range	可用温度范围	-10 ° C to + 70 ° C
Temp. Compensated	温度补偿范围	-10 ° C to + 40 ° C
Safe Overload	安全载荷	150%
Input Impedance	输入阻抗	387 ohm ± 20 ohm
Output Impedance	输出阻抗	350 ohm ± 5 ohm
Insulation Resistance	绝缘阻抗	5000 M ohm (50V DC)
Rated Excitation	推荐激励电压	10V DC/AC
Maximum Excitation	最大激励电压	15V DC/AC
Cable Length	导线长度	950cm(10~15t)/13m(20t)

Cable Color Code	导线颜色	Red(+E) Black(-E) Green(+S) White(-S)
------------------	------	---------------------------------------

传感器

Single Ended Shear Beam **单悬臂梁传感器**

BSH SBTL/SBTL-ESH SBSZ SBS/SBZ SBT SB
SBS SBSB SBS-ESH SBSK SBST TA TSB

“ s ” Type “ S ” 型传感器

BAC BAB BAB-MT BSA BSS BSS-ESH(100kg~1000kg)

BSS-ESH (1.5t~5t) BSSD BSS/TSZ BH (30t) BH (40t~160t)

Single Point **单点式传感器**

FAK FAS FAS A4 FASB FASB C4 FASD FATS

FAV FAW FSSB C4 FSSV

Double Ended Shear Beam **双剪切梁传感器**

DBS DBST (3t) DBST (5t/10t) DBST (30t) DBST-HK

DBSQ DBSQD

Spoke Type **轮辐式传感器**

DBSL DBSL (200t) DBSL-KH DBSL-SH DBSL-SJ (0.5t~2t)

DBSL-SJ (5t~30t) DBSL-TJ (1t/2t) DBSL-TJ (50t)

DBSL-XS (5t/10t) DBSL-XS (20t) DBSL-XS (60t/100t) DBSLS

Column Type **柱式传感器**

CD CR CRS CD-GD

Weighing Modules **称重传感器模块**

BSH Module DBS Module DBST Module DBSL-SH Module

SB/SBT Module SBTL Module SBS/SBSB Module SBSB Module

SBST Module SBT-FW Module SBTL-LG Module

SBT-CW Module SBSZ-FWC Module SBSZ-CWC Module

CD-GD-GW Module S-Type Module

Others **其他传感器及配件**

Pressure Transducer Oscillating Bearing SBSZ Load Accessory

SBS/SBZ Load Accessory SBT Load Accessory SB Load Accessory

SBSB Load Accessory SBST Load Accessory SBTL Load Accessory

CD-GD Load Accessory TI-1500VC Transmitter

TI-1500DM Transmitter J-BOX Junction Box C&V Signal Amplifier

Spherical Bowl

仪表

Weighing Display Indicator **称重显示仪表**

T3 Dust-Proof Type Weighing Terminal | T3 防尘式称重显示终端

TI-500 Weighing Indicator | TI-500 称重显示仪表

TI-500E Weighing Indicator | TI-500E 称重显示仪表

TI-500ESS Weighing Indicator | TI-500ESS 称重显示仪表

TI-500SL Weighing Indicator | TI-500SL 称重显示仪表

TI-1500 Weighing Indicator | TI-1500 称重显示仪表

TI-1520 Weighing Indicator | TI-1520 称重显示仪表

TI-1680 Weighing Indicator | TI-1680 称重显示仪表

Explosion-proof Weighing Terminal **防爆称重终端**

T5 Explosion-proof Weighing Terminal | T5本安防爆称重终端

Weighing Control Terminal **称重控制终端**

T6 Economical Weighing Terminal | T6 经济型工业称重终端

T7 High Performance Weighing Terminal | T7 高性能称重终端

Force measuring indicator **测力仪表**

TI-1500B Force Measuring Indicator | TI-1500B 测力仪表

Big Screen Display **大屏幕显示器**

RD Series Remote Displays | RD 系列大屏幕显示器