

BSS型传感器

产品名称	BSS型传感器
公司名称	传力电子衡器(南京)有限公司
价格	面议
规格参数	
公司地址	南京市江宁经济技术开发区马浦街32号
联系电话	025-52105245-8908 13851589621

产品详情

Features 主要特点

S型传感器 通过NETP、CMC、PA认证 优质合金钢/不锈钢材质
安装简便、快速,稳定可靠 适用于材料试验机、配料秤、搅拌站、皮带秤和包装秤等

Capacities 量程 BAB- 5kg, 7.5kg, 10kg, 15kg, 20kg, 30kg, 50kg, 75kg, 100kg

BSS-100kg, 200kg, 250kg, 500kg, 750kg, 1000kg, 1500kg, 2000kg, 2500kg, 5000kg, 10000kg

Specification 技术参数

Rated Output	额定输出	3.0mV/V \pm 0.1%
Zero Balance	零点平衡	\pm 1% of rated output
Creep after 30 minutes	蠕变	\pm 0.03% of rated output
Nonlinearity	非线性	\pm 0.03% of rated output
Hysteresis	滞后	\pm 0.03% of rated output

Repeatability	重复性	± 0.03% of rated output
Temp. effect on output	灵敏度温漂	0.002% of applied output/ ° C
Temp. effect on zero	零点温漂	0.002% of rated output/ ° C
Safe Temp. Range	可用温度范围	-10 ° C to + 70 ° C
Temp. Compensated	温度补偿范围	-10 ° C to + 40 ° C
Safe Overload	安全载荷	150%
Input Impedance	输入阻抗	387 ohm ± 20 ohm
Output Impedance	输出阻抗	350 ohm ± 5 ohm
Insulation Resistance	绝缘阻抗	5000 M ohm (50V DC)
Rated Excitation	推荐激励电压	10V DC/AC
Maximum Excitation	最大激励电压	15V DC/AC
Cable Length	导线长度	6m
Cable Color Code	导线颜色	Red(+E) Black(-E) Green(+S) White(-S)

传感器

Single Ended Shear Beam

单悬臂梁传感器

BSH SBTL/SBTL-ESH SBSZ SBS/SBZ SBT SB

SBS SBSB SBS-ESH SBSK SBST TA TSB

“s” Type “S”型传感器

BAC BAB BAB-MT BSA BSS BSS-ESH(100kg~1000kg)

BSS-ESH (1.5t~5t) BSSD BSS/TSZ BH (30t) BH (40t~160t)

Single Point 单点式传感器

FAK FAS FAS A4 FASB FASB C4 FASD FATS

FAV FAW FSSB C4 FSSV

Double Ended Shear Beam 双剪切梁传感器

DBS DBST (3t) DBST (5t/10t) DBST (30t) DBST-HK

DBSQ DBSQD

Spoke Type 轮辐式传感器

DBSL DBSL (200t) DBSL-KH DBSL-SH DBSL-SJ (0.5t~2t)

DBSL-SJ (5t~30t) DBSL-TJ (1t/2t) DBSL-TJ (50t)

DBSL-XS (5t/10t) DBSL-XS (20t) DBSL-XS (60t/100t) DBSLS

Column Type 柱式传感器

CD CR CRS CD-GD

Weighing Modules 称重传感器模块

BSH Module DBS Module DBST Module DBSL-SH Module

SB/SBT Module SBTL Module SBS/SBSB Module SBSB Module

SBST Module SBT-FW Module SBTL-LG Module

SBT-CW Module SBSZ-FWC Module SBSZ-CWC Module

CD-GD-GW Module S-Type Module

Others **其他传感器及配件**

Pressure Transducer Oscillating Bearing SBSZ Load Accessory

SBS/SBZ Load Accessory SBT Load Accessory SB Load Accessory

SBSB Load Accessory SBST Load Accessory SBTL Load Accessory

CD-GD Load Accessory TI-1500VC Transmitter

TI-1500DM Transmitter J-BOX Junction Box C&V Signal Amplifier

Spherical Bowl

仪表

Weighing Display Indicator **称重显示仪表**

T3 Dust-Proof Type Weighing Terminal | T3 防尘式称重显示终端

TI-500 Weighing Indicator | TI-500 称重显示仪表

TI-500E Weighing Indicator | TI-500E 称重显示仪表

TI-500ESS Weighing Indicator | TI-500ESS 称重显示仪表

TI-500SL Weighing Indicator | TI-500SL 称重显示仪表

TI-1500 Weighing Indicator | TI-1500 称重显示仪表

TI-1520 Weighing Indicator | TI-1520 称重显示仪表

TI-1680 Weighing Indicator | TI-1680 称重显示仪表

Explosion-proof Weighing Terminal **防爆称重终端**

T5 Explosion-proof Weighing Terminal | T5本安防爆称重终端

Weighing Control Terminal 称重控制终端

T6 Economical Weighing Terminal | T6 经济型工业称重终端

T7 High Performance Weighing Terminal | T7 高性能称重终端

Force measuring indicator 测力仪表

TI-1500B Force Measuring Indicator | TI-1500B 测力仪表

Big Screen Display 大屏幕显示器

RD Series Remote Displays | RD 系列大屏幕显示器