小辣椒与盐水混合装 小米辣定量称重自动包装机

产品名称	小辣椒与盐水混合装 小米辣定量称重自动包装机
公司名称	佛山市晟奇奥机械有限公司
价格	170000.00/台
规格参数	品牌:晟奇奥 型号:520 参考价:170000
公司地址	广东佛山市南海区丹灶镇罗行社区校北大街3号
联系电话	86 0757 86604198 18038857967

产品详情

SUN-520 大型立式全自动包装机

SUN-520 LARGE VERTICAL PACKING MACHINE

技术特点:

- 1.采用彩色触摸屏和稳定可靠的双轴高精度输出的PLC控制、制袋、计量、充填、封合、打码、切袋一次性完成。
- 2.气路控制和电路控制电箱独立分离,噪音小,电路更稳定。
- 3.采用双皮带伺服拉膜:拉膜阻力少,包装袋成型好,更美观,皮带不易磨损。
- 4.采用伺服控制,实现高精度定位,尺寸准确。
- 5.采用外置式放膜机构,包装膜安装更简单、更容易。
- 6.包装袋的偏差调整只需在触摸屏上调整即可,操作简单。
- 7.整机采用封闭式机构,有效防止粉尘进入机器内部。

Technical characteristics:

- 1. PLC control with stable £ ¬ reliable biaxial high accuracy output and color touch screen, bag-making, measuring, filling, printing, cutting, finished in one operation.
- 2. Separate circuit boxes for pneumatic control and power control. Noise is low, and the circuit is more stable.
- 3. Film-pulling with servo motor double belt: less pulling resistance, bag is formed in good shape with better appearance, belt is resistant to be worn-out.
- 4. Double servo control, high precision orientation, size more nicety.
- 5. External film releasing mechanism: simpler and easier installation of packing film.
- 6. Adjustment of bag deviation just needed to be controlled by the touch screen. Operation is very simple.
- 7. Close down type mechanism, defending powder into inside of machine.

技术要点:

1.采用电子秤量方式,包装重量更精确,生产成本更低廉。

Technical characteristics:

1. Multihead weigher measuring, packing weight more precision, product cost more low.

适用包装范围:

适合包装颗粒状、片状、条状,如薯片、虾条、果冻、花生等2000ml以内的产品。

Application

Suitable for packing of various of granule, slice, stripe, such as potato chips, shrimp chip, jelly, peanut. Etc. Packing with in 2000ml.

技术参数(Technical parameters):

机型(Type)	SUN-520
制袋长度(Bag length)	80-400mm(L)

制袋宽度(Bag width)	80-250mm(W)
薄膜宽度(Max width of roll film)	520mm
包装速度(Packing speed)	5-50bags/min
计量范围(Measuring range)	2000ml(Max)
气压(Air consumption)	0.65Mpa
耗气量(Gas consumption)	0.4m ³ /min
, , , , , , , , , , , , , , , , , , , ,	
电压(Power voltage)	220VAC/50HZ
功率(Power)	4Kw
外型尺寸(Dimension)	$(L)1500 \times (W)1140 \times (H)1540$ mm
机器重量(Deadwight of machine)	550KG