

PPS 日本宝理 1140A64 40%玻纤增强

产品名称	PPS 日本宝理 1140A64 40%玻纤增强
公司名称	余姚市亚隆塑化有限公司
价格	58.00/kg
规格参数	品牌:日本宝理 型号: 1140A64
公司地址	余姚市中国塑料城
联系电话	0547-62555537 13798597936

产品详情

	?????	PPS 1140A64
	?? ???	????
	?????	?? ??? 40%????
	?????	???
	?????	20kg
	?????	????
	?????	
	????????	???????,?????? ???? ?????????????
1???	??220?????	2 ??? ??????????V0???? 3 ???? ????????????? 4 ???? ????????????? 5 ???? ???????,???
6	???? ????????????	

PPS??(????)

????:Phenylenesulfide ??:1.36??/?????????:0.7%?????300-330????????????????????????????????
 ?????????????PPS????????????PPS?350????????????????????PPS????????

????????????????200?? PPS?????
 ?????????Gy 1x108?? PPS?
 ?????????????????????????—????PPS??
 ?????????????????PPS????????????44????????????????????????????PPS????????????????????? PPS?????0.8m
 m?????UL-94 V0????????????????????????????????PPS?UL94????????V-0??UL 94????????????????PPS???
 ????????????????? PPS????????PPS????????????????????PPS????????????????????

????

????	????	????	??/?	??
????	????(????)		ASTM D638/ISO 527	200 kg/cm2(MPa)[Lb/in2]
	?????		ASTM D638/ISO 527	%
	????		ASTM D638/ISO 527	kg/cm2(MPa)[Lb/in2]
	????????(???)		ASTM D638/ISO 527	%
	????????(???)		ASTM D638/ISO 527	1.8 %
	????(?????)		ASTM D790/ISO 178	14000 kg/cm2(MPa)[Lb/in2]
	????		ASTM D790/ISO 178	280 kg/cm2(MPa)[Lb/in2]
	????		ASTM D785	
	IZOD ??????	1/4" 23?	ASTM D256/ISO 179	kg-cm/cm(J/M)ft-lb/in

		1/4" -30?	ASTM D256/ISO 179		kg-cm/cm(J/M)ft-lb/in
		1/8" 23?	ASTM D256/ISO 179		kg-cm/cm(J/M)ft-lb/in
		1/8" -30?	ASTM D256/ISO 179		kg-cm/cm(J/M)ft-lb/in
	Charpy????	23? ?????	ASTM D256/ISO 179		kg-cm/cm(J/M)ft-lb/in
		-30??????	ASTM D256/ISO 179		kg-cm/cm(J/M)ft-lb/in
		23???????	ASTM D256/ISO 179		kg-cm/cm(J/M)ft-lb/in
		-30???????	ASTM D256/ISO 179		kg-cm/cm(J/M)ft-lb/in
????	???????		ASTM D792/ISO 1183	1.66	
	??????		ASTM D955		%
	?????????????	200?/5kg	ASTM D1238/IS O 1133		g/10min
		220?/10kg	ASTM D1238/IS O 1133		g/10min
	??? 23?/24H		ASTM D570/ISO 62	0.01	%
???	??????	??	ASTM D648/ISO 75		????
		???	ASTM D648/ISO 75		????
	??????		ASTM D1525/IS O R306		????
	??		-		????
	???????		UL94	V-0	
	???????		ASTM D696/ISO 11359	2	mm/mm.?
????	?????	100HZ	ASTM D150/IEC 60250		
		1MHZ	ASTM D150/IEC 60250		
	??????		ASTM D257/IEC 60093	4.0 x 10 ¹⁶	?cm
	??????		ASTM D257/IEC 60093		?
	?????		ISO 14782		
????	?????				
	?????	??			?

