

# 永福泰2230仿形雕刻机

产品名称	永福泰2230仿形雕刻机
公司名称	济南永福泰机械设备有限公司
价格	面议
规格参数	品牌:永福泰 型号:2230 总功率:7.5kw
公司地址	济南市天桥区东工商河路17号泉星小区三区3号楼2-403室
联系电话	0531-88276736 18866803894

## 产品详情

采用进口直线方形导轨，高精度斜齿齿条，双排四列滚珠滑块，承重冗余大、运行平稳，精度高，寿命长。

Adoptsimportedlinear square rails,high-precision helical rack, doublerow and four column ball slider,heavy loading, stable operation,high precision,longlife.

钢架结构机身，刚性好，抖动少，长时间使用变形量少，使定位精度更加精确，机器承重力可达一吨以上，Y轴采用双丝杠传动，实现Y轴同步，消除阻力，避免龙门有扭曲现象，使得机器曲直线雕刻更加顺畅。 Steelframe structure, good rigidity, low jitter, long timeuse of lessdeformation, so that more precise positioning accuracy,machinebearing up to a ton of above, theYaxisbydoublescrewdrive,realizetheY axis synchronous, eliminating the resistance,toavoid Longmen distorted, making the machine more smoothlycurvedstraight lineengraving.

恒功率5.5KW主轴电机，矢量型变频器及恒功率，进口四轴承低噪音主轴，保证低转速下扭矩不变来确保刀得使用寿命和工作效率，切削力度大，效率高。

Constantpower5.5KW spindle motor, converterand constant power, low noiseimport four bearing spindle, guaranteearound low speed to ensurethattheknifewasconstanttorsionmajorservice life and workefficiency,cutting intensity,high efficiency.

加滑动上料装置，将重物放在滑轮上轻松推移。

Plus sliding feeding device, the load on pulley easy passage.

软件兼容性好，可兼容Type3/Artcam/Castmate/文泰、精雕等多种CAD/CAM设计制作软件

Good compatibility, can be compatible with Type3/ Artcam / Castmate /Wen Tai, carved and other CAD / CAM design software.

单向刀具冷却系统，有效提高刀具使用寿命

Check tool cooling system, effectively improve tool life.

全部防尘防水设计，全方位保护机器传动部件

Dustproof waterproof design, all-round protection of machine transmission parts.

高硬度聚酯板平台耐用不变形

High hardness of polyester plate platform durable without deformation.

防尘、防静电密封性电脑控制柜

Dust, anti-static seal computer control cabinet.

技术参数/Technical parameters

机器型号 Model

yft--1525

进料尺寸 Charging size

宽/W1500mm ; 长/L2500mm

雕刻尺寸 Carving size

宽/W1500;长/L2500

雕刻深度 Carving depth

最大雕刻深度 300mm

Maximum depth of 300mm

雕刻速度Carvingspeed

最大雕刻速度6000/分      Maximumspeed 6000 /min

总功率 Totalpower

7.5kw

防水功能

Waterprooffunction

三轴全进口防水材料      Threeaxle all imports of waterproofmaterial

主轴电机Spindlemotor

高速水冷电主轴      Highspeed water cooledspindle

传动部件Transmissionparts

XY轴：原装进口小模数、高精度，直尺、斜齿齿条。Z轴：进口丝杆      TheXY axis: imported small modulus, high precision, ruler, helical rack. The Z axis: imported screw

直线导轨Linearguide

台湾原装进口矩形重载高精度四列滚珠直线导轨      Taiwan imports original rectangular heavy load and high precision four column ball linear guiderail

管路 Pipeline

防老化水管油管      Antiaging pipetubing

电气线路Electricalcircuit

防老化寿命屏蔽电缆线      Antiaging life shield cable

冷却 Cooling

循环水回流设计      Circulating water return design

重量 Weight

1500kg

主轴转速 Spindlespeed

24000转/分          24000rpm

适用范围：花岗岩，大理石，青石等