

HP RX2800 i2 安腾小机

产品名称	HP RX2800 i2 安腾小机
公司名称	武汉市普锐斯特科技有限公司
价格	1.00/台
规格参数	品牌:惠普 型号:HP RX2800 I2 质保:一年
公司地址	武汉市洪山区团结大道铁机盛世家园12栋
联系电话	027-51837652 17786556940

产品详情

武汉普锐斯特现货供应


HP Integrity RX2800 i2 Server

武汉普锐斯特有限公司提供 软件服务

mirror、serviceguard安装调试、troubleshooting、升级微码 调试安装、场地检测、巡检

武汉普锐斯特有限公司提供 硬件服务 HP小型机维修 操作系统安装 文件系统调整

服务配置更换主板服务 更换电源报价 更换内存价格 更换CPU 更换网卡 更换SCSI卡 更换各种硬



include memory or backup power

Controller	587224-001 Smart Array P812 controller board - PCIe x8 SAS controller - Has two internal x4 mini-SAS port and four external x4 mini-SAS port - Supports up to 108 drives accross 24 ports - Does not include memory or backup power
Controller	AM311A HP Integrity PCIe 2p P411/256MB SAS Controller
Controller	AM312A HP PCIe SAS SA P812 1G flashlight Controller
Drives	493083-001 300GB hot-plug dual-port SAS hard disk drive - 10,000 RPM, 3Gb/sec transfer rate, 2.5-inch small form factor (SFF), Enterprise
Drives	504334-001 146GB hot-plug dual-port SAS hard disk drive - 15,000 RPM, 3Gb/sec transfer rate, 2.5-inch small form factor (SFF), Enterprise
Drives	507283-001 146GB SAS HARD DISK DRIVE 10K
Drives	507284-001 SPS-DRV HD 300GB 10K 2.5" DP SAS
Drives	512743-001 72GB hot-plug dual-port SAS hard disk drive - 15,000 RPM, 6Gb/sec transfer rate, 2.5-inch small form factor (SFF), Enterprise
Drives	512744-001 146G SAS HDD 15K 2.5DP 6GB
Drives	581284-B21 HP 450GB 6G SAS 10K 2.5 inch SFF DP ENT HDD
Drives	581286-B21 HP 600GB 6G SAS 10K 2.5 inch SFF DP ENT HDD
Drives	581310-001 450GB hot-plug dual-port SAS hard disk drive - 10,000 RPM, 6Gb/sec transfer rate, 2.5-inch small form factor (SFF), Enterprise
Drives	581311-001 600GB hot-plug dual-port SAS hard disk drive - 10,000 RPM, 6Gb/s transfer rate, 2.5-inch small form factor (SFF), Enterprise
Drives	AD333A 146 GB/10K 2.5" SAS hard disk drive
Drives	AD379A 72 GB 15K RPM Hot Plug Serial Attached SCSI (SAS) 2.5 inch Drive
Drives	AM242-6700A DVD-ROM Drive - Slimline
Drives	AM242A HP Slimline DVD-ROM Optical Drive
Drives	AM243-6700A DVD+RW Drive - Slimline
Drives	AM243A HP Slimline DVD+RW Optical Drive
Drives	AM244A HP Integrity 300GB 10K RPM SAS (Serial Attached SCSI) 2.5" Small Form Factor Hot Plug Disk
Drives	AM302A HP Integrity 146GB 15K RPM SAS (Serial Attached SCSI) 2.5" Small Form Factor Hot Plug Disk
Drives	AM316A 450GB 10K RPM SAS (Serial Attached SCSI) 2.5" Small Form Factor Hot Plug Disk
Drives	AM317A HP 600GB 10K RPM SAS (Serial Attached SCSI) 2.5" Small

Form Factor Hot Plug Disk

Drives	AT069A 900-GB 10K RPM SAS (Serial Attached SCSI) 2.5" Small Form Factor Hot Plug Disk
Drives	AT086A 300-GB 15K RPM SAS (Serial Attached SCSI) 2.5" Small Form Factor Hot Plug Disk
Drives	AT088A 200-GB 6G SAS (Serial Attached SCSI) SLC 2.5" Small Form Factor Solid State Drive
Drives	AT089A 400-GB 6G SAS (Serial Attached SCSI) SLC 2.5" Small Form Factor Solid State Drive
Drives	AT146A 1200-GB 10K RPM SAS (Serial Attached SCSI) 2.5" Small Form Factor Hot Plug Disk
Fans	AH395-67003 Fan module kit
Graphics	AH423-67001 PC Board - Printed Circuit Assembly (PCA), PCI Express (PCIe), 2D FireMV2250 Graphics
Graphics	AH423A HP Integrity rx2800 i2 2D Graphics Adapter
Interfaces	412911-B21 HP SC11Xe Host Bus Adapter
Interfaces	416154-001 SC11Xe ultra320 express Host Bus Adapter (HBA)
Interfaces	439946-001 LSI ULTRA320 SCSI HOST BUS ADAPTER
Interfaces	489190-001 Fiber channel (FC) 81Q (QLogic) PCIe x8 host bus adapter (HBA) single-port - Multi-mode small form-factor pluggable (SFP+), short wave laser with LC type connector - Option (AK344A)
Interfaces	489191-001 Fiber Channel (FC) 82Q (QLogic) PCIe x8 host bus adapter (HBA) dual port - Multi-mode Small form-factor pluggable (SFP+), short wave laser with LC type connector
Interfaces	489192-001 Fiber Channel (FC) 81E (Emulex) PCIe x8 host bus adapter (HBA) single-port - Multi-mode Small form-factor pluggable (SFP+), short wave laser with LC type connector
Interfaces	489193-001 Fiber Channel (FC) 82E (Emulex) PCIe x8 host bus adapter (HBA) dual-port - Multi-mode Small form-factor pluggable (SFP+), short wave laser with LC type connector
Interfaces	592520-B21 HP IB 4X QDR CX-2 PCI-e G2 Dual Port HCA
Interfaces	593412-001 Host Channel Adapter - IB 4X Quad Data Rate (QDR) CX-2 PCI Express (PCIe) Dual Port
Interfaces	AD221A PCIe 4Gb Fibre Channel / GbE-T HBA combo
Interfaces	AD222A PCIe 2-port 4Gb Fibre Channel / 2-port GbE-T HBA combo
Interfaces	AD337-60001 1000BASESX NETWORK ADAPTER 2 PORT
Interfaces	AD337A HP PCIe 2-port 1000Base-T card
Interfaces	AD338-60001 PCL-E 1000Base-SX double-port adapter
Interfaces	AD338A HP PCIe 2-port 1000Base-SX card

Interfaces	AD339-67001 PCIe 4-port 1000Base-T adapter board
Interfaces	AD339A HP NC364T PCIe 4PT Gigabit Server Adapter
Interfaces	AD393A PCIe 2-port 4Gb Fibre Channel / 2-port GbE-SX HBA combo
Interfaces	AH400A HP PCIe 1-port 8Gb FC SR (QLogic) HBA
Interfaces	AH401A HP PCIe 2-port 8Gb FC SR (QLogic) HBA
Interfaces	AH402A HP PCIe 1-port 8Gb FC SR (Emulex) HBA
Interfaces	AH403A HP PCIe 2-port 8Gb FC SR (Emulex) HBA
Interfaces	AJ762A HP StorageWorks 81E PCI-e FC HBA Single Port
Interfaces	AM225-67001 Panel Control Board (PCA) PCI Express (PCIe) 2-p 10GbE - Small Form Pluggable (SFP)
Interfaces	AM225A HP Integrity PCIe 2-port 10GbE-SR Fabric Adapter
Interfaces	AM232A HP Integrity 10GbE-LR 2p PCI Express (PCIe) Adapter
Interfaces	AM233A HP Integrity 10GbE -CR 2p PCIe Adapter
Interfaces	AM252A HP rx2800 i2 SA 512MB Cache/SuperCapacitor Kit
Interfaces	AT083A HP Integrity 4X QDR CX-2 PCI-e G2 DP HCA
Interfaces	AT094A HP PCIe 2-port 8Gb FibreChannel and 2-port 1/10Gb Ethernet Adapter
Interfaces	AT111A HP Integrity CN1100E PCIe 2-port Converged Network Adapter Supports FCOE and 10Gb Ethernet
Interfaces	AT118A HP Integrity NC552SFP 2P 10GbE Adapter
Interfaces	AT134A HP Integrity SC11Xe PCIe SCSI Host Bus Adapter (HBA)
Interfaces	B9F23A HP Integrity SN1000Q 1p 16GB FC HBA
Interfaces	B9F24A HP Integrity SN1000Q 2p 16GB FC HBA
Memory	AM229A 4GB (2x2GB) PC3-10600 Registered CAS-9 Memory Kit
Memory	AM230A HP rx2800 i2 8GB (2x4GB) PC3-10600 Registered CAS-9 Memory Kit
Memory	AM231A HP rx2800 i2 16GB(2x8GB) PC3-10600R-9 Memory Kit
Memory	AM326-69001 2GB (256MBx8) PC3-10600R DIMM memory module
Memory	AM327-69001 4GB (512MBx4) PC3-10600R DIMM memory module
Memory	AM328-69001 8GB PC3-10600R DIMM memory module
Memory	AM363-69001 16GB, 1066MHz, PC3-8500R-7, DDR3, Quad-ranked, 1.50V, registered dual in-line memory module (DIMM)
Memory	AT067A HP rx2800 i2 32GB (2x16GB) PC3-8500R Memory Kit
Parts	578882-001 512MB flash backed write cache (FBWC) memory module - Does not include the controller board or capacitor module

Parts	587324-001 Flash-based write cache (FBWC) super capacitor module assembly - Includes capacitor with cable (610mm (24 inches) long), holder, and feet
Parts	AH395-67001 Replacement, Air Baffle
Parts	AH395-67002 Intrusion switch and cable - Twisted pair, 2pos, 150mm (5.9in) long - Includes intrusion switch and cable, System Insight Display (SID) ribbon cable, and power cable for SAS backplane
Parts	AH395-67004 Central Processing Unit (CPU) Heat Sink
Parts	AH395-67005 Air Blocker - Cover
Parts	AH395-69002 Panel Control Board (PCA) Memory Riser
PC Boards and Backplanes	496057-001 Primary PCI riser board - Includes one x16 PCIe2 slot on one side and two x8 PCIe2 slots on the other
PC Boards and Backplanes	507688-001 PCI two port riser board - Includes two x16 PCIe card slots - Mounts in the PCI card cage
PC Boards and Backplanes	507690-001 Backplane board - For the 8-bay small form factor (SFF) hard drive cage
PC Boards and Backplanes	AD221-67001 PCIe single-port, 4GB, Fiber Channel (FC), and single port 1000Base-T adapter board
PC Boards and Backplanes	AD221-67101 PC Board - PCI Express (PCIe-X), one port GigE, one 4GB port Fiber Channel (FC) Host Bus Adapter
PC Boards and Backplanes	AD221-67102 System board - PCIe, 4GB, 1-port, Fiber Channel+ (FC)
PC Boards and Backplanes	AD222-67001 PCIe dual-port, 4GB, Fiber Channel (FC), and dual port 1000Base-T adapter board
PC Boards and Backplanes	AD222-67101 PC Board - PCI Express (PCIe-X), two ports GigE, two 4GB ports Fiber Channel (FC) Host Bus Adapter
PC Boards and Backplanes	AD222-67102 System board - PCIe, 2-port, Gb Ethernet
PC Boards and Backplanes	AD339-67101 Printed Circuit Assembly (PCA) - PCI Express (PCIe) 1000BASE-T board
PC Boards and Backplanes	AD393-67001 PCIe double-port, 4GB, Fiber Channel (FC), and double-port 1000SX adapter board
PC Boards and Backplanes	AD393-67101 PC Board - PCI Express (PCIe-X), two ports GigE, two 4GB ports Fiber Channel (FC) Host Bus Adapter
PC Boards and Backplanes	AD393-67102 System board - PCIe, 4GB, 2-port, Fiber Channel+ (FC)
PC Boards and Backplanes	AH395-69001 SPS, PCA, rx2800 i2 System Bo
PC Boards and Backplanes	AH395-69003 SPS, PCA, Diagnostic and Fron
PC Boards and Backplanes	AM228A HP rx2800 i2 PCIe 3-Slot Riser Card (One full-length/full-height x8 speed/x16 connector slot, and two half-length/full-height x4 speed/x8 connector slots)
PC Boards and Backplanes	AM245A HP rx2800 i2 PCIe 2-Slot Riser Card (One full-length/full-height x8 speed/x16 connector slot, and one half-lenfth/full-height x8

	speed/x16connector slot)
PC Boards and Backplanes	AM246A HP rx2800 i2 6-Slot Memory Expansion Board
Power Supplies	579229-001 1200 watt AC Common Slot (CS) 'Platinum' hot-plug power supply - Installs in the computer chassis as primary or redundant supply (94% efficiency) - Requires 100-240VAC at 50/60Hz - Multiple power supplies used in the sever must be the same model number
Power Supplies	AM226A HP rx2800 i2 Redundant Power Supply
Processors	AH339-6924A Intel Itanium 9310 Dual Core processor - 1.6GHz (Montvale, 10MB Level-3 cache, 130W Thermal Design Power (TDP), socket LGA1248) - You must also order the appropriate heatsink for this product - Cannot be installed without a replacement heatsink
Processors	AH339-6925A Intel Itanium 9320 quad core processor - 1.33 GHz (Tukwila, 16M Level-3 cache, 155W Thermal Design Power (TDP), socket LGA1248) - You must also order the appropriate heatsink for this product. Cannot be installed without a replacement heatsink
Processors	AH339-6927A Intel Itanium 9340 quad core processor - 1.60GHz (Tukwila, 20M Level-3 cache, Demand Based Switching (DBS), 185W TDP, socket LGA1248) - You must also order the appropriate heatsink for this product and cannot be installed without a replacement heatsink
Processors	AH339-6934A Intel Itanium 9310 Dual Core processor - 1.6GHz (Montvale, 10MB Level-3 cache, 130W Thermal Design Power (TDP), socket LGA1248) - You must also order the appropriate heatsink for this product - Cannot be installed without a replacement heatsink
Processors	AH339-6935A Intel Itanium 9320 quad core processor - 1.33 GHz (Tukwila, 16M Level-3 cache, 155W TDP, socket LGA1248) - You must also order the appropriate heatsink for this product. This processor cannot be installed without a replacement heatsink.
Processors	AH339-6937A Intel Itanium 9340 quad core processor - 1.60GHz (Tukwila, 20M Level-3 cache, 185W TDP, socket LGA1248) - You must also order the appropriate heatsink for this product. This processor cannot be installed without a replacement heatsink.
Processors	AH397A HP rx2800 i2 Itanium 9310 (1.6GHz/2-core/10MB) Processor Kit
Processors	AH398A HP rx2800 i2 Itanium 9320 (1.33GHz/4-core/16MB) Processor Kit
Processors	AH399A HP rx2800 i2 Itanium 9340 (1.6GHz/4-cores/20MB) Processor Kit
Rack Mount Kits and Accessories	AM227A Universal Rack Kit
RX2800 i2 Model Numbers	AH395A - HP RX2800 i2 Base Server, AH396A - HP Integrity Office Friendly Base Server AT112A - HP Integrity Carrier-Grade Server with DC Power
Unknown	418399-001 146GB SAS HARD DISK DRIVE, 10K

HP Integrity RX2800 i2 Bill of Materials

	487967-001 Cable 10GbE - Cooper, 0.5 meters (19.6 inches) long, Small Form Pluggable (SFP+)
Cables	487968-001 10GbE copper cable - Small form-factor pluggable (SFP+), 1m (3.3ft) long
Cables	487969-001 Cable 10GbE - Cooper, 3 meters (118 inches) long, Small Form Pluggable (SFP+)