



? ??USB????? 1.1 ?2.0 ?????????U?????2G?4G?6G?8G?16G U???????????????

? ??????????RS232C?RS485???Modbus RTU???

? ??????????????????85?264VAC?120?370VDC?????????????47?63Hz?

? ???

? ???

1? ?"??" ???????128\*64??  
???????

2? ???  
???????????

3? ?????????U?????????1G?2G?4G 8G...16G;  
??sandisk?????????????0EM??????U??????????????????

Ø ??? 128\*64?????????????LCD??

Ø ??? ?????±0.2% F.S.?

????±0.2% F.S.?

??????????????????

Ø ??????????????????1?4????????????????????????????????1000V?

Ø ????? 20M? @ 1000V?

Ø ????? 64/128/192/248MB?FLASH?????????

Ø ?????0-5V?1-5V?0-20mV?0-100mV ? >1M???

Ø ?????0-10mA?0-20mA?4-20mA???250???

- Ø ???? PT100?Cu50????????????????
- Ø ???? S?B?K?T?R?E?N?J?F2?
- Ø ?????????????????????
- Ø ????? ????+24VDC????????????30mA??
- Ø ?????????????????????3A@220VAC/1A@30VDC????????????????
- Ø ??????????----RS232C?RS485?????----?1200?2400?9600?19200?????????----RS232C????????????
- Ø ?????1??240????11??1/2/4/8/12/24/36/60/120/180/240????
- Ø ?????????????FLASH????????????????????
  
- Ø ????????? 1G?2G?4G?8G?16G????????U??
- Ø ??????????? ±1? ?
- Ø ????? ??FLASH????????????????
- Ø ?????????????????
- Ø ????? ±1 ?/??
- Ø ????? 85VAC-264VAC?47?63HZ?
- Ø ????? 0?50????????
- Ø ????? 0?85%R.H?
- Ø ?????1.0Kg