

型号	筛面尺寸mm	筛面层数	网孔尺寸m	处理量t/h	振次/min	双振幅mm	电机功率kw	振动方向角°			
DZSF520	500 × 2000	1 2 3 1 2 3 4 5 6	2-200	0.05-5	960	6-7	2 × 0.4	45-60			
2DZSF520				0.05-5	960	6-7	2 × 0.4	45-60			
3DZSF520	500 × 2500			0.03-5	1450	4-6	2 × 0.4	45			
DZSF525				0.06-8	960	5-7	2 × 0.4	45-60			
2DZSF525				0.06-8	1450	4-6	2 × 0.4	45			
3DZSF525				0.06-8	960	6-8	2 × 0.75	45-60			
4DZSF525				0.1-15	1450	5-7	2 × 0.4	45			
5DZSF525				0.08-15	1450	5-7	2 × 0.4	45			
6DZSF525				0.07-15	960	6-8	2 × 0.75	45-60			
DZSF1020				1000 × 2000	1		0.12-20	960	6-8	2 × 0.75	45-60
2DZSF1020					2		0.11-20	960	5-7	2 × 0.75	45-60
3DZSF1020				1000 × 2000	3	2-200	0.10-2	960	5-7	2 × 0.75	45-60
4DZSF1020	4	0.07-15	960		4-8		2 × 0.75	45-60			
5DZSF1020	5	0.07-15	960		4-8		2 × 1.5	45-60			

6DZSF102 0		6		0.07-15	960	4-8	2 × 1.5	45-60
DZSF1025	1000 × 2500	1		0.1-15	1450	5-7	2 × 0.4	45
2DZSF102 5		2		0.08-15	1450	5-7	2 × 0.4	45
3DZSF102 5		3		0.07-15	960	6-8	2 × 0.75	45-60
DZSF830 2DZSF830 3DZSF830	800 × 3000	1 2 3		0.1-20	960	6-8	2 × 0.75	45-60
				0.1-20	960	6-8	2 × 0.75	45-60
				0.1-20	960	6-8	2 × 1.5	45-60
DZSF1030	1000 × 3000	1		0.1-20	960	6-8	2 × 0.75	45-60
2DZSF103 0		2		0.1-20	960	6-8	2 × 1.5	45-60
3DZSF103 0		3		0.1-20	960	6-8	2 × 1.5	45-60
DZSF1224	1200 × 2400	1		0.1-23	960	6-8	2 × 0.75	45-60
2DZSF122 4		2		0.1-23	960	6-8	2 × 0.75	45-60
3DZSF122 4		3		0.1-23	960	6-8	2 × 1.5	45-60