

螺纹规格 Thread	订货号 黑色或灰色	电缆外径 mm	螺纹外径 C1 mm	螺纹长度 C2 mm	扳手径 & F mm	A	包装单位 pcs
PG7	PA7-08	4.5 ~ 7.8	12.5	8.5	17/19		50
	PA7-05	3 ~ 5.3	12.5	8.5	17/19		50
PG9	PA9-08	4.5 ~ 7.8	15.2	9	19/22		50
	PA9-05	3 ~ 5.3	15.2	9	19/22		50
PG11	PA11-10	6 ~ 10	18.6	10	22/24		50
	PA11-06	4 ~ 7	18.6	10	22/24		50
PG13.5	PA13.5-12	6 ~ 12	20.4	10	24/27		50
	PA13.5-08	5 ~ 9	20.4	10	24/27		50
PG16	PA16-14	7 ~ 14	22.5	11	27/30		50
	PA16-10	7 ~ 11	22.5	11	27/30		50
PG21	PA21-18	10 ~ 18	28.3	12.5	33/36		50
	PA21-16	10 ~ 16	28.3	12.5	33/36		50
PG29	PA29-25	18 ~ 25	37	12	42/46		20
	PA29-22	16 ~ 22	37	12	42/46		20
PG36	PA36-30	24 ~ 30	47	15	52/57		10
	PA36-25	20 ~ 25	47	15	52/57		10

PG42	PA42-39	30 ~ 41	54	15	62/64	10
	PA42-32	26 ~ 32	54	15	62/64	10
PG48	PA48-49	44 ~ 51	59.3	16	70/78	10
	PA48-46	40 ~ 46	59.3	16	70/78	10
螺纹规格 Thread	订货号 黑色或灰色	电缆外径 mm	螺纹外径 C1 mm	螺纹长度 C2 mm	扳手径 & F mm	A 包装单位 pcs
PG7	PB7-08	4.5 ~ 7.8	12.5	8	17/19	50
	PB7-05	3 ~ 5.3	12.5	8	17/19	50
	PB7S-07	2 ~ 7	12.5	8	17/16	50
PG9	PB9-08	4.5 ~ 8	15.2	8.5	22/19	50
	PB9-05	3 ~ 5.3	15.2	8.5	22/19	50
PG11	PB11-10	5.5 ~ 10	18.6	9	24/22	50
	PB11-07	4 ~ 7	18.6	9	24/22	50
PG13.5	PB13.5-12	7 ~ 12.5	20.4	10	27/24	50
	PB13.5-08	4.5 ~ 9	20.4	10	27/24	50
PG16	PB16-14	7 ~ 14	22.5	10	30/27	50
	PB16-10	7 ~ 11	22.5	10	30/27	50

PG19	PB19-14	8.5 ~ 14	23.8	11	30/27	50
PG21	PB21-18	10 ~ 18	28.3	12	36/33	50
	PB21-16	10 ~ 16	28.3	12	36/33	50
	PB21-12	7 ~ 12.5	28.3	12	36/33	50
PG25	PB25-20	9.5 ~ 20	29.8	12	37/36	50
PG29	PB29-25	17.5 ~ 25	37	15	46/42	20
	PB29-22	16 ~ 22	37	15	46/42	20
PG36	PB36-30	24 ~ 31	47	15	57/52	10
	PB36-25	21 ~ 26.5	47	15	57/53	10
PG42	PB42-39	30 ~ 41	54	15.5	64/62	10
	PB42-32	26 ~ 32	54	15.5	64/62	10
PG48	PB48-45	33 ~ 46	59.3	15.5	70/65	10
	PB48-38	30 ~ 38	59.3	15.5	70/65	10