

D-6000-VN旋转蒸发仪

产品名称	D-6000-VN旋转蒸发仪
公司名称	河北冀群仪器有限公司
价格	面议
规格参数	品牌:冀群 型号:D-6000-VN
公司地址	石家庄市裕华东路148号国际名邸B座703室
联系电话	0311-68053182 13303233509

产品详情

D-6000-VN旋转蒸发仪

型号: D-6000-VN 品牌:冀群仪器

D-6000-VN旋转蒸发仪

D-6000-VN Rotary Evaporator

D-6000-VN

型是本厂最新研发的新型台式旋蒸，本产品外形新颖美观，转速温度双数显，加热锅采用特氟隆复合材质，全封闭加热模式，防止干烧，水油两用。密封部分采用国外最新技术，特氟隆+氟胶双重密封圈，保持持久高真空度。主机采用手动重量平衡方式进行升降，滑动升降100mm+手动升降150mm，可达260mm的升降距离。

D-6000-VN new type desktop rotary evaporator is our latest research and development, this product has novel and beautiful appearance, speed and temperature dual-digital display, the heating pot adopts teflon composite material, fully enclosed heating mode, prevent dry, water and oil are used. Sealing part adopts the latest technology from abroad, teflon + fluorine plastic double-sealing ring, keep sustained high vacuum degree. Host uses manual weight balance methods to lift, sliding lifting 100mm + manual lifting 150mm can reach 260mm lifting distance.

型号Model	D-6000-VN
玻璃材质Glass material	GG-17
支架材质Stent material	铝合金Aluminium alloy
锅胆材质Bath material	铝合金+特氟隆复合锅,全封闭加热 Teflon composite pot, fully enclosed heating
旋转瓶容积Rotary flask volume	1L 29#标口standard mouth
收集瓶容积Collecting flask volume	1L 35#球磨口ball mill mouth
旋转功率Rotary power	40W
旋转速度Rotary speed	20-195rpm
蒸发能力Evaporating ability	20ml/min(the evaporating capacity of water)
真空度 Vacuum degree	0.098Mpa
加热功率Heating power	1.5KW
浴锅控温范围Temperature control of bath	0-99
控温精度Temperature precision	± 1
升降行程Elevating power	100mm+150mm(sliding lifting+manual lifting)
电压/频率Voltage/frequency(V/Hz)	220V/50Hz
外形尺寸Exterior size(mm*mm*mm)	550*400*780(1040)

包装尺寸Packing size(mm*mm*mm)	720*525*385
包装重量Packing weight (KG)	16